

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
0-Chloro Naphthalene	B	A			A			
1 Dodecanol, pure - Alcohol, Aliphatic	X							
1 Hexadecanol, pure- Alcohol, Aliphatic	B							
1 Propanol, 100% - Alcohol, Aliphatic	B							
1 Propanol, pure - Alcohol, Aliphatic	B							
1, 2- ethanediol, 30% - Alcohol, Aliphatic, Polyol	B							
1, 2- ethanediol, pure - Alcohol, Aliphatic, Polyol	B							
1, 2, 2, 2- Tetrafluoroethane, pure - Hydrocarbon, Aliphatic, Halogenated	X							
1, 3- Benzenediol, 5% - Alcohol, Aromatic, Polyol	B							
1, 3- Benzenediol, pure - Alcohol, Aromatic, Polyol	B							
1, 3- Benzenediol, saturated - Alcohol, Aromatic, Polyol	B							
1, 3- Butylene Glycol, pure - Alcohol, Aliphatic, Polyol	X							
1, 4- Benzoquinone, pure - Ketone, Aliphatic, Cyclic	X							
1, 4-Dioxane	A							
2-Butoxyethanol, pure - Ether, Aliphatic, Alcohol	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
2-Mercaptoethanol, pure - Alcohol, Aliphatic, Mercaptan	X							
2-Methoxyethanol, pure - Ether, Aliphatic, Alcohol	C							
2-Methoxyethanol Acetate, pure - Ether, Aliphatic, Ester	C							
2-Propanol, 100% - Alcohol, Aliphatic	B							
2-Propanol, 30% - Alcohol, Aliphatic	B							
2, (2-Ethoxyethoxy) ethano, pure - Ether, Aliphatic, Alcohol	B							
2, 4, 6 - Trimethyl-1, 3, 5-tiroxane, pure - Ketone, Aliphatic, Cyclic	X							
3-Pentanone, pure - Ketone, Aliphatic	C							
4-Hydroxy-4-methyl-2-pentanone, pure - Ketone, Aliphatic, Alcohol	B							
9-Octa Decanoic Acid								
9.12 Octadecadienoic Acid								
Abietic Acid	X							
Acetaldehyde	A	A	C				A	C
Acetaldehyde-100% aq sol-68F	A	A	C					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetaldehyde-40% aq sol-68F	A	A	B					
Acetamide	A	B	A				A	B
Acetamide, - 25%	A	A	A				A	B
Acetamide, Powder								
Acetanilide	B							
Acetate Solv.	B	A	A					
Acetates	B	A						
Acetic Acid-85%	A	A						
Acetic Acid	A	A	A					
Acetic Acid - Glacial	A	A	A				A	C
Acetic Acid 10%	A		A		A		A	
Acetic Acid 20%	A	A	A		B	B	A	
Acetic Acid 30% 5.4 BE	A		A		C	C	A	A
Acetic Acid 33%	A		A		A	X	A	
Acetic Acid-100% Unaerated	A	A	A					
Acetic Acid-100% Unaerated-Boiling	B	B	B					
Acetic Acid-100%-70F	B	B	A					
Acetic Acid-100%-Boiling	B	B	B					
Acetic Acid-20% Unaerated	A	A	A					
Acetic Acid-20%-70F	A	B	A	X				
Acetic Acid-5% Unaerated	A	A	A	X				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetic acid-50% Unaerated	B	A	A	X				
Acetic acid-50% Unaerated-Boiling	B	B	B	X				
Acetic Acid-50%-70F	B	B	A	X				
Acetic Acid-50%-Boiling	B	B	B	X				
Acetic Acid-60%	B	A	A	X				
Acetic Acid-80%-70F	B	B	A	X				
Acetic Acid-80%-Boiling	B	B	A	X				
Acetic Acid, <5% - Acid, Organic	A		A	X				
Acetic Acid, 1% - Acid, Organic	A		A	X				
Acetic Acid, 10% - Acid, Organic	A		A	X				
Acetic Acid, 100% - Acid Organic	B		A	X				
Acetic Acid, 25% - Acid, Organic	B		A	X				
Acetic Acid, 30%	A		A	X				
Acetic Acid, 50% - Acid, Organic	B		A	X				
Acetic Acid, 60% - Acid, Organic	B		A	X				
Acetic Acid, 80%	B	A	A	X				
Acetic Acid, 90% - Acid, Organic	B		A	X				
Acetic Acid, Glacial	X	A	A	X	A			

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetic Acid, Glacial - Acid, Organic	B			X				
Acetic Aldehyde	A	C	C					
Acetic Anhydride-100% -70F	A		C	X	A	A		A
Acetic anhydride-68F	A		C	X	A	A	B	A
Acetic Anhydride-90%-70 F	A	B	C	X				A
Acetic Anhydride-90%- Boiling	A	B	C	X				
Acetic Anhydrite	X	A		X				
Acetone -100%-68F	A	B	X	X	A	C	C	B
Acetone -100%-70F	A	B	X	X	A	C	C	B
Acetone -50% Water	A	B	X	X			B	A
Acetone -Boiling	A	B	X	X			C	
Acetone -Traces-68F	A	A	C	C			B	A
Acetone Cyanohydrin	A							
Acetonic								
Acetonitrile	A	A					C	
Acetophenone	B	X					A	X
Acetotoluidide	C							
Acetyl Acetone	E							
Acetyl Benzene								
Acetyl Bromide	B							
Acetyl Chloride	XA	A						X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetyl Chloride- Cold & Boiling		B						
Acetyl Chloride-Dry	A	A						
Acetylene	A	A						B
Acetylene-70F	A	B					A	
Acetylene DI + Tetra Chloride	X							
Acetylene-Gas 100%		A						
Acetylsalicylic Acid	C							
Acidic Cleaning Solution - Detergent	X							
Acids, Non-organic	X							
Acids, Organic	X							
Acohol, Methyl-150F		B						
Acohol, Methyl-70F		B						
Aconitic Acid	X							
Acridine	X							
Acrolein	A							
Acrylamide, pure - Misc.	B							
Acrylic Acid	A							
Acrylic Acid- 97%	A				A		A	
Acrylic Aldehyde								
Acrylonitrile	X	C	A		B	C	X	C
Adipic Acid		A	A					
Adipic Acid (Adipinic Acid)		A	A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Adipic Acid-Sat'd		A	A					
Air								
Air 400 - 500° F	C							
Air Below 200° F	B							
Air, 200 - 300° F	C							
Airshow								
Air, 300 - 400° F	C							
Alanine, pure - Misc.	B							
Alcohol	B						A	
Alcohol -Ethyl								
Alcohol 3 1/2-4 1/2%-160F		B						
Alcohol Ether								
Alcohol of Vinegar								
Alcohol-Absolute								
Alcohol-Allphatic								
Alcohol-Aromatic								
Alcohol-Dehydrated								
Alcohol-Denatured							A	B
Alcohol-Grain								
Alcohol-Methyl, Propyl, Butyl, Ethyl		A						
Alcohol, Ethyl-70F		B						
Alcohol, Ethyl-Boiling		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Alcohols	B		A				A	
Alconox detergent - Detergent	B						A	A
Aldehyde								
Alicyclic Hydrocarbon								
Aliphatic Dicarboxylic Acid	C							
Aliphatic Hydrocarbon								
Aliphatic Hydrocarbons- 68F								
Aliphatic Naphtha								
Alk-Tri								
Alkaform		A						
Alkaline Sucrose - Misc.	B							
Alkanes								
Alkanesulfonic Acid	C							
Alkazene								X
Alkenes (Olefin Hydrocarbons)	C							
Alkyl Acetone	B							
Alkyl Alcohol	C							
Alkyl Amine	C							
Alkyl Aryl Sulfonates	C							
Alkyl Aryl Sulfonics	C							
Alkyl Benzene	C							
Alkyl Chloride	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Alum Potassium Sulfate (Alum), 100%		A						
Alum, 5% - Salt, Inorganic	A							
Alum, pure - Salt, Inorganic	B							
Aluminum Acetate	A						A	B
Aluminium Chloride-68F	A	C	A	A	A	A	A	A
Aluminium Fluoride-68F	A		A	A			A	A
Aluminium Hydroxide-68F	A		A	A		A		
Aluminium Nitrate-68F	A			A	A	A	A	A
Aluminium Oxychloride-68F				A				
Aluminium Sulphate-68F	A	C						
Aluminum Acetate-Saturated-70F		B						
Aluminum Acetate-Sat'd		A						
Aluminum Acetate-Saturated-Boiling		B						
Aluminum Ammonium Sulfate (Alum)- Sat'd		A						
Aluminum Bromide					A	A		
Aluminum Chlorate	B							
Aluminum Chloride	A	C		A	A	A	A	
Aluminum Chloride 20%	A	C		A				
Aluminum Chloride Aqueous-Sat'd	A	A		A				
Aluminum Chloride-5%		X						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Aluminum Ethylate	X							
Aluminum Fluoride		C			A	A	A	
Aluminum Fluoride Anhydros-Sat'd		C						
Aluminum Fluoride-5%		B						
Aluminum Fluorosilicate	X							
Aluminum Hydroxide		C			A	A		
Aluminum Hydroxide-Sat'd		A						
Aluminum Hydroxide-Saturated-70F		B						
Aluminum Linoleate	C							
Aluminum Nitrate		A			A	A	A	
Aluminum Nitrate-Sat'd		A						
Aluminum Phosphate							A	
Aluminum Potassium Sulphate			A		A			
Aluminum Potassium Sulphate -100%		B	A					
Aluminum Potassium Sulphate (Alum)-Sat'd		A	A					
Aluminum Potassium Sulphate-10%		A	A					
Aluminum Potassium Sulphate-10%-Boiling		A	A					
Aluminum Potassium Sulphate-2%		A	A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Amino Acids, pure - Misc.	B							
Amino Benzene								
Aminoanthraquinone	X							
Aminoazobenzene	A							
Aminobenzoic Acid	C							
Aminobutric-a-dl Acid								
Aminoisobutyric-2-Acid								
Aminodimethylbenzene	B							
Aminoethane	A							
Aminopyridine	X							
Aminosalicylic Acid	X							
Aminoxilene	B							
Ammono-Phos								
Ammonia	A	A	A	A	A	A	A	
Ammonia -Crystal								
Ammonia (Anhydrous-Dry)		A					a	A
Ammonia (Dry & Moist)- All Concentrations		B						A
Ammonia (Dry & Moist)- Anhydrous-70F		B						A
Ammonia (Dry & Moist)- Anhydrous-Hot F		C						A
Ammonia 10%	A	A	A		A	A	A	A
Ammonia Acetate-Sat'd		C	A	A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonia Alum								
Ammonia and Lithium Metal in Solution								
Ammonia Anhydrous	A	A			A	A	A	
Ammonia Bifluoride		A						
Ammonia Bisulfite					A	A	A	
Ammonia Carbonate			B	A				
Ammonia Chloride			A	A				
Ammonia Cupric Sulfate								
Ammonia Gas (cold)				A			a	A
Ammonia Gas (Hot)				A			b	B
Ammonia Gas-100%		A		A				
Ammonia Liquid-100%		A		A				
Ammonia, 25% - Base/Caustic, Inorganic	B						A	
Ammonia, Anhydrous	A	A						
Ammonia, Liquid (Anhydrous)	B						A	
Ammonia, Liquids	B	A						
Ammonia, Nitrate		A		A				
Ammonium -Bifluoride		B						
Ammonium -Bisulfide								
Ammonium Carbonate	A						a	A
Ammonium -Chloride-Sat' d	A	C						A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium -Dichromate								
Ammonium -Fluoride-10%		X						
Ammonium -Fluoride-25%		X						
Ammonium Acetate		A	A					
Ammonium Alum		A						
Ammonium Alum (Slightly Ammoniacal)		A						
Ammonium Aluminum Sulfate								
Ammonium Arsenate	B	B						
Ammonium Benzoate	B	B						
Ammonium Bicarbonate	B	B						
Ammonium Bifluoride (Saturated)								
Ammonium Bifluoride- 10%								
Ammonium Bromide								
Ammonium Bromide-5%		A						
Ammonium Carbamate	B							
Ammonium Carbonate		A		A				
Ammonium Carbonate-1% and 5%-70F		B		A				
Ammonium Carbonate- Aerated-70F		B		A				
Ammonium Carbonate-All Conc.-Hot&Cold	A	A		A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Carbonate-Aq.-Any Conc.-70F	A							
Ammonium Carbonate, Saturated	A	C	B					
Ammonium Casenite		A	A					
Ammonium Chloride	A	C		A	A	A	a	
Ammonium Chloride-1%	A	A		A			a	
Ammonium Chloride-1% -70F	A	B		A				
Ammonium Chloride-1% /28%/50%-Boiling	A	B		A				
Ammonium Chloride-10%- Boiling	A	A		A				
Ammonium Chloride-28%- Boiling	A	A		A				
Ammonium Chloride-50%- Boiling	A	A		A				
Ammonium Chloride, 2N	A			A				
Ammonium Chromic Sulfate								
Ammonium Citrate	B							
Ammonium Dichromate								
Ammonium Diphosphate								
Ammonium Flouride			A		A	A		
Ammonium Flouride-68F			A					
Ammonium Fluoride Acid			A					
Ammonium Fluorosilicate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Formate	B							
Ammonium Glycolate, pure - Salt, Inorganic, Amine	A							
Ammonium Hydrate-38%								
Ammonium Hydrogen Fluoride								
Ammonium Hydrosulphide-68F								
Ammonium Hydrox	A	A						
Ammonium Hydroxide	A	A	A		A	A	a	A
Ammonium Hydroxide Concentrated	A	A	A					
Ammonium Hydroxide- 10%	A	A	A					
Ammonium Hydroxide- 68F	A	A	A					
Ammonium Hydroxide- 70F	A	B	A					
Ammonium Hydroxide, 10% - Base/Caustic, Inorganic	A		A					
Ammonium Hydroxide, 1N - Base/Caustic, Inorganic	A		A					
Ammonium Hydroxide, 25% - Base/Caustic, Inorganic	A		A					
Ammonium Hydroxide, 28% - Base	A		A					
Ammonium Hydroxide, 3 Molar	A		A					
Ammonium Hydroxide, 3 Molar			A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Nitrate-Sat'd	A	A	A	A	A	A	A	A
Ammonium Nitrate, 2N	A	A	A	A	A	A	A	A
Ammonium Nitrates-All Concentrations-70F	A	A	A	A			A	A
Ammonium Nitrates-Saturated-Boiling		A						
Ammonium Nitrite	A	A		A	A	A		A
Ammonium Oxalate		A	A					
Ammonium Oxalate-5%		A	A					
Ammonium Oxalate-68F			A					
Ammonium Oxalate-5% -70F		B	A					
Ammonium Perchlorate	B							
Ammonium Perchlorate-5%-70F		B						
Ammonium Perchloride	X							
Ammonium Persulfate		A	A		A	A	A	A
Ammonium Persulfate-10%							A	A
Ammonium Persulfate-Solution								A
Ammonium Persulphate-5%		A						A
Ammonium Persulphate-5%-70F		B						A
Ammonium Phosphate -5%	A	A		A			A	A
Ammonium Phosphate -68 F	A			A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Phosphate - Saturated-70F	A	B		A			A	A
Ammonium Phosphate -5%-70F	A	B		A			A	A
Ammonium Phosphate, Dibasic	A	A		A				
Ammonium Phosphate, Monobasic		A						
Ammonium Phosphate, Tribasic		B						
Ammonium Phosphite	B							
Ammonium Picrate	B							
Ammonium Polysulfide	B							
Ammonium Rhodanate								
Ammonium Salicylate	B							
Ammonium Salts	A							
Ammonium Sulfamate	B							
Ammonium Sulfate	A	C	B	A				A
Ammonium Sulfate -Aq.- Any Conc.-70F	A		B	A				
Ammonium Sulfate Nitrate	B		B					
Ammonium Sulfide	A				A	A		
Ammonium Sulfide-Dilute	A	C						
Ammonium Sulfite	A	B	B					
Ammonium Sulphate	A		B	A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Sulphate-1% and 5%-70F	A	B	B	A				
Ammonium Sulphate-1% and 5%-Agitated Ae	A	A	B	A				
Ammonium Sulphate-10% -Boiling	A	B	B	A				
Ammonium Sulphate-10% -Boiling	A	A	B	A				
Ammonium Sulphate- Saturated-Boiling	A	B	B	A				
Ammonium Sulphide-68F								
Ammonium Sulphite-70F		B						
Ammonium Sulphite- Boiling		B						
Ammonium Sulphite- Saturated-Cold&Boiling		A						
Ammonium Thiocyanate								
Ammonium Thiocyanate- 50-60%		A						
Ammonium Thioglycolate	B							
Ammonium Thiosulfate	A	A						
Ammonium Tribasic		A						
Ammonium Tungstate	B							
Ammonium Valerate	B							
Amyl Acetate	A	A					A	X
Amyl Acetate- Concentrated-70F	X	B						X

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Amyl Alcohol	A	A	A	C	A	C	A	A
Amyl Borate							X	A
Amyl Butyrate	C							
Amyl Chloride	X	B	B					
Amyl Cinnamic Aldehyde	C							
Amyl Laurate	C							
Amyl Napthalene							X	X
Amyl Mercaptan	C							
Amyl Nitrate	B							
Amyl Nitrite	B							
Amyl Propionate	C							
Anethole	C							
Aniline	A	A	B	X			B	C
Aniline Hydrochloride		X					B	X
Aniline Hydrochloride-5%		X					B	
Aniline Hydrochloride-68F							B	
Aniline Hydrochloride-70F		C					B	
Aniline Hydrochloride-Sat'd		X						
Aniline Sulfate	B							
Aniline Sulfite	B							
Aniline-3%-70F		B						
Aniline-68F	A							
Aniline-Conc.	A	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Aniline-Conc. Crude-70F	A	B						
Aniline Dyes	A							
Aniline Oil	B							
Animal Fats	A	A					b	
Animal Gelatin								
Animal Glue	A	A						
Animal Oils (Lard Oil)	A	A						B
Anisole	X							
Anisoyl Chloride	X							
Ansul Ether							C	
Anthracene	C							
Anthranilic Acid	X							
Anti-Freeze	A	A		A	A	A	A	
Antichlor								
Antimonic Chloride								
Antimonous Chloride			B					
Antimony Chloride-68F			B					
Antimony Chlorides			B					
Antimony Pentachloride	A		B					
Antimony Pentafluoride	X		C					
Antimony Salts	A							
Antimony Sulfate	X							
Antimony Tribromide	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Antimony Trichloride	A	X	B					
Antimony Trichloride -70F		C	B					
Antimony Trichloride-Sat'd		X						
Antimony Trifluoride	C							
Antimony Trioxide	C							
Antimony-Molten		C						
Aqua Regia (80%HCl, 20% HNO)	B	X	X	X			C	X
Arochlor 1248		B					C	X
Aromatic Hydrocarbons		A						
Argon	A							
Argon-Dry	A	A						
Arquads							A	
Arsenic Acid	B	A	B	A			A	A
Arsenic Acid-150F	B	B	B	A			A	A
Arsenic Acid-80%	B	A	B	A			A	A
Arsenic Acid-90%-225F	B	B	B	A			A	A
Arsenic Oxide	X							
Arsenic Salts	A							
Arsenic Trichloride								A
Arsenic Trioxide	X							
Arsenic Trisulfide	C							
Arsenites	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Arsine	X							
Aryl Orthosilicate	X							
Aryl Sulfonic Acid								
Ascorbic Acid	X							
Askarel							X	X
Aspartic Acid	B							
Asphalt	B	A		C			X	C
ASTM Method D-471, 1								
ASTM Oil, No.5	C							
ASTM Reference Fuel D	C							
ASTM-Ref: Fuel A	B							
ASTM-Ref: Fuel B	B							
ASTM-Ref: Fuel C	C							
ASTM#1 Oil	A	A						
ASTM#2 Oil	A	A						
ASTM#3 Oil	B	A						
Astral Oil								
Asymmetrical Trimethylbenzene, pure - Hydrocarbon, Aromatic	C							
ATL-857								
Atlantic Ultro Gear-e	C							
Atlantic Utro Gear-EP Lube								
Aure 903R (Mobil)	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
AUREX 256	X							
Automatic Transmission Fluid	B						A	
Automotive Brake Fluid	B						C	
Aviation Gasoline	A	A					A	
AXAREL 9100	X							
Azobenzene	X							
Baking Oven Gases		A						
Banana Oil	B							
Barium Hydroxide-Sat'd	A	A						
Barium Carbonate		A						
Barium Carbonate-5% to Sat		A						
Barium Carbonate-70F		B						
Barium Carbonate-Sat'd	A	A						
Barium Chlorate	B							
Barium Chloride	A	A	B		A	A	A	A
Barium Chloride-5%-70F	A	B	B					A
Barium Chloride-Aqueous Sol.-Hot	A	A	B					A
Barium Chloride-Sat'd	A	A	B					A
Barium Chloride-Sturated-70F	A	B	B					A
Barium Cyanide		A						
Barium Hydrate-Aqueous Sol.-Hot		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Barium Hydroxide	A	A			A	A	A	A
Barium Hydroxide-68F	A							A
Barium Iodide	B							
Barium Nitrate-Aqueous Sol.-Hot		B						
Barium Nitrate-Sat'd		A						
Barium Oxide	B							
Barium Peroxide	B							
Barium Polysulfide	B							
Barium Salts	A			A				
Barium Sulfate		A	B				A	A
Barium Sulfate-Sat'd		A	B					A
Barium Sulfide	A	A	A		A	A		A
Barium Sulfide-Sat'd	A	A	A					A
Barium Sulphate		A	B					A
Barium Sulphate -68F			B					A
Barium Sulphate-70F		B	B					A
Barium Sulphide	A		A					A
Barium Sulphide - Saturated-70F	A	B	A					A
Barium Sulphide-68F	A		A					A
Barley-Malt & Hops-70F		B						
Bayol D	C							
Beer	A	A	A		A	C	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Benzoic Acid	A	A	A	A	A	A		
Benzoic Acid-70F	A	B	A	A				
Benzoic Acid-All Conc.	A	A	A	A				
Benzoic Acid-Hot	A	A	A					
Benzol	X	A						
Benzol-70F	X	B						
Benzonitrile		X						
Benzoquinone	C							
Benzotrifluoride	B							
Benzoyl Peroxide	X							
Benzoylsulfonic Acid	C							
Benzyl Acetate, pure - Ester Aromatic	B							
Benzyl Alcohol	B	A					B	A
Benzyl Alcohol -68F							B	A
Benzyl Amine	X							
Benzyl Benzoate							B	
Benzyl Bromide	C							
Benzyl Butyl Phthalate	B							
Benzyl Carbinol, pure - Alcohol, Aromatic	X							
Benzyl Chloride		B			A	C		X
Benzyl Phenol	C							
Benzyl Salicylate	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Beryllium Chloride	B							
Beryllium Fluoride	B							
Beryllium Oxide	B							
Beryllium Sulfate	B							
beta-Mercaptoethanol, pure - Alcohol, Aliphatic, Mercaptan	X							
Biocide		C						
Biodiesel	B	A	A		A	B	A	
Bis(2-ethylhexyl) Phthalate, pure - Ester, Aromatic	C							
Bismuth Carbonate				A				
Bismuth Carbonate - 68F				A				
Bismuth Nitrate	B							
Bismuth Oxychloride	B							
Bismuth Subcarbonate								
Bismuthyl Carbonate								
Bittern	X							
Black Ash								
Black Liquor	A				A	A		
Black Liquor-Saturated		A						
Black Sulfate Liquor	A							
Bleach	A	A		A			A	C
Bleach -12% Active C12	A	A		A			A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Bleach (Sodium Hypochlorit 20%)	A	A		A	A	A	A	
Bleach-5% Active C12	A	A		A			A	
Bleaching Liquor	A	A		A				
Bleaching Powder	A	A		A				
Bleaching Powder-Cold	A	A		A				
Blood	A	A						
Blood (Meat Juice)-Cold	A	B						
Blood (Meat Juice)-Fused	A	A						
Bone Oil				C				
Borax	A	A	A	A			A	A
Borax (Sodium Borate)	A	A	A	A				A
Borax Solutions	A	A	A	A				A
Borax-5%-Boiling	A	A	A	A				A
Borax-5%-Hot	A	A	A	A				A
Borax-Sat'd	A	A	A	A				A
Boric Acid	A	A	A	A	A	A	A	A
Boric Acid -100%-70F	A		A	A			A	A
Boric Acid-5%-Hot	A	A	A	A			A	A
Boric Acid-Dry	A	A	A	A			A	A
Boric Acid-Sat'd	A	A	A	A			A	A
Boric Acid-Saturated-Boiling	A	A	A				A	A
Boric Oxide	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Borneol	C							
Bornyl Acetate	C							
Bornyl Chloride	C							
Bornyl Formate	C							
Boron Hydride	X							
Boron Phosphate	X							
Boron Tribromide	X							
Boron Trichloride	X							
Boron Trioxide	X							
Brake Fluid	B						C	
Brake Fluid DOT3 (Glycol Type)	B							
Brake Fluid-70F	B							
Brake Fluid-Automotive	B						C	
Brass Plating, High Speed Brass Bath 110F		A						
Brass Plating, Regular Brass Bath 100F		A						
Brewery Slop		A						
Brine	A	B			A	A	A	A
Brine (Sea Water)	A			A			A	
Brine-Sat'd	A	A		A			A	
Bromacil								
Bromine	A	X	X					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Bromine (Wet)		X	X					
Bromine Pentafluoride								
Bromine Trifluoride							X	X
Bromine Water		A						B
Bromine Water-Cold-Sat'd.								B
Bromine-100% (dry gas) -68F								B
Bromine-70F		C						B
Bromine-Liquid		X						B
Bromine-Vapor		X						B
Bromobenzene	C/X						X	X
Bromobenzene Cyanide	B							
Bromochlorometane	B							
Bromomethane	B							
Bromotoluene	X							
Bronze Plating Copper-Cadmium, Bronze		A						
Bronze Plating Copper-Cadmium, Copper-		A						
Bronze Plating Copper-Cadmium, Copper-		A						
Bronze Plating CuCd Bronze Bath R.T.		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Bronze Plating CuSn Bronze Bath 160°F		A						
Bronze Plating CuZn Bronze Bath 100°F		A						
Brucine Sulfate	B							
Bunker Oil							A	A
Burnt Potash								
Butadiene		A	X				X	B
Butadiene (Monomer)								
Butadiene-50%		A	C					
Butane	B/C	A		X			A	A
Butane-50%	B/C	A		X				A
Butane, Gaseous-100%-70 F	C	A		X				
Butanediol, pure - Alcohol, Aliphatic, Polyol	X							
Butanone	A							
Butanol	A	A			A	C		
Butanol -100%-70F								
Butanol (Butyl Alcohol)	B	A						
Butyl Acetate	X							
Butyl Acrylate	X							
Butoxyethanol	A							
Butene 2-Ethyl (1-Butene 2-Ethyl)	C							
Butryl Chloride	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Butter	X	A					A	B
Butter (Animal Fat)								
Buttermilk		A						
Buttermilk -70F		B						
Butyl		A						
Butyl Acetate		C			A	C		X
Butyl Acetate Ricinoleate								B
Butyl Acetate-100%-70F								
Butyl Acetate-68F								
Butyl Acetate-n	A	C						
Butyl Aceto Acetate								
Butyl Acetyl Ricinoleate								
Butyl Acrylate					A	C		
Butyl Alcohol	A	A		X			A	A
Butyl Alcohol (tertiary)	A			X				
Butyl Amine		A						X
Butyl Benzolate	B						C	X
Butyl BezyI Phthalate	B							
Butyl Carbitol	C						A	B
Butyl Cellosolve	A	A					C	B
Butyl Cellosolve Acetate					A	C		
Butyl Chloride	B							
Butyl Ether	B	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Butyl Ether Acetaldehyde	B							
Butal Ethyl Ether	B							
Butyl Glycolate	B							
Butyl Lactate	B							
Butyl Laurate	B							
Butyl Mercaptan (Tertiary)	C							
Butyl Methacrylate	B							
Butyl Oleate	B							X
Butyl Phthalate	B	B	A					
Butyl Stearate	B	A					B	
Butylbenzoic Acid	C							
Butylene	C	A						C
Butylene - Liquid	C	A					B	
Butylene Glycol, pure - Alcohol, Aliphatic, Polyol	X							
Butyraldehyde, pure - Aldehyde, Aliphatic	A						C	C
Butyric Acid	A	A	X	A				
Butyric Acid 20%	A	A	C	A				
Butyric Acid-5%	A	A	C	A				
Butyric Acid-5%-150F	A	B	C					
Butyric Acid-5%-70F	A	B	C	A				
Butyric Acid, Aqueous Sol.-Sp.G.964-Boiling		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Butyric Anhydride	A							
Butyronitrile								
Cacao Butter								
Cadmium Acetate	A							
Cadmium Chloride					A	A		
Cadmium Cyanide								
Cadmium Nitrate	B							
Cadmium Oxide	B							
Cadmium Plating, Cyanide					A	A		
Cadmium Plating, Cyanide Bath 90F		A						
Cadmium Plating, Fluoborate Bath 100F		A						
Cadmium Sulfide	B							
Cadmium Sulfate	B							
Cadmium-Motten		X						
Cajeputene								
Calcium Acetate	A						B	B
Calcium Aluminate	A							
Calcium Arsenate	B							
Calcium Benzoate	C							
Calcium Bicarbonate	B							
Calcium Bichromate	A							
Calcium Bisulfate		A	A				A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Calcium Bisulfide		B	A				A	A
Calcium Bisulfite		A	A		A	A		A
Calcium Bisulphite			A					A
Calcium Bromide	B							
Calcium Carbide	X							
Calcium Carbonate		A						
Calcium Carbonate -68F								
Calcium Carbonate-70F		B						
Calcium Chlorate		A						
Calcium Chlorate-68F								
Calcium Chlorate-Dilute Sol.-Hot		B						
Calcium Chlorate-Dilute- Hot/Cold		A						
Calcium Chloride	A	C	A	A	A	A	A	A
Calcium Chloride (saturated)	A	B	A					A
Calcium Chloride 30% in water	A	B	A					
Calcium Chloride- Conc. Sol.-70F	A	B	A					
Calcium Chloride-20% in methyl alcohol-68F	B		B					
Calcium Chloride-aq. sol. -68F	A		A					
Calcium Chloride-Dil or Conc.	A	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Calcium Chloride-Dilute Sol.-70F	A	B	A					
Calcium Chloride, Aq., Sat.-70F	A		A					
Calcium Chromate	B							
Calcium Cyanamide	X							
Calcium Cyanide								
Calcium Flourphosphate								
Calcium Fluoride		B						
Calcium Hydrate								
Calcium Hydride	B							
Calcium Hydrosulfide	B							
Calcium Hydroxide	A	A	A		A	A		A
Calcium Hydroxide (Caustic Lime)	A		A					A
Calcium Hydroxide (saturated)	A	B	A					A
Calcium Hydroxide 10%	A	B	A					A
Calcium Hydroxide-10% to 20%-Boiling	A	A	A					A
Calcium Hydroxide-10%-Boiling	A	B	A					A
Calcium hydroxide-20%-Boiling	A	B	A					A
Calcium Hydroxide-50%-Boiling	A	B	A					A
Calcium Hydroxide-68F	A		A					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cane Juice		A						
Cane Sugar		A					A	A
Capric Acid	C							
Caprillic Acid	B							
Caproic Acid	C							
Caproic Aldehyde								
Caprol Alcohol								
Caprolactam	C							
Capronaldehyde	C							
Caprylic Acid		A						
Carbamate								B
Carbamide	A						B	
Carbazole	B							
Carbitol	A	C					B	B
Carbolic Acid Phenol	C	B					X	C
Carbolic Acid-CP-70F	C	B						C
Carbolic Acid-CP-Hot	C	B						C
Carbolic Acid, C.P.	C	A						C
Carbon Bisulfide		A						X
Carbon Bisulphide		A		X			C	X
Carbon Bisulphide-70F		B		X				X
Carbon Dioxide	A	A		A	A	A	A	B
Carbon Dioxide (Dry)-70F	A	B			A	A	A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Carbon Dioxide (Explosive Decompression Use)	B							
Carbon Dioxide (Wet)	A	A			A	A		
Carbon Dioxide-Dry-100%	A	A			A	A		
Carbon Dioxide-Wet	A	A			A	A		
Carbon Dioxide-Wet or Dry	A	A			A	A		
Carbon Disulfide	C	A	X		A	A		
Carbon Fluorides	C							
Carbon Monoxide	A	A					A	A
Carbon Monoxide (Hot)								
Carbon Monoxide Gas- 1400F		B						
Carbon Monoxide Gas- 1600F		B						
Carbon Monoxide Gas- 900F		A						
Carbon Monoxide-Gas		A						
Carbon Tetrabromide								
Carbon Tetrachloride	X	B	C	X	A	C	C	X
Carbon Tetrachloride (dry)		B						
Carbon Tetrachloride (wet)	X	A	C					
Carbon Tetrachloride- 100%-70F	X	B	C					
Carbon Tetrachloride-5% to 10% Aqueous	C	B	B					
Carbon Tetrachloride-68F	X		C					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Carbon Tetrachloride-Aqueous Sol. 10%-70F	B	B	B					
Carbon Tetrachloride-CP (Dry)-70F		B						
Carbon Tetrachloride-CP (Dry)-Boiling		B						
Carbon Tetrachloride-Pure		A						
Carbon Tetrafluoride								
Carbonated Beverages		A						
Carbonated Water		A						
Carbonic Acid	A	B	B					A
Carbonic Acid Gas	A		B					A
Carbonic Acid-68F	A		B					A
Carbonic Acid-70F	A		B					A
Carbonic Acid-Sat'd.	A	A	B					A
Carbonic Anhydride								
Carbontetrachloride	X	B						
Casein (Casyment)								
Casing Head Gasoline								
Castor Oil	B	A			A	A	A	A
Castor Oil-68F	B							A
Catsup		A						
Caustic Lime		A						
Caustic Potash-10%-70F	A	A		C				

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Caustic Potash-25%-70F	A	A		C				
Caustic Potash-50%	A	A		C				
Caustic Soda	A	A			A	A		
Caustic Soda Solution- 10%-70F	A			A				
Caustic Soda Solution- 25%-70F	A			B				
Caustic Soda Solution- 50%-70F	A			X				
Caustic Soda-Up to 40%	A	A		C				
Caustic-Baryta								
Caustic-Lime								
Caustic-Potash	A	A						
Cedarwood Oil, pure - Misc	C							
Cell Liquor	A	A			A	A		
Cellosize								
Cellosolve		A						
Cellosolve Acetate	A	C			A	C	X	
Cellosolve Butyl								
Cellube							X	X
Celluguard								
Cellulose Acetate		B						
Cellulose Acetate Butyrate	B							
Cellulose Ether	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cetylic Acid	B							
Chaulmoogric acid	X							
China Wood Oit (Tung Oil)	C							
Chinese Wood Oil								
Chinosol-Antis. Sol 1-500-70F		B						
Chickweed Killer	A							
Chloracetic Acid		X						
Chloramine-Dilute		C						
Chlorantraquinone	C							
Chlorascetic Acid-70F								
Chlorbenzol-Pure, Dry-70F		B						
Chlordane	C							
Chlorextol	C							
Chloric Acid		X						
Chloric Acid-10%		C						
Chloric Acid-20%		X						
Chloric Acid-70F		C						
Chlorinated Glue		A						
Chlorinated Solvents, Dry	C							
Chlorinated Solvents, Wet	C							
Chlorinated Water-10ppm		A						
Chlorinated Water-Saturated		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chlorine (Dry)	A	A	B					C
Chlorine (Plasma)	X							
Chlorine (Wet)	A	X						X
Chlorine (Wet/Dry)	A/A	A/X						
Chlorine Aqueon								
Chlorine Anhydrous Liquid		X						
Chlorine Dioxide							X	X
Chlorine Dioxide, 8% Cl as NaClO2 in solution	C							
Chlorine Gas (Dry)-0- 20PPM		A		X				
Chlorine Gas Dry				X	C			
Chlorine Gas Wet				X	C	D		
Chlorine Gas-20-50PPM		A						
Chlorine Gas-50+PPM		X						
Chlorine Gas-Dry		X		X				
Chlorine Gas-Dry Gas-70F				X				
Chlorine Gas-Moist		X		X				
Chlorine Gas-Moist Gas- 70F		C		X				
Chlorine Gas-Moist-212F		X		X				
Chlorine Trifluoride							X	
Chlorine Water		X	C					
Chlorine-100% (dry gas) -68F								
Chlorine-Liquid		X		X				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chlorine, Dry	X		B					
Chlorine, Wet	X		B	C				
Chloro 1 - Nitro Ethane (1-Chloro 1-Nitro Ethane)	C							
Chloro Acetic Acid	A	X						
Chloro Aceto Nitrile								
Chloro Acetone							X	B
Chloro Azotic Acid								
Chloro Benzal								
Chloro Benzene	X	A		X			X	X
Chloro Butadiene							X	
Chloro Butane (Chlorobutanol)					A	C		
Chloro Methane (Chloromethyl)								
Chloro Oxyfluorides	X							
Chloro Trifluoro Ethylene								
Chloro Xylenols	C							
Chloroacetic Acid	B	X						
Chloroacetic Acid-50%	B	X						
Chloroacetone	B							
Chloroacetyl Chloride	B							
Chloroacetyl Chloride								
Chloroamino Benzoic Acid	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chloroaniline	B							
Chlorobenzaldehyde	B							
Chlorobenzene	X	A		X				X
Chlorobenzene (Mono)		A						
Chlorobenzene (Pure)- Concentrated		A		X				
Chlorobenzene-68F				X				
Chlorobenzene-70F				X				
Chlorobenzene-Dry		A		X				
Chlorobenzochloride	C							
Chlorobenzotrifluoride	C							
Chlorobenzyl Chloride		A						
Chlorobromomethane								X
Chlorobromopropane	C							
Chlorobutadiene								
Chlorobutane (Butyl Chloride)	B							
Chlorodane	B							
Chlorodifluoromethane, pure - Hydrocarbon, Aliphatic, Halogenated	X							
Chlorododecane								X
Chloroethane	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chloroethane, Sulfonic Acid	B							
Chloroethylbenzene	C							
Chloroform	X	A		X	A	D	X	X
Chloroform-100%-70F	X	A		X			X	X
Chloroform-68F	X	A		X			X	X
Chloroform-Dry	X	A		X			X	X
Chloroform-Dry-70F	X	A		X			X	X
Chlorohydrin	B							
Chloromethyl Benzene, pure - Hydrocarbon, Aromatic, Halogenated	C							
Chloronaphthalene or o-Chloronaphthalene	C						X	X
Chloronitrobenzene	C							
Chloropentane	B							
Chlorophenol or o-Chlorophenol	C							
Chloropicrin								
Chloroprene	C							
Chlorosilanes	X							
Chlorosulfonic Acid	B	X	X	X	C	C	X	X
Chlorosulfonic Acid-10%	B	X	X					C
Chlorosulfonic Acid-68F	B		X					X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chlorosulphonic Acid, pure - Acid, Organic, Aromatic, Halogenated	C		X					X
Chlorotoluene	B						X	X
Chlorotoluene Sulfonic Acid	B							
Chlorotoluene, pure - Hydrocarbon, Aromatic, Halogenated	C							
Chlorotoluidine	C							
Chlorotrifluoroethylene (CTFE)	X							
Chlorox	B							
Chlorox (Bleach)	B	A		A				
Chloroxylols	X							
Chocolate Syrup		A						
Cholesterol	C							
Cholro Allyene								
Chrome Alum								
Chrome Alum-68F								
Chrome Ammonium Alum								
Chrome Plating Solutions	A						X	X
Chromic Acid	A/B	A	A	X			X	X
Chromic Acid (Cont. SO3) -50% Commercial	A/B	A	A	X				
Chromic Acid 10%	A/B	A	A	X	A	D		

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chromic Acid 30%	A/B	A	A	X				
Chromic Acid 5%	A/B	A	A	C				
Chromic Acid 50%	A/B	A	A	X	A	A		
Chromic Acid C.P.-10%- Boiling		A		X				
Chromic and Sulfuric Acid Mixture				X				
Chromic Chloride	X							
Chromic Fluorides	X							
Chromic Hydroxide	X							
Chromic Nitrates	X							
Chromic Oxide	C							
Chromic Oxide-88 WT% Aqueous Solution								
Chromic Phosphate	X							
Chromic Salts, Aq., Sat. -70F				A				
Chromic Sulfate	X							
Chromium Plating Bath- 70F	A	B		C				
Chromium Plating, Barrel Chrome Bath 95F		X						
Chromium Plating, Black Chrome Bath 115		C						
Chromium Plating, Chromic-Sulfuric Bath		C						
Chromium Plating, Fluoride Bath 130F		X						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chromium Plating, Fluosilicate Bath 95F		C						
Chromium Potassium Sulfate		C						
Chromium Salts	A			A				
Chromium Trioxide	B							
Chromyl Chlorides	X							
Chrysolepic Acid								
Cider		B						
Cinene								
Cinnamic Acid	C							
Cinnamic Alcohol	C							
Cinnamic Aldehyde	C							
Cis-9-Octadecenoic Acid	B							
Cis-Butenedioic Anhydride								
Citric Acid	A	A	A	A	A	A		A
Citric Acid-10%-70F	A	B	A	A			A	A
Citric Acid-10%-Boiling	A	B	A	A			A	A
Citric Acid-15%	A	A	A	A			A	A
Citric Acid-15%-Boiling	A	A	A	A			A	A
Citric Acid-25%-70F	A	B	A	A			A	A
Citric Acid-25%-Boiling	A	B	A	A			A	A
Citric Acid-5% Still-150F	A	A	A	A			A	A
Citric Acid-50%-70F	A	B	A	A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Codol								
Coffee		A						
Coffee-70F								
Coffee-Boiling		B						
Coffee, Ground								
Coffee, Instant Powder								
Coke Oven Gas	C	A						
Cole Oil								
Coolanol-Monsanto	X							
Cooking Oil							A	
Coolanol 20, 25R, 35R, 40 & 45 A (Monsanto)	C							
Copal Varnish		A						
Copper Acetate							B	B
Copper Acetate-Saturated		A						
Copper Acetate-Saturated-70F		B						
Copper Ammonium Acetate	B							
Copper Arsenate.Basic								
Copper Cabonate-Sat. Sol.		A						
Copper Carbonate-Sat. Sol. in 50% NH4OH		B						
Copper Carbonate-Sat'd		A						
Copper Chloride		X			A	A	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Copper Chloride-1% Aerated-70F		B						A
Copper Chloride-1% Agitated & Aerated		A						A
Copper Chloride-5% Aerated		X						A
Copper Chloride-5% Aerated-70F								A
Copper Chloride-5% Agitated		B						A
Copper Chloride-68F								A
Copper Chloride- Anhydrous								A
Copper Chloride, Saturated		A						A
Copper Cyanide	A	A			A	A	A	A
Copper Cyanide-68F	A	A			A	A	A	A
Copper Cyanide- Saturated-Boiling		B						A
Copper Floborate		X						
Copper Fluoride-2%								
Copper Fluoride-68F								
Copper Fluoroborate		X						
Copper Gluconate	B							
Copper Nitrate		A			A	A		
Copper Nitrate-1% to 5%		A						
Copper Nitrate-5%-70F		B						
Copper Nitrate-50% Aqueous		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Copper Nitrate-50%-Boiling		B						
Copper Nitrate-68F								
Copper Nitrite								
Copper Nitrate-30%		A						
Copper Oxide	B							
Copper Plating (Acid), Copper Fluoborate		X						
Copper Plating (Acid), Copper Sulfate Bath		X						
Copper Plating (Cyanide), Copper Strike Bath		A						
Copper Plating (Cyanide), High Speed Bath		A						
Copper Plating (Cyanide), Rochelle Salt Bath		A						
Copper Salts	A			A				
Copper Salts-Aq., Sat.-70 F	A			A				
Copper Sulfate	A	B	A		A	A	A	A
Copper Sulfate (5% Solution)	A	A	A					A
Copper Sulfate >5%	A	B	A					A
Copper Sulfate 5%	A	B	A					A
Copper Sulfate-10%	A		A					A
Copper Sulfate-50%	A		A					A
Copper Sulfate, Saturated	A	A	A					A
Copper Sulfide	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Copper Sulphate	A		A					
Copper Sulphate-5%	A	A	A					
Copper Sulphate-5% Aerated-70F	A	B	A					
Copper Sulphate-68F	A		A					
Copper Sulphate- Saturated-Boiling	A	B						
Copper(Misc.), Copper (Electroless) 140 F								
Copper(Misc.), Copper Pyrophosphate 140		A						
Copperas Ferrous Sulfate								
Copra								
Corn Oil	A	A			A	D	A	B
Cottonseed Oil	A	A					A	B
Cottonseed Oil-70F	A	B					A	B
Cranberry Sauce								
Cream		A						
Cream of Tartar		A						
Creosol	X	A		X			C	C
Creosote	A	A	A				A	C
Creosote (Coal Tar)-Hot		B						
Creosote-68F	A	A	A					
Creosote, Wood	A	A	A					
Creosylic Acid					C	D		

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cresol	A	A	X	X				
Cresol (Cresol's)	A	A	X	X				
Cresol-90%	A	A	X	X				
Cresols	A	A	X	X				
Cresyl Hydrate								
Cresylic Acid	B	A					C	C
Cresylic Acid-50%	B	A						C
Cresylic Acids-68F								C
Croton Aldehyde	A							
Crotonaldehyde-68F	A							
Crotonic Acid	C							
Crude Oil	C	A			A	A	A	
Crude Oil (Sour)	C	A			A	A		
Culture Media - Misc.	B							
Cumaldehyde	C							
Cumene	X	C			A	C		X
Cumene Hydroperoxide	X							
Cumyl Phenol-p								
Cupric Acetate								
Cupric Acid		B						
Cupric Arsenate								
Cupric Carbonate	A							
Cupric Chloride				A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cupric Chloride-105F		X		A				
Cupric Hydroxide	A							
Cupric Nitrate	A	A						
Cupric Sulfate	A							
Cutting Oil	C							
Cyanamide	X							
Cyanic Acid		A						
Cyanic Acid. Powdered								
Cyanides	A	A			A	A	A	
Cyanoacetic Acid								
Cyanogen Gas-70F		B						
Cyanomthane								
Cyanuric Chloride	X							
Cyaohydrin	X							
Cyclohexane	X	A	X	X	A	C	A	X
Cyclohexanone	B	A	B	X	A	C	X	X
Cyclohexnol	B	A	B	X			B	A
Cyclohexylamine	C							
Cyclohexylamine Carbonate	X							
Cyclohexylamine Laurate	C							
Cyclopentadiene	C							
Cyclopentanol	B							
Cyclopentanone	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cyclopolyolefins	C							
Cyclohexyl Alcohol								
Cycloic Acid								
Cymene or p-Cymene	C							
D-Furaldehyde	B							
d-Limonene	X	A			A	A	X	
DDT in Kerosene	X	A						
Decahydronaphthalene	X			X				
Decahydroxnapthalene	X			X				
Decyl Alcohol	B							
Decyl Aldehyde	B							
Decyl Butyl Phthalate	C							
Decyl Carbinol	C							
Dental Gas								
Deoxycholate, pure - Detergent	X							
depc, pure - Misc.	B							
Detergent Solutions	A	A	A				A	A
Detergent-Water Solutions	A	A	A				A	A
Detergents	A	A	A	A			A	A
Detergents (Heavy Duty)	A	A	A	A			A	A
Detergents-High Conc.-70 F	A	A	A	A				A
Detergents-Normal Conc. -70F	A	A	A	A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Di-Ester Synthetic Lubricants	C							
Di-Iso-Butylene	X							
Di-Iso-Decyl Phthalate	B							
Di-Iso-Propanolamine	B							
Di-Iso-Propyl Ether	B							
Di-Iso-Propyl Ketone	B							
Diacetic Acid								
Diacetic Ester								
Diacetic Ether								
Diacetone	A	A						
Diacetone Alcohol	A	A	A				X	A
Diacetylmethane	B							
Diacetyl Acetic Acid								
Dialkyl Sulfates	B							
Diallyl Ether	X							
Diallyl Phthalate	B							
Diamine (Diamidogen)								
Diammonium Phosphate	A							
Diamyl Naphthalene	X							
Diamylamine	B							
Diamylene	C							
Diamylphenol	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Diazinon	B							
Diazo Salts - Misc., Salts	X							
Dibasic Potassium Phosphate, pure - Salt, Inorganic	B							
Dibasic Sodium Phosphate, pure - Salt, Inorganic	B							
Dibenzopyrrole, pure - Hydrocarbon, Aromatic, Heterocyclic	B							
Dibenzyl Ether							X	B
Dibenzyl Sebecate								X
Diborane	X							
Dibromo Benzene								
Dibromo Ethyl Benzene								
Dibromo Methane								
Dibromoethane	C							
Dibutoxyethyl Phthalate		A						
Dibutyl								
Dibutyl Acetate								
Dibutyl Amine							X	X
Dibutyl Cellosolve Adipate	B							
Dibutyl Ether	B						C	C
Dibutyl Methyleneidithio Glycolate	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dibutyl Phthalate	B	A			A	A	X	X
Dibutyl Phthalate-68F	B						X	X
Dibutyl Sebecate	B						X	X
Dibutyl Thioglycolate	C							
Dibutyl Thiourea	C							
Dibutylamine	B							
Dicalcium Phosphate	A							
Dichlorethane	B	A						
Dichloro Acetic Acid					C	D		
Dichloro Butane								
Dichloro Difluoro Methane (Freon 12)								
Dichloro Ethane	X	B	C					
Dichloroethylene	C							
Dichloro-Isopropyl Ether							X	X
Dichloroaniline	B							
Dichlorobenzene	C	A			A	c	X	X
Dichlorobenzene -68F	C						X	X
Dichlorobenzene or o- Dichlorobenzene	C							X
Dichlorobenzene or p- Dichlorobenzene	C							X
Dichlorobenzene-p (Paradow)	C							X
Dichlorobutene	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dichlorodifluoromethane-68F								
Dichlorodiphenyl-Dichloroethane (DDD)	C							
Dichloroethane-Boiling		B						
Dichloroethylene		C						
Dichloroethylene-68F								
Dichlorohydrin	B							
Dichloroisopropyl Ether	C							X
Dichloromethane	C							
Dichlorophenol	C							
Dichlorophenoxyacetic Acid	C							
Dichloropropene	C							
Dichlorosilane	X							
Dicyclohexylamine	C						C	
Dicyclohexylamine								
Dicyclohexylammonium Nitrate	B							
Dieldrin	C							
Dieldrin In Xylene								
Dieldrin In Xylene & Water Spray								
Dieline								
Diesel Fuel	B	A	B	X	A	A	A	B
Diesel Oil	B	A	B	X	A	A	A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Diesel Oil-70F	B	A	B	X	A	A	A	B
Diethanol Amine							C	C
Diethanolamine (DEA)	A						C	C
Diethyl Cellosolve		A						
Diethyl Ether	A	A	X					C
Diethyl Ether-68F			X					
Diethyl Ketone								
Diethyl Ketone-68F								
Diethyl Malonate, pure - Ester, Aliphatic	B							
Diethylacetamide, pure - Amine, Aliphatic	X							
Diethylamine	B	A			A	D		
Diethylamine, pure - Amine, Aliphatic	C							
Diethylaniline	B							
Diethylene Dioxide								
Diethylene Ether							X	C
Diethylene Glyco-Butyl Ether								
Diethylene Glycol	A	A					A	A
Diethylene Oxide	A							
Diethytriamine	A							
Diethylenetriamine	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Diethylpyrocarbonate, pure - Misc.	B							
Difluoro Dibromo Methane								
Difluoroethane	C							
Difluoromonochloroethane	C							
Dihydroxydiphenylsulfone	B							
Dihydroxy Diethyl Ether	A							
Dihydroxy Succinic Acid	A							
Dihydroxydiethyl Ether	A							
Diisobutyl Ketone	C							
Diisobutylcarbinol	C							
Diisopropyl Benzene								X
Diisobutyl Ketone	C							X
Diisodecyl Phthalate	C							
Diisooctyl Adipate	C							
Diisooctyl Phthalate	C							
Dimethyl								
Dimethyl Acetamide	A							
Dimethyl Amine			B					
Dimethyl Aniline		B	B		A	C		
Dimethyl Aniline			B					X
Dimethyl Benzene								
Dimethyl Carbinol	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dinitrochlorobenezene-Meltd and Solidufied		B						
Dinitrogen Tetroxide	X							
Dinonyl Phthalate								
Diocetyl Adipate	C							
Diocetyl Amine								
Diocetyl Phthalate	A							X
Diocetyl Phthalate-68F								
Diocetyl Sebecate							X	X
Diocetylamine	C							
Dioform								
Diols								
Dioxalane	B						X	
Dioxane	A	A						
Dioxane-68F	A							
Dipentene	C						B	
Dipentylamine	C							
Diphenyl Oxide		A						
Diphenyl-Chlorinated								
Diphenylamine (DPA)	B							
Diphenylene Oxide	X							
Diphenylpropane	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dipotassium Hydrogen Phosphate, pure - Salt, Inorganic	B							
Diproylamineolamine	B							
Dipropylene Glycol	A							
Disilane	X							
Disodium Hydrogen Phosphate, pure - Salt, Inorganic	B							
Disodium Phosphate	A	A	A	A				
Distilled Vinegar								
Distillery Wort		A						
Diuretic Salt								
Divinyl Benzene	X				A			
Divinyl Ether								
Divinyl Oxide								
Dixan Solution				A				
DMAC, pure - Amine, Aliphatic	B							
DMF, pure - Amine, Aliphatic	B							
DMSO, pure - Misc.	B							
Dow Corning - 11	B							
Dow Corning - 1265 Fluorosilicone Fluid	B							
Dow Corning -200	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dow Corning -33	B							
Dow Corning -4	B							
Dow Corning -44	B							
Dow Corning -5	B							
Dow Corning -510	B							
Dow Corning -55	B							
Dow Corning -550	B							
Dow Corning 1208, 4050, 6620, F-60, xF-60	B							
Dow Corning 220	B							
Dowanol P Mix	B							
Dowtherm A		A						X
Dowtherm E								X
Dowtherm Oil								X
Dowtherm SR-1								X
Dowtherm-209. 50% Solution								X
Drinking Water	A	A		A	A	A	A	A
Dry Cleaning Fluids	B	A					C	X
Dry Cleaning Solvent	B	A					C	X
Drycid								
DTE 20 Series	C							
DTE Light Oil								
DTE named series, Mobil, light-heavy	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethanol	A	A	A					
Ethanolamine	A	A					B	B
Ether	B	A	X	X				
Ether-70F	B	B	X	X				
Ethers	B	A	X	X				
Ethoxy Ethanol					A	C		
Ethoxyethyl Acetate (EGMEEA)	B							
Ethyl		A						
Ethyl -3-Oxobutanoate								
Ethyl Acetoacetate	A						X	C
Ethyl Acetate	A	A	A	X	A	C	X	C
Ethyl Acetone	A							
Ethyl Acrylate	A	A						
Ethyl Acrylate-68F	A							
Ethyl Acrylic Acid								
Ethyl Alcohol	A	A		X	A	C	A	A
Ethyl Alcohol (Ethanol)	A	A		X	A	C	A	A
Ethyl Alcohol-10% to 100%-70F	A	A		X	A	C	A	A
Ethyl Aluminum Dichloride								
Ethyl Amine								
Ethyl Ammonium Dichloride	X							
Ethyl Benzene	X	A	B	X			X	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethyl Bromide	C							X
Ethyl Cellulose	A							B
Ethyl Chloride	C	A	C	X	A	X	A	B
Ethyl Chloride (Dry)-70F	C	B	C					
Ethyl Chloride-100%-70F	C		C					
Ethyl Chloride-5%	B	A	B					
Ethyl Chloride-68F	C		C					
Ethyl Chloride-Dry		A						
Ethyl Chloro Carbonate								C
Ethyl Chloro Formate								C
Ethyl Chloroacetate								
Ethyl Chlorocarbonate								
Ethyl Chloroformate								
Ethyl Cyanide								
Ethyl Cyanoacetate, pure - Ester, Aliphatic, Cyano	B							
Ethyl Dichloride					A	X		
Ethyl Digol, pure - Ether, Aiphatic, Polyol	B							
Ethyl Dimethyl Acetate								
Ethyl Ether	B	A					C	C
Ethyl Ether-68F	B	A					C	C
Ethyl Formate	A	A					X	B
Ethyl Formate-68F	A						X	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethyl Formic Ester								
Ethyl Glycol	A	A						
Ethyl Hexanol	A							
Ethyl Iodide	B							
Ethyl Lactate-68F								
Ethyl Mercaptan		A					X	
Ethyl Nitrite	B							
Ethyl Oxalate	A						X	C
Ethyl Phthalate	B							
Ethyl Propyl Oxide								
Ethyl Pyridine	C							
Ethyl Silicate	A						A	A
Ethyl Sterate	C							
Ethyl Sulfate		D			A	A		
Ethyl Sulfohydrate								
Ethyl Sulphate-68F								
Ethyl Tertiary Butyl Ether	X							
Ethyl Valerate	C							
Ethyl-1-Butanol	B							
Ethyl-N-Butyl Ketone	B							
Ethylacrylic Acid	C							
Ethylamine	B							
Ethylcyclopentane	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethylene Nitrate, pure - Misc.	X							
Ethylene Oxide	A	A	B				X	X
Ethylene Trichloride							X	X
Ethyleneimine	X							
Ethylic Acid (See Acetic Acid)								
Ethylmorpholene Stannous Octotrate (50/50 mix)	C							
Ethylmorpholine	C							
Ethylsulfuric Acid	B							
Ethyne								
EtO Gas, pure - Ether, Cyclic	C							
EtO Liquid, pure - Ether Cyclic	C							
EtO, 100% - Ether, Cyclic	C							
EtO, pure - Ether, Cyclic	C							
Fargo - 2% aqueous	A							
Fat Lime								
Fatty Acids	B	A	A		A	A	B	B
FC-43 Heptacosfluorotri-butylamine	B							
Ferric Bromide	A							
Ferric Chloride	A	X	X		A	A	A	A
Ferric Chloride (Aqueous) -Sat'd	A	X	X					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ferric Chloride-1% Still	A	A	A					A
Ferric Chloride-1% Still-Boiling	A	X	A					A
Ferric Chloride-5% Aerated	A	X	A					A
Ferric Chloride-5% Agitated	A	X	A					A
Ferric Chloride-5% Still	A	X	A					A
Ferric Ferrocyanide	B							A
Ferric Hydroxide		A						
Ferric Hydroxide-70F		B						
Ferric Hydroxide-Sat'd		A						
Ferric Nitrate-1%-5%	A	A						
Ferric Nitrate	A	A			A	A	A	A
Ferric Nitrate-68F	A	A						A
Ferric Nitrate-All Concentrations-70F	A	A						A
Ferric Nitrate-Sat'd	A	A						A
Ferric Salts	A	A						
Ferric Sulfate	A	A		A			A	A
Ferric Sulfate, Saturated	A	A		A			A	A
Ferric Sulphate	A	A		A			A	A
Ferric Sulphate -1% to 5%	A	A		A			A	A
Ferric Sulphate-10% & 50%-70F	A	A		A			A	A
Ferrous Ammonium Sulfate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ferrous Carbonate	B							
Ferrous Chloride	A		A		A	C		
Ferrous Chloride-68F	A		A					
Ferrous Chloride-Sat'd	A	X	A					
Ferrous Chloride-Saturated-70F	A		A					
Ferrous Chloride, Saturated	A		A					
Ferrous Hydroxide								
Ferrous Hydroxide-Sat'd		A						
Ferrous Iodide	B							
Ferrous Nitrate		A						
Ferrous Sulfate	A	A						
Ferrous Sulphate-10%-70 F	A	B						
Ferrous Sulphate-10%-Boiling	A	B						
Ferrous Sulphate-68F	A							
Ferrous Sulphate-Dilute	A	A						
Ferrous Tartrate	B							
Fertilizer							A	
Ficoll-Hypaque - Misc.	B							
Firewood Oil								
Fish Oil		A					A	
Fisher Reagent	C							
Fixing Salt				A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Flourinated Cyclic Ethers								
Flue Gas		A						
Fluoborate Salts	A							
Fluorboric Acid	A	B	A		A	A	A	A
Fluorides - Salt, Inorganic	B							
Fluorinated Cyclic Ethers								
Fluorine	X	A	X					
Fluorine (Gas)-70F	X	A	X					
Fluorine (Liquid)	X	A	X					
Fluorine Gas (Dry)-100%	X	A	X					
Fluorine Gas (Wet)	X	A	X					
Fluoroform (Trifluoromethane)	X							
Fluorolube							A	A
Fluorophosphoric Acid	X							
Fluorosulfonic Acid	X							
Fluosilicic								
Fluosilicic Acid	A	B	B				A	A
Fluosilicic Acid-50%	A	C	B				A	A
Foam, Fire	A	A			A	A		
Food Pastes		A						
Formaldehyde	A	A	A	C			B	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Formaldehyde 40%	A	A	A	C			B	A
Formaldehyde-35%	A	A	A	C			B	A
Formaldehyde-37%	A	A	A	C			B	A
Formaldehyde-40% w/w in water-68F	A	A	A	C			B	A
Formaldehyde-50%	A	A	A	C			B	A
Formaldehyde-Dilute	A	A	A	B			B	A
Formaldehyde, 100%	A	A	A	C			B	A
Formaldehyde, 30%	A	A	A	C			B	A
Formaldehyde, 37%	A	A	A	C			B	A
Formaldehyde, 40%	A	A	A	C			B	A
Formalin	A			C				A
Formalin-Formaldehyde 40%-70F	A	B		C				A
Formalin, 10% - Aldehyde, Aliphatic	B							
Formalin, 30% - Aldehyde Aliphatic	B							
Formalin, 37% - Aldehyde Aliphatic	B							
Formalin, 40% - Aldehyde Aliphatic	B							
Formalin, 5% - Aldehyde Aliphatic	B							
Formamide (Formylamine)	A							
Formic Acid	A	B	A	X			B	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Freon 12		A					A	A
Freon 12 and ASTM Oil #2 (50/50 mixt)								
Freon 12 and Suniso 4G (50/50 mixt)								
Freon 124, (Chlorotetrafluoroethane	X							
Freon 21		A					X	B
Freon 218								
Freon 22	X	A					X	A
Freon TC								A
Freon TF	X	A	B					
Freon TMC								
Freon, 113 - High and Low Aniline Oil	X							
Freon, 123 (Dichlorotrifluoroethane	X							
Freon, 125 (Pentafluoroethane)	X							
Freon, 134a (Tetrafluoroethane)	B							
Freon, 141b (Dichlorofluoroethane)	X							
Fructose		A		A				
Fruit Juice		A						
Fruit Juices		A						
Fruit Juices-70F		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Fuel Oil	C/B	A	B		A	D	A	B
Fuel Oil (Containing H2SO4)-Hot	C	B	C					
Fuel Oil Acidic	B/C	A	C	X				
Fuel Oil-#6	B	A	B	X				
Fuel Oil-70F	B	A	B	X				
Fuel Oil-Hot	C	B	C	X				
Fuel Oils	C/B	A	B	X				
Fuel, Oil, 1, and 2	C	A	B	X				
Fuel, pure - Hydrocarbon, Mixture	B	A	B	X				
Fuels ASTM #1 Oil	A	A	B	X				
Fuels ASTM #2 Oil	A	A	B	X				
Fuels ASTM #3 Oil	B	A	B	X				
Fuels ASTM #4 Oil	C	A	B	X				
Fuels ASTM Ref Fuel A	B	A	B	X				
Fuels ASTM Ref Fuel B	B	A	B	X				
Fuels ASTM Ref Fuel C	C	A	B	X				
Fumaric Acid							A	B
Fumarole Acid								
Fuming Sulfuric Acid								
Fuming Sulphuric Acid (20/25% Oleum)	C							
Furniture Polish				X				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Furaldehyde								
Furaldehyde-2								
Furan (Furfuran)	C	A					X	X
Furan Resin	C	A						X
Furan, Furfuran	C	A					X	X
Furfural	B	A	A				X	B
Furfural-68F	B		A					B
Furfural-70F	B	B	A					B
Furfuran	B							
Furfuryl Alcohol	B		A		A	A		
Furoic Acid	X							
Furol								
Furyl Carbinol								
Fused Magnesium Chloride								
Fusel Oil								
Fyrquel 150 220 300 550	B							
Fyrquel 90, 100, 500	B							
Gallic Acid	B	A	B				B	B
Gallic Acid-5%-150F	B	B	B				B	B
Gallic Acid-5%-70F	B	B	B				B	B
Gallic Acid-5%-Room to Boiling	B	A	B				B	B
Gallic Acid-68F	B		B				B	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Gelatin		X	A				A	A
Gelatine-70F		B	A				A	A
German Saltpeter								
Germane (Germanium Tetrahydride)	X							
Glacial Acetic Acid-68F								
Glacial Acrylic Acid	A							
Glauber's Salt		A						
Glauber's Salt-Solution- Hot		A						
Gln-70F								
Gluconic Acid	B							
Glucose	A	A	A				A	A
Glue	A	A	A				A	A
Glue (Animal)								
Glue P.V.A		A						
Glue-Dry		A						
Glue-Dry-70F		B						
Glue-Solution Acid-70 and 140F		B						
Glue-Solution Acid-Hot		A						
Glutamic Acid	B							
Glutaraldehyde Disinfected - Aldehyde, Aliphatic, Solution	B							
Glutaraldehyde, pure - Aldehyde, Aliphatic	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Glycerin	A	A	A	B			A	A
Glycerin, Aq.-Low Conc. -70%	A	A		B			A	A
Glycerine	A	A		B	A	A	A	A
Glycerine-100%-70F	A	A		B			A	A
Glycerine-68F	A	A		B			A	A
Glycerine-70F	A	A		B			A	A
Glycerinum								
Glycerol	A							
Glycerol Dichlorohydrin	B							
Glycerol Monobenzyl Ether-68F								
Glycerol Monochlorohydrin	B							
Glycerol Triacetate	B							
Glycerophosphoric Acid	B							
Glycidol	B							
Glycogenic Acid	B							
Glycol	A	A		B	A	A	A	A
Glycol Acetate								
Glycol Alcohol								
Glycol Amine		A						
Glycol Monoether	X	A						
Glycol- 100%- 70F	A	A						
Glycol, Aq.- High Conc.- 70F	A	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Glycol, Aq.- Low Conc.- 70F	A	A						
Glycolic Acid- 68F								
Glycolic Acid- Sat'd.		A						
Glycols								
Glucose								A
Glyoxylic Acid	B							
Glyoxal		A						
Glue								A
Gold Monocyanide	X	A						
Gold Plating Cyanide 150F		A						
Gold Plating, Acid 75F		C						
Gold Plating, Neutral 75 F		C						
Grape Juice		A			A	A		
Grease		A						
Grease Light								
Green Copperas (Vitroil)	A							
Green Liquor (Sulfate)	A						B	B
Green Liquour	A	A			A	A	B	B
Guanidine Hydrochloride, pure - Amine Salt	B							
Guanidine Isothicyanate, pure - Amine, Salt	B							
Guanidine Thiocyanate, pure - Amine, Salt	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Gulfcrown Grease	C							
Gypsum		A						
Gypsum- Slurry		A						
Haemo-Sol detergent - Detergent	B							
Halon		A						
Helium	A	A						
Hepar Calcis								
Hepatic Gas								
Heptachlorobutene	C							
Heptaldehyde (Heptanal)	B							
Heptanal	B							
Heptane	X	A	B	X	A	A		
Heptanoic Acid	A							
Heptane Carboxylic Acid	A							
Heptanone	B							
Hexachloroacetone	B							
Hexachlorobutadiene	C							
Hexachlorobutene	C							
Hexachloroethane	C							
Hexadecane				A				
Hexadecanoic Acid	B							
Hexaethyl Tetraphosphate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hexafluoroethane (F-116)	X							
Hexafluoroxulene	X							
Hexaldehyde	A							A
Hexamethylenediamine	B							
Hexamethylenetetramine	B							
Hexan-3-One								
Hexanaphthene								
Hexane	X	A	C		A	D	A	B
Hexanol	A	A						
Hexene	C							
Hexilamine	A							
Hexyl		A						
Hexyl Acetate	C							
Hexyl Alcohol (Hexanol)	A	A					A	B
Hexyl Methyl Ketone	B							
Hexylene Glycol	A							
Hexylresorcinol	C							
Hilo MS #1								
Histowax								
Home Orchard Spray	A							
Honey		A						
Houghto-Safe 1055 phosphate ester	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Houghto-Safe 416 & 500 Series	B							
Houghto-Safe 5040 (Water/Oil Emulsion)								
Houghto-Safe 620 Water/Glycol								
Household Bleach - Base/Caustic, Oxidizer	C							
Hydraulic Fluids (Pydraul)	A			A				A
Hydraulic Oil	B	A		A				A
Hydraulic Oil (Petroleum)	B			A				A
Hydraulic Oils (Petroleum)	B	A		A				A
Hydraulic Oils (Synthetic)	C	A		A				A
Hydrazine	A	A		X			B	B
Hydrazine (Anhydrous)	B							
Hydrazine Dihydrochloride	B							
Hydrazine Hydrate	C							
Hydrazobenzene								
Hydriodic Acid	C							
Hydro Bromic Acid	A	C	X	X				A
Hydro-Drive MIH-10 (Petroleum Base)	C							
Hydro-Drive MIH-10 (Petroleum Base)								
Hydro-Drive MIH-50 (Petroleum Base)	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydro-Drive MIH-50 (Petroleum Base)								
Hydroabietyl Alcohol	X							
Hydrobromic Acid	A	C	X				X	A
Hydrobromic Acid 100%	A	X	X					
Hydrobromic Acid 40%	A		X					
Hydrobromic Acid- 100% aq. sol.- 68F	A		X					
Hydrobromic Acid- 20%	A	X	X		A	C		
Hydrobromic Acid- 50%	A	X	X					
Hydrobromic Acid- 50% aq. sol.- 68F	A		X					
Hydrobromic Acid- All Concentrations- 70F	A	C/X	X					
Hydrobromic Acid- Boiling		X	X					
Hydrobromic Acid-40%	A		X					
Hydrobromic Acid, 69% - Acid, Organic	B		X					
Hydrocarbons		A						
Hydrochloric Acid (100%)	A	X	X	B				
Hydrochloric Acid (20%)	A	X	A	A				
Hydrochloric Acid (25%)	A		A	A	A	A		
Hydrochloric Acid (36%)	A		A	B				
Hydrochloric Acid (37%)	A	C	A	B			B	B
Hydrochloric Acid (All Conc.)	A			B				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrochloric Acid (Cold) 37%	A	C		B				
Hydrochloric Acid (Dry Gas)		A						
Hydrochloric Acid Fumes-Concentrated- 1		X						
Hydrochloric Acid- 10% Un aerated		X						
Hydrochloric Acid- 20% Un aerated		X						
Hydrochloric Acid- 35%	A	C						
Hydrochloric Acid- 37%	A	C						
Hydrochloric Acid- All-100F		X						
Hydrochloric Acid- All-122F		X						
Hydrochloric Acid- All-160F		X						
Hydrochloric Acid-5% Un aerated		X						
Hydrochloric Acid-50%								
Hydrochloric Acid, >6N - Acid, Inorganic	B							
Hydrochloric Acid, 1N - Acid, Inorganic	B							
Hydrochloric Acid, 3 Molar to 158 F	B							
Hydrochloric Acid, 30% - Acid, Inorganic	B							
Hydrochloric Acid, 5% - Acid, Inorganic	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrochloric Acid, 6N - Acid, Inorganic	B							
Hydrochloric Acid, Concentrated to 158 F	C							
Hydrochloric Acid, pure - Acid, Inorganic	B							
Hydrochloric Acid 35%	A							
Hydrocyanic Acid	A	B	A				B	B
Hydrocyanic Acid (20%)	A	X	A				A	A
Hydrocyanic Acid (Gas 10%)	A	X	A					A
Hydrocyanic Acid- 10%	A	A	A					A
Hydrofluoric Acid (100%)	X	X	X				X	X
Hydrofluoric Acid (20%)	A	X	A					A
Hydrofluoric Acid (25%)	B		A		A	C		A
Hydrofluoric Acid (49%)	B		B		C	C		B
Hydrofluoric Acid (50%)	B	X	B					B
Hydrofluoric Acid (75%)	C	X	C					C
Hydrofluoric Acid Vapors- 212F	X	X	X					
Hydrofluoric Acid- 30%	B	X	A					
Hydrofluoric Acid- 4%aq. sol.- 68F	A		A					
Hydrofluoric Acid- 40%	B	X	B					
Hydrofluoric Acid- 40%aq. sol.- 68F	C		B					
Hydrofluoric Acid- 50%	B	X	B					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrofluoric Acid- All Concentrations- Hot	A to X	X	A to X					
Hydrofluoric Acid- All- All Temp	A to X	X	A to X					
Hydrofluoric Acid- Conc.- 68F								
Hydrofluoric Acid- Dilute	B	X						
Hydrofluosilicic Acid	A	X	C				B	B
Hydrofluosilicic Acid (100%)	A	X	C					B
Hydrofluosilicic Acid (20%)	A	X	B					A
Hydrofluosilicic Acid Vapors- 212F		X	C					
Hydrofluosilicic Acid- 50%	A	C	C					B
Hydrofluosilicic Acid- 70F	A	C	C					B
Hydrofluosilicic Acid-5%- 70F	A	X	C					A
Hydroformic Acid	D							
Hydrogen	A	A						
Hydrogen Chloride- Gas	B		A	A				
Hydrogen Chloride- Dry								
Hydrogen Chloride Anhydrous	A							
Hydrogen Cyanide								
Hydrogen Dioxide (10%)	A							
Hydrogen Fluoride Anhydrous		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrogen Fluoride- Anhydrous- 68F								
Hydrogen Fluoride- Anhydrous								
Hydrogen Gas	A	A					A	A
Hydrogen Iodine	D							
Hydrogen Oxide								
Hydrogen Peroxide	A	B	A		C	D		
Hydrogen Peroxide (10%)	A	B	A					
Hydrogen Peroxide (100%)	B	A	A	A				
Hydrogen Peroxide (30%)	A	B	A	A				
Hydrogen Peroxide (50%)	A	A	A	A				
Hydrogen Peroxide (90%)	B		A	A				
Hydrogen Peroxide 90%	B		A	A			X	
Hydrogen Peroxide Boiling		A						
Hydrogen Phosphide- 68F								
Hydrogen Selenide	X							
Hydrogen Sulfide- Aqua	A	A	A	A				
Hydrogen Sulfide- Dry	A	A	A					
Hydrogen Sulfide- Wet	A	A	A	A			X	A
Hydrogen Sulfide-Gas					A	A		
Hydrogen Sulfide-Wet.Hot							X	B
Hydrogen Sulfide, Solution	A	A		A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrogen Sulfide, Aqueous Solution	A	A		A				
Hydrogen Sulfite		A						
Hydrogen Sulphide- Dry		A						
Hydrogen Sulphide- Dry- 70F		B						
Hydrogen Sulphide- Wet- 70F		B						
Hydrogen-Gas	A	A						A
Hydrolube-Water/Ethylene Glycol	B							
Hydroxy Benzene	C							
Hydroxyisobutyronirile	A							
Hydroxytoluene	C							
Hydrooxycitronellal	X							
Hydroquinol	C							
Hydroquinone		A					C	A
Hydroquinone - Sat'd.		A					C	A
Hyponne								
Hyposulphite Soda (Hypo)		A						
I.P.A.								
Ice Spar(Stone)								
Iminodi-1-Propanol	B							
Iminodiethanol	B							
Indium Sulfamate Plating R.T		C						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Indole	X							
Industron FF44								
Industron FF48								
Industron FF53								
Industron FF80								
Ink		C		X				
Insecticide	A						A	
Insulin	B							
Iodic Acid	B							
Iodine	A	X	B					
Iodine (In Alcohol)	A	B	B					
Iodine and Solutions	A	X	B					
Iodine Crystals, - Element, Solid	B							
Iodine Pentafluoride	X						X	X
Iodine- 10%	A	X						
Iodine- sol. in potassium iodide- 68F	A							
Iodine-70F	A	C						
Iodoacetic Acid, pure - Acid, Organic, Halogenated	X							
Iodoform	B	B						
Iodoform- 70F	B	B						
IPA, 100% - Alcohol, Aliphatic	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
IPA, 30% - Alcohol, Aliphatic	B							
IPA, pure - Alcohol, Aliphatic	B							
Iron Phosphate		A						
Iron Plating, Ferrous Am. Sulfate Bath 150		C						
Iron Plating, Ferrous Chloride Bath 190F		X						
Iron Plating, Fluoborate Bath 145F		X						
Iron Plating, Sulfamate 140F		X						
Iron Plating, Sulfate- chloride Bath 160F		X						
Iron Plating, Ferrous Sulfate Bath 150F		C						
Iron Salts				A				
Iso-Butanol, 100% - Alcohol Aliphatic	B							
Iso-Butanol, pure - Alcohol, Aliphatic	B							
Iso-Butyl Alcohol, 100% - Alcohol, Aliphatic	B						B	A
Iso-Butyl Alcohol, pure - Alcohol, Aliphatic	B						B	A
Iso-Butylamine	B							
Iso-Butylbromide	C							
Isoamyl Valerate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Isoamyl-p-Phenol								
Isoboreol	X							
Isobutane		A						
Isobutanol								
Isobutanol, pure - Alcohol, Aliphatic	B							
Isobutyl		A						
Isobutyl Acetate								
Isobutyl Alcohol		A					B	A
Isobutyl Alcohol, pure - Alcohol, Aliphatic	B						B	A
Isobutylcarbinol	B							
Isobutyl Methyl Ketone	X							
Isobutyl n-Butyrate								
Isobutyl Phosphate	B							
Isobutylene								
Isobutyraidehyde	C							
Isobutyric Acid								
Isocrotyl Chloride	X							
Isodecanol	C							
Isododecane								
Isoeugenol	C							
Isooctane	X	A	B	A			A	B
Isocyanates	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Isopropyl		A						
Isopropyl Acetate		B	B		A	C	X	X
Isopropyl Alcohol	A	A		X	A	C	B	A
Isopropyl Alcohol- 68F	A			X				A
Isopropyl Alcohol-100%- 70F	A			X				A
Isopropyl Alcohols	A	A		X				A
Isopropyl Chloride							X	
Isopropyl Ether	B	A	X				B	B
Isopropyl Myristate, pure - Ester, Aliphatic	X							
Isopropylacetone	B							
Isopropylacetone, pure - Ketone, Aliphatic	X							
Isopropylamine	B							
Isotane								
Ispropyl Ether								B
Japanese Gelatin								
Japanese Islinglass								
Jet Fuel	A	A	C		A	C	A	
Jet Fuel (JP3,JP4,JP5)	A	A	C		A	C	A	
Jet Fuels: JP-1.A & A1	A	A	C		A	C	A	
Jet Fuels: JP-3	A	A	C		A	C	A	
Jet Fuels: JP-4	A	A	C		A	C	A	
Jet Fuels: JP-5	A	A	C		A	C	A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Kurrol's Salt								
Lacquer Thinners	X	A	X				X	X
Lacquers	X	A	X				X	X
Lactams-Amino Acids								
Lactic Acid	A	B	A	C	C	C	A	A
Lactic Acid (Hot)	A		A				A	A
Lactic Acid Cold	A		A				A	A
Lactic Acid Salts		A						
Lactic Acid- 1,5, and 10%- 70F	A	B	A	A				A
Lactic Acid- 1%- Boiling	A	B	A	A				A
Lactic Acid- 10%- 150 F to Boiling	A	B	A	A				A
Lactic Acid- 10%- Boiling	A	B	A	A				A
Lactic Acid- 25%	A	A	A	B				A
Lactic Acid- 5%	A	A	A	A				A
Lactic Acid- 5% Boiling	A	B	A	A				A
Lactic Acid- 5%- 150F	A	A	A	A				A
Lactic Acid- 80%	A	A	A	C				A
Lactones (Cyclic Esters)	C							
Lanotin- 70F								
Laquer	X							
Laquer Solvents	X	A						
Lard	A	A	A	C	A	A	A	C

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Lard (Animal Fat)	A	A	A	C	A	A		C
Lard Oil	A	A	A	C	A	A		C
Lard- 70F	A	A	A	C	A	A		C
Lard- Molten		A		X				
Lasso	A		A					
Latex		A						
Lauric Acid		A						
Lauryl Alcohol								
Lauryl Chloride		A			A	A		
Lavender Oil	B						B	C
LB 135	B							
Lead		A						
Lead (Molten)	X							
Lead Acetate		A	A	A	A	A	B	B
Lead Acetate- 5%- Boiling		B	A	A				B
Lead Acetate- 68F			A	A				B
Lead Acetate- Sat'd.		A	A	A				B
Lead Arsenate								
Lead Azide	X							
Lead Bromide	B							
Lead Carbonate	B							
Lead Chloride								
Lead Chromate	B							

<u>A=Great Application;</u> <u>B=Good Application (mild effect); C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Lead Dioxide	B							
Lead Fluoborate Plating		C						
Lead Linoleate	B							
Lead Naphthenate	X							
Lead Nitrate	A	A	A				A	A
Lead Nitrate- 68F	A	A	A				A	A
Lead Nitrate- Sat'd.	A	A	A				A	A
Lead Oxide	B							
Lead Salts	A							
Lead Sulfamate		A					B	A
Lead Sulfate	A							
Lead Sulfate		C						
Lemon Oil		A						
Ligrion		A						
Lime	A	A						
Lime Bleach	A						A	B
Lime Saltpeter								
Lime Slurry		A						
Lime Soda								
Lime Sulfur	A	A					X	A
Limonene	X							
Lindol								C
Linoleic Acid	C	C					B	X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Linseed Oil	B	A		C			A	B
Linseed Oil- 68F	B	A		C				B
Linseed Oil- 70F	B	A		C				B
Liquid Petroleum Gas (LPG)	X						A	B
Liquor.Sulfitic								
Lithium Broide					A	A		
Lithium Bromide								
Lithium Bromide (Saturated)								
Lithium Carbonate	B							
Lithium Chloride		A	X					
Lithium Citrate	B							
Lithium Grease	A							
Lithium Hydroxide		A	X		A	A		
Lithium Hypochlorite	B							
Lithium Nitrate	B							
Lithium Nitrite	B							
Lithium Perchlorate	B							
Lithium Salicylate	B							
Lithopone	B							
Lubricants	B	A	B					
Lubricating Oil (ASTM#1)	B	A	B				A	B
Lubricating Oil (ASTM#2)	B	A	B				A	B
Lubricating Oil (ASTM#3)	B	A	B				A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Lubricating Oils (Crude & Refined)	B	A	B				A	B
Lubricating Oils (Petroleum)	B	A	B				A	B
Lubricating Oils (Synthetic base)	B	A	B				A	B
Ludox		A						
Lumarith E.C.								
Lye	B	A	B				B	B
Lye (Caustic)- 34%-230F	B	A	B					
Lye Solutions	A		A					
Lye: Ca(OH) ₂ Calcium Hydroxide	A	B	B					
Lye: KOH Potassium Hydroxide	A	A	B					
Lye: NaOH Sodium Hydroxide	A	B	B					
Lysine-Monohydrochloride-dl (Powder)								
Lysine-Dihydrochloride-dl (Powder)								
Lysol- 212F		A		C/X				
Lysol- 70F		B		C				
Magnesium Acetate	A							
Magnesium Ammonium Sulfate								
Magnesium Bisulfate		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Magnesium Bisulfite					A	A		
Magnesium Bromide								
Magnesium Carbonate		A			A	A		
Magnesium Carbonate- 68F		A						
Magnesium Carbonate- All Concentrations		B						
Magnesium Carbonate, Saturated								
Magnesium Chloride	A	B	A		A	A	A	A
Magnesium Chloride Sulfate	A		A					A
Magnesium Chloride- 1% to 5% Still	A	A	A					
Magnesium Chloride- 1% to 5% Still-Hot	A	B	A					
Magnesium Chloride- 1% -5%- Hot	A	B	A					
Magnesium Chloride- 1% -5%-70F	A	B	A					
Magnesium Chloride- 68F	A		A					
Magnesium Chloride- Sat' d.	A	X	A					
Magnesium Citrate								
Magnesium Fluoride		C						
Magnesium Hydrate	A							
Magnesium Hydroxide	A	A			A	A	B	A
Magnesium Hydroxide- 68F	A	A					B	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Magnesium Hydroxide-70F	A	A					B	A
Magnesium Hydroxide-Sat'd.	A	A					B	A
Magnesium Hydroxide-Thick Suspension	A	A					B	A
Magnesium Iodide (Sayurated)								
Magnesium Nitrate		A	B					
Magnesium Nitrate-68F		A	B					
Magnesium Nitrate-All Concentrations- 70		A	B					
Magnesium Oxide		A						
Magnesium Salt Solutions	A		A	A				
Magnesium Salts	A		A	A				
Magnesium Salts, Aq. sat, - 70F	A		A					
Magnesium Sulfate	A	A	A				A	A
Magnesium Sulfate (Epsom Salts)	A	B	A					A
Magnesium Sulphate- 5%-Hot	A	A	A					A
Magnesium Sulphate- 68F	A		A					A
Magnesium Sulphate-10% - 70F	A	B	A					A
Magnesium Sulphate-10% - Boiling	A	B	A					A
Magnesium Sulphite	A		A					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Magnesium Trisilicate	X							A
Maize Oil								
Malathion								
Maleic Acid	A	A	A				A	B
Maleic Acid- Sat'd.	A	A	A				A	B
Maleic Acid, 10%	A	A	A				A	B
Maleic Acid, 25%	A	A	A				A	B
Maleic Anhydride	A	A	A					
Maleic Hydrazide	B							
Maleinic Acid-25%	A	A						
Maleic Acid	A	A					A	B
Maleic Acid- 68F	A	A					A	B
Maleic Acid- Cold & Hot	A	A					A	B
Maleic Acid- Cold and Hot	A	A					A	B
Malonyl Nitrile								
Malt Salt								
Mandelic Acid	B							
Manganese Acetate	B							
Manganese Carbonate		A						
Manganese Chloride- 10% to 50% Aqueous		A						
Manganese Dioxide	B							
Manganese Gluconate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mercaptobenzothiazole (MBT)	X							
Mercuric Acetate	B							
Mercuric Bichloride-0.07%		A						
Mercuric Chloride		X	A		A	C	A	A
Mercuric Chloride (Dilute Solution)		X	A					A
Mercuric Chloride- Dilute		X	A					A
Mercuric Cyanide		A						
Mercuric Cyanide- Sat'd.		A						
Mercuric Iodide	B							
Mercuric Nitrate	B							
Mercuric Salts				A				
Mercuric Sulfate	B							
Mercuric Sulfate- Sat'd.								
Mercuric Sulfite	B							
Mercurous Nitrate		A						
Mercurous Nitrate- Sat'd.		A						
Mercury	A	B	A	A			A	A
Mercury Chloride- Dil. Sol. - 70F		C						A
Mercury Fulminate	B							
Mercury Salts	A							
Mercury Vapours	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mesityl Oxide	C						X	X
Meta-Nitroaniline	B							
Meta-Toluidine	X							
Metaldehyde	B							
Methacrylic Acid		A						
Methallyl Alcohol								
Methallyl Chloride	B							
Methanal								
Methanal-40%								
Methanamide								
Methane	X	A					A	B
Methane Carboxylic Acid	A							
Methanoic Acid	A							
Methanol	A	A	A		A	C	A	
Methanol- 70F	A	A	A		A	C	A	
Methenyl Iodide								
Methionine-dl (Powder)								
Methoxy Ethanol	A							
Methoxy Methane								
Methoxychlor	X							
Methoxyethyl Oleate								
Methyl		A						
Methyl Abietate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl Acetal								
Methyl Acetate	A	A	C				X	B
Methyl Acetate (82%)	A		C					B
Methyl Acetoacetate	A							
Methyl Acetone		A						
Methyl Acetophenone	X							
Methyl Acrylate	X						X	B
Methyl Acrylate- Tech.- Pure		A						B
Methyl Acrylic Acid								B
Methyl Alcohol	A	A	A	X			A	A
Methyl Alcohol (10%)	A	A	A	C			A	A
Methyl Alcohol (Methanol)	A	A	A				A	A
Methyl Alcohol- 100%-70F	A	A	A	X			A	A
Methyl Amine		A						
Methyl Allyl Alcohol	A							
Methyl Allyl Chloride	B							
Methyl Amyl Alcohol	A				A	X		
Methyl Amyl Carbinol	B							
Methyl Allyl Chloride	B							
Methyl Anthranilate	X							
Methyl Benzene	X							
Methyl Bromide	C	A					B	X
Methyl Butane	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl Butrate Cellosolce	B							
Methyl Butyl Alcohol	B							
Methyl Butyl Ketone	B	A					X	X
Methyl Butyrate								
Methyl Butyrate Chloride	B							
Methyl Carbitol								
Methyl Carbonate								
Methyl Cellosolve	A	A						B
Methyl Cellosolve Acetate, pure - Ether, Aliphatic, Polyol	C							B
Methyl Cellulose	A							
Methyl Chloride	B	A					X	X
Methyl Chloride- 68F							X	X
Methyl Chloride- Dry		A					X	X
Methyl Chloroacetate	B							
Methyl Chloroform		A						
Methyl Chloroformate								
Methyl Chlorosilanes	X							
Methyl Cyanide	A							
Methyl Ethyl Ketone	A	A	X	X	A	A	X	X
Methyl Ethyl Oleate	X							X
Methyl Formate		A					X	B
Methyl Hexanol	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl Isobutyl Ketone	A	A	X					X
Methyl Isobutyl Ketone-68F							X	X
Methyl Isocyanate	B							
Methyl Isopropyl Ketone		A						
Methyl Isovalerate	X							
Methyl Lactate	B							
Methyl Mercaptan	B							
Methyl Methacrylate	A/B						X	X
Methyl Pentadiene	X							
Methyl Phenol								
Methyl Phenylacetate	X							
Methyl Propyl Ether	B							
Methyl Salicylate	B							X
Methyl Styrene	X							
Methyl Sulfide	B							
Methyl Tertiary Butyl Ether (MTBE)	C							
Methyl Valerate	X							
Methyl-2-Butanol	B							
Methyl-2-Butanone	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl-1-Butyl Ether, pure - Ether, Aliphatic	C							
Methyl-2-Hexanone	C							
Methyl-2-Pyrrolidone or n- Methyl-2-Pyrrolidone	B	A			A	B		
Methyl 1-2, 4-Pentanediol	A							
Methyl-2-Pentanol	B							
Methyl-2-Pentanone	C							
Methyl-3-Penten-1-One	C							
Methyl-4-Isopropyl Benzene	X							
Methyl-Iso-Amyl-Ketone	C							
Methyl-L-Propanol	A							
Methylacrylic Acid								
Methylal	X							
Methylamine		A						
Methylallyl Acetate	B							
Methylamyl Acetate	B							
Methylamyl Alcohol	B							
Methylated Spirits								
Methylcyclohexane	X							
Methylcyclopentane	C							
Methylene Bromide	C							
Methylene Chloride	B	A	X		A	C	X	X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methylene Chloride- 40%- Room to Boiling	B	A	X		A	C	X	X
Methylene Chloride- 68F	B	A	X	X	A	C	X	X
Methylene Chloro Bromide								
Methylene Chlorobromide		A						
Methylene Dichloride								
Methylene Iodide								
Methylene Oxide								
Methylene Salicylas								
Methylglycerol	B							
Methylisobutyl Carbinol	B							
Methylisobutyl Ketone	B							
Methylisopropyl Ketone	B							
Methylacetonitrile	A							
Methylphenol	B							
Methylpyrrolidone	B	A						
Methylpropyl Carbinol	A							
Methylpropyl Ketone	B							
Methylsulfuric Acid								
Metrizamide - Misc.	B							
Meyhylene Chloride		A						
MIL-F-81912 (JP-9)	C	A					A	A
MIL-F-82522 (RJ-4)	C	A					A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
MIL-H-46170 -15° F to +400° F	X	A					A	A
MIL-H-46170 -20° F to +275° F	X	A					X	X
MIL-H-46170 -55° F to +275° F	C	A					X	X
MIL-H-46170 -65° F to +275° F	C	A					A	A
MIL-H-5559A	C	A					A	A
MIL-H-5606 -65° F to +235° F	C	A					A	A
MIL-H-5606 -65° F to 235° F	C	A					A	A
MIL-T-83133	C	A					A	A
MIL-T-9188B	C	A					A	A
Milk	A	A			A	A	A	A
Milk (Fresh or Sour)- Cold or Hot	A	B			A	A	A	A
Milk (Whole)	A	A			A	A	A	A
Milk Acid-50%	A	A						
Milk of Magnesia								
Milk- 70F	A	A					A	A
Mine Water- Acid	A	A					A	A
Mineral Naptha								
Mineral Oil	A	A		C			A	B
Mineral Spirits	B/C	A	X		A	A	A	
Mixed Acids- 15% H2SO4 + 5%HNO3 + 80%		B						
Mixed Acids- 15% H2SO4 + 5%HNO3 + 80%		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mixed Acids- 50% H2SO4 + 50%HNO3- 200		B						
Mixed Acids- 50% H2SO4 + 50%HNO3- Boil								
Mixed Acids- 50% H2SO4 + 50%HNO3- Col		B						
Mixed Acids- 70% H2SO4 + 10%HNO3 + 20		B						
Mixed Acids- 70% H2SO4 + 10%HNO3 + 20		C						
Mixed Acids- 70% H2SO4 + 10%HNO3 + 20		B						
MLO-7277 Hydr.								
MLO-7557								
MLO-8200 Hyr.								
MLO-8515								
Mobasic Sodium Phosphate, pure - Salt, Inorganic	B							
Mobil 24 DTE								
Mobil 254 Lubricant	X							
Mobil Delvac 1100,1110,1120,1130								
Mobil SHC 500 Series	C							
Mobil SHC 600 Series	C							
Mobilgas WA200 ATF	C							
Mobilgear 600 Series	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mobilgear SHC ISO Series	C							
Mobilgrease HP	C							
Mobilgrease HTS	C							
Mobilgrease SM	C							
Mobilith AW Series	C							
Mobilith SHC Series	C							
Mobiljet II Lubricant	X							
Mobilmistlube Series	C							
Mobiloil SAE 20	C							
Molasses	A	B	A					
Molten Sulfur	B							
Molybdenum Disulfide Grease	C							
Molybdenum Oxide	B							
Molybdenum Trioxide	B							
Molybdic Acid	B							
Molybodic Acid- 5%- 70F		B						
Molybolic acid- 5%		A						
Monoammonium Phosphate								
Monobasic Potassium Phosphate, pure - Salt, Inorganic	B							
Monobromo Trifluoro Methane								
Monobromotoluene	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Monobutyl Paracresol	X							
Monochloracetone								
Monochlorethane								
Monochloro Phenol								
Monochloro Acetic Acid	A		X					
Monochloro Benzene	X							X
Monochloro Trifluoro Methane								
Monochloroacetic Acid	A							
Monochloroacetic Acid- 50%	A	X						
Monochlorobenzene- 68F	X						X	X
Monochlorobenzene- Tech.- Pure	X	A					X	X
Monochlorobutene	X							
Monochlorohydrin	X							
Monoethanol Amine								X
Monoethanolamine		A						X
Monochlorodifluoromethar	B							
Monoethanol Amine	A							
Mononitrotoluene	B							
Monoethyl Amine	A							
Monoethylamine	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mononitrotoluene & Dinitrotoluene (40/60 Mix)	B							
Morpholine	A	A						
Morrhua Oil								
Mosaic Gold								
Motor Oil	B	A		C			A	
Motor Oil- 70F	B	A		C			A	
Motor Spirits								
MTBE, pure - Ether, Aliphatic	B							
Mud, Drilling	A	A			A	A		
Muriate of Ammonia								
Muriatic Acid	A	X			A	A		
Muriatic Acid- 70F	A	C						
Mustard		A						A
Mustard- 70F		B						A
Myristic Acid	X							
n Heptane								
n- Amyl Chloride		A						
n- Butyl Chloride		C						
n- Hexane		A						
N-Methylpyrrolidone (NMP)	B	A						
n- Octane		A						
n- Pentane	X	X					A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
n- Propyl Bromide		A						
n- Propyl Nitrate		A						
n-Butanol, pure - Alcohol, Aliphatic	B							
n-Butyl Acetate	A	C						
n-Butyl Acetate, pure - Ester, Aliphatic	C							
n-Butyl Alcohol, pure - Alcohol, Aliphatic	B							
n-Butyl Phthalate, pure - Ester, Aromatic	C							
n-Decane, pure - Hydrocarbon, Aliphatic	C						B	X
n-Dodecanol, pure - Alcohol, Aliphatic	X							
n-Dodecyl Alcohol								
n-Heptane, pure - Hydrocarbon, Aliphatic	C							
n-Hexane	B	A						
n-Hexane-1								
n-Hexanol, pure - Alcohol, Aliphatic	X							
N-Methylpyrrolidone NPM		A			A	B		
n-Octodecylic Acid								
n-Octyl Alcohol		A			A	A		
n-Pentanol, pure - Alcohol, Aliphatic	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
n-Pentylloxypentane								
n-Propane, gas, pure - Hydrocarbon, Aliphatic	C							
n-Propane, liquid - Hydrocarbon, Aliphatic	X							
n-Propanol, pure - Alcohol, Aliphatic	B							
Naphtha	C	A			A	X	C	C
Naphthalene	C	B	B	X			X	X
Naphthalene Chloride	C							
Naphthalene Sulfonic Acid	X							
Naphthalene- 100%- 70F								
Naphthalene- 68 F								
Naphthalonic Acid	X							
Naphthene								
Naphthylamine	X							
Naptha		A						
Naptha Crude- 70F		B						
Naptha Pure- 70F		B						
Napthalene	C	B						
Napthenic Acid								
Natural Gas	A	A					A	A
NAVSolve	A						A	
Neon Gas	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Neville Acid							C	C
Nickel Acetate	A						B	B
Nickel Ammonium Sulfate		A						
Nickel Ammonium Sulphate								
Nickel Chloride	A	B	B				A	A
Nickel Chloride Sol.- 70F	A	B	B				A	A
Nickel Chloride- 68F	A	B	B				A	A
Nickel Chloride- Sat'd.	A	B	B				A	A
Nickel Cyanide	B							
Nickel Nitrate	A	A	B					
Nickel Nitrate- 10%	A	A	B					
Nickel Nitrate- 68F	A	A	B					
Nickel Nitrate- Sat'd.	A	A	B					
Nickel Plating, Electroless 200F								
Nickel Plating, Fluoborate 100-170F		C						
Nickel Plating, High Chloride 130-160F		C						
Nickel Plating, Sulfamate 100-140F		C						
Nickel Plating, Watts Type 115-160F		C						
Nickel Salts	A			A				
Nickel Sulfate	A	B	B				A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nickel Sulfate- Sat'd.	A		B					A
Nickel Sulphate Sol.- 70F	A	B	B					A
Nickel Sulphate- 10%	A	A	B					A
Nicotinamide (Niacinamide)	X							
Nicotinamide Hydrochloride	B							
Nicotine		A						
Nicotine Bentonite								
Nicotine Sulfate								
Nicotinic Acid		C						
Nietylene								
Niroacellulose	B							
Nirodiphenyl	X							
Niter Cake							A	A
Niter cake- Fused		B						A
Nitrating Acid (<1% Acid)		A						
Nitrating Acid (<15% H2SO4)		C						
Nitrating Acid (<15% HNO3)		X						
Nitrating Acid (>15% H2SO4)		C						
Nitric Acid (5 to10%)	A	A	B				X	A
Nitric Acid- 10%	A	A	B		A	C	X	A
Nitric Acid- 10%aq. sol.- 68F	A	A	B				X	A
Nitric Acid- 100%	B	A	B	X			X	C

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nitric Acid- 20%	B	A	B	C			X	A
Nitric Acid- 25%	B	A	B	C	A	C	X	A
Nitric Acid- 25%aq. sol.- 68F	B	A	B	C			X	A
Nitric Acid- 30%	B	A	B	C			X	A
Nitric Acid- 35%	B	A	B	C			X	A
Nitric Acid- 40%	B	A	B	X			X	B
Nitric Acid- 5%	A	A	B	C			X	A
Nitric Acid- 5%- Boiling	A	A	B	C			X	
Nitric Acid- 5%aq. sol.- 68F	A	A	B	C			X	A
Nitric Acid- 50%	B	A	B	X	C	X	X	B
Nitric Acid- 50%	B	A	B	X			X	B
Nitric Acid- 50%- 70F	B	A	B	X			X	B
Nitric Acid- 50%- Boiling	B	A	B	X			X	C
Nitric acid- 50%aq. sol.- 68F	B	A	B	X			X	B
Nitric Acid- 65%- Boiling	C	A	B	X			X	C
Nitric Acid- 69%. 42.1 BE	C	A	B	X			X	C
Nitric Acid- 70%	C	A	B	X			X	C
Nitric Acid- 98%	C	B	B	X	X	C	X	C
Nitric Acid- Concentrated	C	B	C	X			X	C
Nitric Acid- Concentrated- Boiling	C	B	C	X			X	C
Nitric Acid- Fuming	C	A	B	X			X	X

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nitrogen	A	A			A	A	A	A
Nitrogen Fertilizer Solution	A							
Nitrogen Gas		A						
Nitrogen Monoxide								
Nitrogen Oxides	A						X	X
Nitrogen Trifluoride	X							
Nitroglycerine	B							
Nitroglycerine		A						
Nitroglycerol	B							
Nitroglycol								
Nitroisopropylbenzene	B							
Nitromethane	A	A						
Nitromethane- Tech.- Pure	A	A						
Nitrophenol	B							
Nitropropane	C							
Nitrosulfuric Acid	X							
Nitrosyl Chloride								
Nitrothiophene	B							
Nitrotoluene	B							
Nitrous Acid	A	B						
Nitrous Acid- 10%		C						
Nitrous Acid- 5%		A						
Nitrous Acid- 5%- 70F		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nitrous Oxide		A						
Nonane	C							
Nonanoic Acid	B							
Nonanol	B							
Noryl GE Phenolic	B							
Nycodenz - Misc.	B							
Nyvac FR200 Mobil	B							
Octadecane	C						A	B
Octanoic Acid	B							
Octanol	B							
Octyl		A						
Octyl Acetate	B							
Octyl Alcohol	B						B	A
Octyl Aldehyde	B							
Octyl Amine	B							
Octyl Carbinol	B							
Octyl Chloride	C							
Octyl Phthalate	X							
Octylene Glycol	B							
Oil of Vitriol								
Oil of Wintergreen, pure - Ester, Aromatic	C							
Oil, Mineral	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Oil, Paraffin, pure - Hydrocarbon, Mixture	C							
Oil, Sesame, pure - Misc.	X							
Oil, Vegetable	A				A	A		
Oil, Wintergreen, pure - Ester, Aromatic	X							
Oils- Mineral- Vegetable- Hot & Cold		A	A					
Oils-Crude- Hot & Cold	C	A	C		A	A	A	
Oils, Aniline		A						
Oils, Animal	A							
Oils, Anise		A						
Oils, Bay		A						
Oils, Bone		A						
Oils, Castor	B	A						
Oils, Cinnamon		A	C					
Oils, Citric		A						
Oils, Clove		A						
Oils, Coconut		A						
Oils, Cod Liver		A						
Oils, Corn		A						
Oils, Cotton Seed		A						
Oils, Cresote		A						
Oils, Crude- Cold and Hot		B	C					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Oils, Diesel Fuel (2D, 3D, 4D, 5D)		A						
Oils, Fuel (1, 2, 3, 5A, 5B, 6)		A						
Oils, Ginger		A						
Oils, Hydraulic (See Hydraulic)								
Oils, Lemon		A						
Oils, Linseed		A						
Oils, Mineral		A						
Oils, Olive		A	A					
Oils, Orange		A	C					
Oils, Palm		A						
Oils, Peanut		A						
Oils, Peppermint		A						
Oils, Pine		A	B					
Oils, Rape Seed		A						
Oils, Rosin		A						
Oils, Sesame Seed		A						
Oils, Silicone		A	A					
Oils, Soybean	C	A						
Oils, Sperm		A						
Oils, Tanning		A						
Oils, Transformer		A						
Oils, Turbine		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Oils, Veg. & Min.- Cold and Hot		B						
Olefins	X							
Oleic Acid	B	A	C	C			C	C
Oleic Acid- 300F	X	B	X	X			C	
Oleic Acid- 400F	X	B	X	X			X	
Oleic Acid- 68F	B	A	C	C			C	
Oleic Acid- 70F	B	A	C	C			C	
Oleum	X	A		X			B	C
Oleum (100%)	X	A		X			B	
Oleum (25%)	X	A		X			B	
Oleum Theobromatics								
Oleyl Alcohol	X							
Olive Oil	B	A					A	B
Orth-Dichlorobenzene	B							X
Ortho-Dichlorobenzol	B							
Ortho Weed B Gone	A							
Ortho Weed & Grass Killer	A							
Ortho Xylene	X							
Ortho-Chloroaniline	B							
Ortho-Chlorophenol	B							
Ortho-Cresol	B							
Ortho-Nitrotoluene	B							

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
p-Toluenesulfonic Acid (PTSA)	A	C			A	A	X	
Palm Oil		A						
Palm Oil- 70F								
Palmitic Acid								
Palmitic Acid	A	A					A	B
Palmitic Acid (Powder)	A	A					A	B
Palmitic Acid- 10%	A	A					A	B
Palmitic Acid- 68F	A	A					A	B
Palmitic Acid- 70%	A	A					A	B
Para-Dichlorobenzene	C							
Para-Nitroaniline	B							
Para-Nitrobenzoic Acid	B							
Para-Nitrophenol	B							
Para-Toluene Sulformic Acid	B							
Parachloride								
Paracymene	C							
Paraffin	B	A	B	C				
Paraffin- Cold and Hot	B	B	B	C				
Paraffin- Molten		A						
Parathlon	X							
Paregoric Compound		A						
Peanut Oil		A					A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Pectin (Liquor)	C			A				
Penicillin (Liquid)	C							
Penta Hydroxy Hexoic Acid								
Penta Methylene Amine								
Pentachlorophenol	B	A						
Pentachlorophenol, Dowicide "G" Sodium	B	A						
Pentafluoroethane (F-125)	X							
Pentane	X	C						
Pentyl Acetate	B							
Pentyl Alcohol	B							
Pentyl Bromide	C							
Pentyl Chloride	C							
Pentyl Ether	B							
Pentyl Pentanoate	C							
Pentylamine	A							
Peracetic Acid- 70%	B	C						
Perchlorethylene	X	A	X				C	
Perchloric Acid	A	C	X		C	X		A
Perchloric Acid- 10%	A	A						A
Perchloric Acid- 68F	A	C						A
Perchloric Acid, 25% - Acid, Inorganic, Oxidizer	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Petroleum Ether	X	B						
Phenol	B	A	X					C
Phenol (10%)	A	A	X					
Phenol (Carbolic Acid)		A						
Phenol 70% 30% H2O								
Phenol 85%					C	C		
Phenol- CP- 70F		B						
Phenol- CP- Hot		B						
Phenol, 5%								
Phenol, 50% - Alcohol, Aromatic	C							
Phenol, 92% - Alcohol, Aromatic	C							
Phenol, Aq. Sat.- 70F								
Phenol, Crystals								
Phenol, Crystals, pure - Alcohol, Aromatic	C							
Phenol, liquid - Alcohol Aromatic	C							
Phenol, pure - Alcohol, Aromatic	C							
Phenolates								
Phenolic Resins		A						
Phenolic Resins- Cold and Hot		B						
Phenolic Sulfonate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phenylacetamide	X							
Phenylacetic Acid	B							
Phenylbenzene							X	X
Phenylbromide	X							
Phenylbutane	X							
Phenylcarbinol- 68F								
Phenylchloride	X							
Phenylethylene	X							
Phenylmethane	X							
Phenylmethanol	B							
Phenyldrazine							X	
Phenylene Diamine	X							
Phenylethanol, pure- Alcohol, Aromatic	X							
Phenylethyl Malonic Ester	B							
Phenylglycerine	C							
Phenylhydrazine Hydrochloride	B							C
Phenylhydrazine Hydrochloride- 68F	B							C
Phenylhydrazine- 68F	B							C
Phenylic Acid								
Phenylmercuric Acetate	B							
Phosphine	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phospholeum								
Phosphoric Acid - 45%	A		A				X	B
Phosphoric Acid (<40%)	A	C	A				C	B
Phosphoric Acid (>40%)	A	X	A				X	B
Phosphoric Acid (40% -100% Solution)	A	B	A					
Phosphoric Acid (Crude)		C						
Phosphoric Acid (molten)	X	C	X					
Phosphoric Acid (to 40% Solution)	A	A	A					
Phosphoric Acid 20%	A	A	A					B
Phosphoric Acid 30%	A	A	A					B
Phosphoric Acid 50%	A	A	A					B
Phosphoric Acid 85%	A	A	A					
Phosphoric Acid- 1 and 5% - 70F and Boiling	A	A	A					
Phosphoric Acid- 1%	A	A	A					
Phosphoric Acid- 10% Aerated	A	A	A					
Phosphoric Acid- 10% Agitated	A	A	A					
Phosphoric Acid- 10% Boiling	A	A	A					
Phosphoric Acid- 10%- Still	A	A	A					
Phosphoric Acid- 10% Still- 70F	A	A	A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phosphoric Acid- 15%	A	A	A		A	A		
Phosphoric Acid- 5%	A	A	A					
Phosphoric Acid- 50%	A	A	A		A	C		
Phosphoric Acid- 50%- 70F	A	A	A					
Phosphoric Acid- 50%- Boiling	A	A	A					
Phosphoric Acid- 50%aq. sol.-68F	A	A	A					
Phosphoric Acid- 80%	A	A	A		A	C		
Phosphoric Acid, 10%	A	A	A					
Phosphoric Acid, 25%	A	A	A					
Phosphoric Anhydride	A	A	A					
Phosphoric Anhydride (Dry or Moist)	A	A	A					
Phosphoric Anhydride (Molten)	X	A	X					
Phosphoric Anhydride- 68F	A	A	A					
Phosphoric Anhydride- Dry	A	A	A					
Phosphoric Oxychloride								
Phosphoric Trichloride			A				X	X
Phosphorous (Red)		A						
Phosphorous (Yellow)								
Phosphorous Pentoxide		A						
Phosphorous Trichloride	B	A	A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phosphorous Trichloride Acid								
Phosphorus		A						
Phosphoryl Chloride								
Phosphorus Trichloride								
Phosphate Esters		A						
Photogen								
Photographic (Developer)	A	A	A					
Photographic Developers-68F	A		A					
Photographic Emulsions-68F	A		A					
Photographic Fixing Sol-68F	A		A					
Photographic Hypo - Salt, Inorganic, Reducer	B		A					
Photographic Solutions	A	A	A					
Photoresists - Misc., Photoreist	X							
Phthalic Acid	A	A	B					
Phthalic Anhydride		B						
Picric Acid	A	A	X				B	A
Picric Acid- 1% w/w in water-68F	A		X				B	
Picric Acid- 10%	A	A	C				B	
Picric Acid- 10% w/w in alcohol-68F	A	A	C				B	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Plating Solutions (Zinc)								
Plating Solutions, Antimony Plating 130F		A						
Plating Solutions, Arsenic Plating 110F		A						
Poly Propylene Glycol								
Poly Vinyl Acetate Emulsion								
Polyaluminum Chloride	A				A	A	A	
Polyethylene Glycol Monolaurate	B				A	A		
Polyglycerol	B							
Polyglycol	B				A	A		
Polyglycol E-300 to E-4000								
Polysulfide Liquor		C						
Polyvinyl Acetate		C						B
Polyvinyl Acetate - Emulsion								B
Ponderous Magnesia								
Potash	A	A	B					
Potash- Solution- Hot	A	A	B					
Potash-Alum								
Potash-Caustic	A		B					
Potash-Water Glass	A							
Potassii Sulfas								
Potassium Acetate	A				A	A	B	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Aluminum		A						
Potassium Aluminum Sulfate								
Potassium Aluminum Sulfate. Anhydrous								
Potassium Amyl Xanthate								
Potassium Antimonate	B							
Potassium Bicarbonate	B	B	B					
Potassium Bicarbonate-Sat'd.	B	A	B					
Potassium Bichromate-25%- 70F		B						
Potassium Bichromate-25%- Boiling		B						
Potassium Bichromate-Neutral		A						
Potassium Bichromate-Sat'd.		A						
Potassium Bisulfate		A						
Potassium Bisulphide-68F								
Potassium Bitartrate	B							
Potassium Borate		A						
Potassium Borate-68F								
Potassium Borates								
Potassium Bromate		A						
Potassium Bromide		A	B					
Potassium Bromide- 5%		A	B					

<u>A=Great Application;</u> <u>B=Good Application (mild effect); C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Fluoride		A						
Potassium Fluoride-68F								
Potassium Glucocyanate	B							
Potassium Hydrate		A						
Potassium Hydroxide	A	B	A	A	A	A	A	A
Potassium Hydroxide - 25%	A	A	A	A			A	A
Potassium Hydroxide - 27%	A	A	A	A			A	A
Potassium Hydroxide (50%)	A/B	B	A	A	A	A	A	A
Potassium Hydroxide (Caustic Potash)	A	A	A	A	A	A	A	A
Potassium Hydroxide- 5%		A						
Potassium HydOrxide- 27% and 50%- Boiling		B						
Potassium Hydrxide- 5%- 70F		B						
Potassium Hypermanganate								
Potassium Hypochlorite		X						
Potassium Hypochlorite- 68F								
Potassium Iodate	B							
Potassium Iodide	A	A	B	A				
Potassium Iodide-All Concentrations- Col	A	B	B	A				
Potassium Metabisulfate	B							
Potassium Metachromate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Metasilicate	X							
Potassium Monochromate	B							
Potassium Monosulfide								
Potassium Muriate								
Potassium Nitrate	A	A	B		A	A	A	A
Potassium Nitrate- 5%	A	A	B				A	A
Potassium Nitrate- 50%-70F	A	A	B				A	A
Potassium Nitrate- 50%-Boiling	A	A	B				A	A
Potassium Nitrate-68F	A	A	B				A	A
Potassium Nitrate, Aq. Sat.- 70F	A	A	B				A	A
Potassium Nitrite	A	A	B				A	A
Potassium Oxalate		B						
Potassium Perchlorate-68F								
Potassium Perfluoro Acetate	X							
Potassium Permanganate		A	A					
Potassium Permanganate- 10%		A	A					
Potassium Permanganate- 25%		A	A					
Potassium Permanganate- 5%- 70F		A	A					
Potassium Permanganate- 5%-Boiling		A	A					

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Permanganate- Neutral		A	A					
Potassium Peroxide	X							
Potassium Pyrosulfate	B			A				
Potassium Salts	A							
Potassium Silicate								
Potassium Sodium Tartrate	B							
Potassium Stannate	B							
Potassium Stearate	B							
Potassium Sulfate	A	B	B		A	A	A	A
Potassium Sulfate, Aq. Sat.- 70F	A		B				A	A
Potassium Sulfide	A	C					A	A
Potassium Sulfite	A	A					A	A
Potassium Sulphate	A		B					
Potassium Sulphate- 1% to 5%	A	A	B					
Potassium Sulphate- 1% to 5%- Hot	A	A	B					
Potassium Sulphate- 1%- 70F	A	A	B					
Potassium Sulphate- 5%- 70F	A	A	B					
Potassium Sulphate- 5%- Hot	A	A	B					
Potassium Sulphate-68F	A	A	B					
Potassium Sulphide (Salt)		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Sulphide- Solution- Hot		B						
Potassium Sulphide-68F								
Potassium Tartrate	B							
Potassium Thiocyanate	B							
Potassium Thiosulfate								
Potassium Thiosulphate- 68F								
Potassium Triphosphate	B							
Potassium Tripolyphosphate		A						
Potato Oil								
Potato Spirit								
Power Steering Fluid 212F	C							
Power Steering Fluid 257F	X							
Power Steering Fluid 73F	A							
Prestone Antifreeze	A							
Propane	C/X	A	C/X				A	A
Propane (Liquified)	C/X	A	C/X					
Propane Nitrile								
Propane Propionitrile								
Propane- 100%		B		X				
Propanol	A	A						
Propionic Acid	A	A						
Propoinitrile	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Propyl		A						
Propyl Acetate	A	A						X
Propyl Acetone								
Propyl Alcohol	A	A						A
Propyl Alcohol (Propanol)	B	A						
Propyl Propionate	B							
Propylene	X	A					X	X
Propylene Aldehyde	A							
Propylene Chloride	C							
Propylene Chlorohydrin	X							
Propylene Diamine	B							
Propylene Dichloride								
Propylene Dichloride- 68F								
Propylene Glycol	A	B	A		A	A		
Propylene Glycol- 68F	A		A					
Propylene Imine	X							
Propylene Oxide		A						X
Pydrauls	A						X	X
Pyrex								
Pyridine	B	C	X	X			X	X
Pyridine (Oil)	B						X	
Pyridine Sulfate	B						X	
Pyridine Sulfonic Acid	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Pyridine, 5% - Amine, Heterocyclic	B							
Pyridine, 50% - Amine, Heterocyclic	B						X	
Pyrite								
Pyrrrole							X	
Pyroacetic Spirit								
Pyroacetic Ether								
Pyrogallic Acid	X	B						
Pyrogallol Carboxylic Acid								
Pyrosulfuric Acid	B							
Pyrosulfuryl Chloride	C							
Pyroxylic Spirit								
Pyrrrole		C						X
Pyruvic Acid	B							
Quaternary Ammonium Salts								
Quinidine	C							
Quinine	C							
Quinine Bisulphate (Dry)		B						
Quinine Hydrochloride	B							
Quinine Sulfate	B							
Quinine Sulphate (Dry)		B						
Quinine Tartrate	B							
Quinizarin	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Quinol								
Quinoline	C							
Quinone		A						
Radiation	A	A					C	B
Raffinate	C							
Ramrod - 2% aqueous	A							
Rapeseed Oil							B	B
Red Oil							A	B
Ref Fuel A (Isooctane)	A	A						
Ref Fuel B (Isooct/Tol 70/30)	B	A						
Ref Fuel C (Isooct/Tol 50/50)	B	A						
Resin oil								
Resorcinol	A							
Resorcinol, pure - Alcohol, Aromatic, Polyol	B							
Resorcinol, saturated - Alcohol, Aromatic, Polyol	B							
Retinol								
Rhigolene								
Rhodium	X							
Riboflavin	C							
Ricinoleic Acid	C							
Ricinus Oil (Ricinine)								
RJ-1 (MIL-F-82522)	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Rosin	C							
Rosin		A	B					
Rosin- Molten		B						
Rosins		A	B					
Roundup	A							
Roundup Super Concentrate	A							
Rubidium Bromide, pure - Salt, Inorganic	B							
Rubidium Chloride, pure - Salt, Inorganic	B							
Rum		A						
Rust Inhibitors		A						
Saccharin Solution	B							
Sal Ammoniac- 20%- Boiling	A	A					A	A
Salad Dressing		A		C				
Salicylic Acid	A	A			A	A	A	
Salicylic Acid- 68F	A						A	
Salt Brine	A	A	A	A			A	
Salt Brine (NaCl saturated)	A	A	A	A			A	A
Salt Water	A		A	A			A	A
Salt- Saturated		A		A				
Salt peter- Ammonium Nitrate	A	A						
Sauerkraut Brine- 70F		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Scott's Super Turf Builder	A							
SDS, pure - Detergent	B							
Sea (Salt) Water	A			A				A
Sea Salt				A				
Sea Water	A	C/B	A	A				A
Sea Water- 70F	A	B/C	A	A			A	A
Sebacic Acid	B						A	
sec-Butanol, 100% - Alcohol, Aliphatic	B							
sec-Butanol, pure - Alcohol, Aliphatic	B							
sec-Butyl Alcohol, 100% - Alcohol, Aliphatic	B							
sec-Butyl Alcohol, pure - Alcohol, Aliphatic	B							
Selenous Acid	B							
Separan NP-10								
Sera - Misc.	B							
Serine-dl								
Sesame Oil								
Sesquicarbonate of Soda								
Sevin	A							
Sewage	A	B		A	A	A		A
Sewage (Sewerage)	A	B		A	A	A		A
SF 1147 GE Silicone Fluid	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
SF 1154 GE Silicone Fluid	B							
SF96 GE Silicone Fluid	B							
Shale Naphtha								
Shell Alvania Grease #2								
Shell Lo Hydrax 27 and 29	C							
Shell Super Gas								
Shell Tellus #32 Pet. Base	C							
Shell Tellus #68	C							
Shell Tellus 27 (Petroleum Base)	C							
Shell Tellus 33	C							
Shellac (Bleached)		A						
Shellac (Orange)		A						
Sherwood Oil								
Shibley AZ-111 Photoresist - Misc., Photoresist	X							
Shibley AZ-1350 Photoresist - Misc., Photoresist	X							
Shibley AZ-340 Photoresist - Misc., Photoresist	X							
Silane	X							
Silent Spirit								
Silicate Esters	A						B	
Silicate of Soda	A							A

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Silicic Acid								
Silicofluoric Acid								
Silicon Fluoride	X							
Silicon Tetrachloride	X							
Silicon Tetrafluoride	X							
Silicone		A						A
Silicone Oil	A	A					A	A
Silver Bromide		C						
Silver Chloride		X						
Silver Cyanide		A						
Silver Cyanide- 68F								
Silver Nitrate	A	B	A		A	A	B	A
Silver Nitrate- 100%- 70F	A	B	A					A
Silver Nitrate- 100%- Boiling	A	B	A					A
Silver Plating 80-120F		A						
Silver Salts	A							
Skydrol 500	A							X
Skydrol 500-B4	A						X	X
Skydrol 7000	A						X	X
Skydrol LD-4	A						X	
Skydrol-500	A						X	
Slaked Lime								
Soap Solutions	A	A	B	A				A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Arsenite	B							
Sodium Bicarbonate	A	A	A	A				
Sodium Bicarbonate (Baking Soda)	A	A	A	A				A
Sodium Bicarbonate- 5%- 150F	A	A	A	A				A
Sodium Bicarbonate- 68F	A	A	A	A			A	A
Sodium Bicarbonate- All Conc.- 150 F	A	A	A	A			A	A
Sodium Bicarbonate- All Concentration- 7	A	A	A	A			A	A
Sodium Bichromate- Sat' d.	A	A	A	A				
Sodium Bichromate- Neutral	A	A	A	A				
Sodium Bifluoride	B							
Sodium Biphosphate	A							
Sodium Bisulfate	A	A	B				A	A
Sodium Bisulfide	A		B	A			A	A
Sodium Bisulfite	A	A	B	A	A	A	A	A
Sodium Bisulfite, 4%	A		B	A			A	A
Sodium Bisulfite, Saturated	A		B	A			A	A
Sodium Bisulphate	A	A	B	A			A	A
Sodium Bisulphate- 10% Boiling	A	A	B	A			A	A
Sodium Bisulphate- 10%- 70F	A	A	B	A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Bisulphite- 68F	A	A	B	A			A	A
Sodium Bitartrate	B							A
Sodium Borate	A	A	B				A	A
Sodium Borate (Borax)- Sat'd.	A	A	B				A	A
Sodium Borate- 68F	A		B				A	A
Sodium Borate- All Concentrations- Cold a	A	A	B				A	A
Sodium Bromide- 5%	A	A						
Sodium Bromide- 68F	A	A						
Sodium Bromide, Saturated	A	A						
Sodium Bromides	A	A						
Sodium Carbonate	A	B	A	A				
Sodium Carbonate (Soda Ash)	A		A	A				
Sodium carbonate- 5%- Boiling	A	B	A	A				
Sodium carbonate- 50% Boiling	A	B	A	A				
Sodium Carbonate- 68F	A		A	A				
Sodium Carbonate- All Conc.	A	A	A	A				
Sodium Carbonate- Molten- 1650F	X	C	X	X				
Sodium Chlorate	A	B		A				
Sodium Chlorate- 25%	A	A		A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Chlorate- 68F	A			A				
Sodium Chlorate- Sat'd.	A	A		A				
Sodium chloride	A	B	A	A				A
Sodium Chloride Sulfate	A						A	
Sodium Chloride- 20% Aerated	A	B	A				A	A
Sodium Chloride- 25%- Cold and Hot	A	B	A				A	
Sodium Chloride- 5% Still- Room to 150F	A	B	A				A	
Sodium Chloride- 68F	A		A				A	
Sodium Chloride- All concentrations- 70F	A	B	A				A	
Sodium Chloride- Saturated	A	B	A				A	
Sodium Chloride- Saturated- 70F and Boiling		B					A	
Sodium Chloride- Saturated- Boiling		B					A	
Sodium Chloride, 3%	A	B	A				A	
Sodium Chloride, Aq. Sat. - 70F	A	B					A	
Sodium Chloride, Saturated	A	B					A	
Sodium Chlorite	A				A	A	A	
Sodium Chromate	A	A					A	
Sodium Citrate	A	A					A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Fluoride		A						
Sodium Fluoride- 5%		B						
Sodium Fluorosilicate	B							
Sodium Glutamate	B							
Sodium Hydride	X							
Sodium Hydrogen Sulfate	B							
Sodium Hydrosulfide	B							
Sodium Hydrosulfite								
Sodium Hydroxide (10%)	A	A	C	A			B	A
Sodium Hydroxide (20%)	A	A	C	A			B	A
Sodium Hydroxide (50% Solution)	A	B	C	B			B	A
Sodium Hydroxide (50%)	A	B	C	B			B	A
Sodium Hydroxide (80%)	A/B	B	C	C			B	A
Sodium Hydroxide (Caustic Soda)- 30%	A	A	C	A			B	A
Sodium Hydroxide 80% Solution	A/B	X	C	C			B	A
Sodium Hydroxide- 15%	A	A	C	A			B	A
Sodium Hydroxide- 20% and 30%- 70F	A	B	C	A			B	A
Sodium Hydroxide- 20%- Boiling	A	B	C	B				
Sodium Hydroxide- 30%- Boiling	A	B	C	B				
Sodium Hydroxide- 50%	A	A	C	B	A	A	A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Hydroxide- 70%	A	A	C	C				
Sodium Hydroxide- Conc. - 68F								
Sodium Hydroxide- Molten- 650F		B						
Sodium Hypochlorite	A	A	A	A	A	A	A	B
Sodium Hypochlorite (<20%)	A	C	A	A	A	A	A	B
Sodium Hypochlorite (to 20%)	A	C	A	A	A	A	A	B
Sodium Hypochlorite- 5%	A	A	A	A	A	A	A	B
Sodium Hypophosphate	B							
Sodium Hypophosphite	B							
Sodium Hyposulfate		A						
Sodium Hyposulfite	B							
Sodium Hyposulphite- 70F		B						
Sodium Hyposulphite- Dilute		A						
Sodium Iodide	A		X					
Sodium Lactate		A						
Sodium Lauryl Sulfate, pure - Detergent	B							
Sodium Meta Phosphate		A	B					B
Sodium Metaphosphate- 68F			B					B
Sodium Metasilicate		A					A	B
Sodium Methylate	B						A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Monophosphate	B						A	
Sodium Nitrate	A	A	B	A			B	A
Sodium Nitrate- All Conc.	A	A	B	A			B	A
Sodium Nitrate- All Concentrations- Cold a	A	B	B	A			B	A
Sodium Nitrate- Sat'd.	A	A	B	A			B	A
Sodium Nitrite	A	A	B	A			B	A
Sodium Nitrite, Aq. Sat.- 70F	A	A	B	A			B	A
Sodium Oleate	B							
Sodium Orthosilicate	B							
Sodium Oxalate	B							
Sodium Perborate	A	C		A			B	B
Sodium Percarbonate	B							
Sodium Perchlorate- 10%- 70F	A	B						
Sodium Perchlorate- 10%- Boiling	A	B						
Sodium Peroxide	A	A	B					B
Sodium Peroxide- 10%- 70F	A	B	B				B	A
Sodium Peroxide- 10%- Boiling	A	B	B					A
Sodium Peroxide- 212F	A	A	C					B
Sodium Peroxide- 68F	A		B					B
Sodium Persulfate	B							A
Sodium Phenolate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Phenoxide	B							
Sodium Phosphate	A			A	A	A	B	A
Sodium Phosphate (Dibasic)	A						A	
Sodium Phosphate (Mono)	A						A	
Sodium Phosphate (Tribasic)								
Sodium Phosphate- 5%	A	A						
Sodium Phosphate- 5%- Cold and Hot	A	A						
Sodium Phosphate- 68F	A	A					A	
Sodium Phosphate- Acid	A	A						
Sodium Phosphate- Alkaline	A	A						
Sodium Phosphate- Natural	A	A						
Sodium Plumbite	B							
Sodium Polyphosphate		B						
Sodium Polyphosphate (Mono,Di,Tribasic)		A	B					
Sodium Pyro Borate								
Sodium Pyrophosphate	B							
Sodium Resinate	B							
Sodium Salicylate	B							
Sodium Salts	A							
Sodium Sesquicarbonate								
Sodium Silicate	A	B	A				A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Silicofluoride	X							
Sodium Stannate	B							
Sodium Stannic Chloride								
Sodium Sub sulfite								
Sodium Sulfate	A	A		A				A
Sodium Sulfate- Sat'd.	A	A		A				A
Sodium Sulfate- Anhydrous								
Sodium Sulfate, Aq. Sat.- 70F								
Sodium Sulfide	A	B	B					
Sodium Sulfite	A	C	B					
Sodium Sulfite- 25% and 50%- Boiling	A	B	B					
Sodium Sulfite- 5%- 70F	A	B	B					
Sodium Sulphocyanide	B							
Sodium Sulphate	A			A			A	A
Sodium Sulphate- 5% 70F	A	B		A			A	A
Sodium Sulphate- 5% Still	A	A		A			A	A
Sodium Sulphate- 68F	A			A			A	A
Sodium Sulphate- Concentrated	A	A		A			A	A
Sodium Sulphate- Saturated- Boiling	A	B		A			A	A
Sodium Sulphide- 5%	A	A		A			A	A
Sodium Sulphide- 5%- 70F	A	B		A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Sulphide- 50%- Boiling	A	B		A			A	A
Sodium Sulphide- Saturated	A	A		A			A	
Sodium Tartrate	B						A	
Sodium Tetraborate		A	B					
Sodium Tetrphosphate	B							
Sodium Tetrasulfide	B							
Sodium Thioarsenate	B							
Sodium Thiocyanate	B							
Sodium Thiosulfate	A			A				A
Sodium Thiosulphate	A	A		A				A
Sodium Thiosulphate ("Hypo")		A		A				
Sodium Thiosulphate- 25%- 70F		B		A				
Sodium Thiosulphate- 68F				A				
Sodium Thiosulphate- Acid Fixing Bath (H		B						
Sodium Thiosulphate- Saturated- 70F and		B						
Sodium Trichloroacetate	B							
Solution 555, 20% - Misc.	X							
Solvesso 100, 150	X							
Sorbitol	B							
Sorghum		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sour Crude Oil		A						
Sour Crude Oil (Contact Proco)								
Soy sauce		A						
Soybean Oil	B	A		C				B
Soybean Oil- 70F	B			C				B
Spectracide	A							
Stannic Ammonium Chloride	B							
Stannic Chloride	A	X		A				A
Stannic Chloride- 5%	A	X		A				A
Stannic Chloride- 50%	A			A				A
Stannic Chloride- 68F	A			A				A
Stannic Chloride- Sp. Gr. 1.21- 70F	A			A				
Stannic Chloride- Sp. Gr. 1.21- Boiling	A	C		A				
Stannic Fluoborate		A						
Stannic Sulfide	A							
Stannic Tetrachloride	B							
Stannous Bisulfate	B							
Stannous Bromide	B							
Stannous Chloride		C			A	A		
Stannous Chloride (15%)	B							
Stannous Chloride- 15%		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Stannous Chloride- 5%		B						
Stannous Chloride- 68F								
Stannous Chloride- Saturated- 120F		B						
Stannous Chloride- Saturated- Boiling		C						
Stannous Fluoride	B							
Stannous Sulfate	B							
Starch	A	A		A				
Starch Solution	A	A		A				
Steam	A	A					X	C
Steam (High Pressure)	A	A					X	
Steam (Low Pressure)	A	A					X	
Steam (Medium Pressure)	A	A					X	
Stearic Acid	A	A	A	A			B	B
Stearic Acid- 68F	A	A	A	A			B	B
Stearic Acid- 70F	A	A	A	A			B	B
Stearic Acid- Concentrated- 200F	B	A	X				B	
Stearic Acid-100%- 70F	A	A	A	A			B	
Stoddard Solvent	C	A					A	C
Storage Battery Acid- 70F	A			A				
Stripper S.A.								
Strontium Acetate	B							

<u>A=Great Application;</u> <u>B=Good Application (mild effect); C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Strontium Carbonate	B							
Strontium Chloride	B							
Strontium Hydroxide		B						
Strontium Nitrate Solution- Hot		B						
Styrene	C	A		X	C	C	X	X
Succinic Acid	A	A		A				
Sugar	A	A		A				
Sugar (Liquids)	A	A		A				
Sugar Juice	A	A		A				
Sugar Juice- Hot	A	B		A				
Sulfamic Acid- 20%	A	A						
Sulfamidic Acid	A							
Sulfanilic Acid	B							
Sulfanilic Chloride	C							
Sulfanilimide	C							
Sulfate Liquors	B	C	A				B	B
Sulfate Liquors (Oil)		A					B	B
Sulfite Cellulose Liquors								
Sulfite Liquors	B	A			A	A	B	B
Sulfonated Oils	C							
Sulfonic Acid	B							
Sulfonyl Chloride	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulfosalicylic Acid, pure - Acid, Organic, Aromatic	X							
Sulfur	A	A		A			X	A
Sulfur Chloride	B	X					C	C
Sulfur Dioxide	A	A	X	A			X	C
Sulfur Dioxide (Dry)	A	A	A				X	C
Sulfur Dioxide-Wet	A	A	X				X	C
Sulfur Salts, pure - Salt, Inorganic	C							
Sulfur Subchloride								
Sulfur Tetrafluoride	X							
Sulfur Trioxide	A	C						
Sulfur Trioxide (Dry)	A	C						
Sulfuric Acid (<10%)	A	B	A				A	B
Sulfuric Acid (10%-75%)	A	X	A	X			A	B
Sulfuric Acid (20% Oleum)				A			A	
Sulfuric Acid (75%-100%)	A	X	B	X			A	B
Sulfuric Acid (Concentrated)	A			X			A	B
Sulfuric Acid (Dilute)	A		A	A			A	B
Sulfuric Acid (to 10%)	A	C	A	A			A	B
Sulfuric Acid 10%	A	C	A	A	A	A	A	B
Sulfuric Acid 10%-50%	A	X	A	C			A	B
Sulfuric Acid 50%-70%	A	X	B	X			A	B
Sulfuric Acid 70%-90%	A	X	B	X			C	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulfuric Acid 98%	A	X	B	X	A	A	X	B
Sulfuric Acid Hot Concentrated	X	C	X	X			X	X
Sulfuric Acid- 10%- 70F	A		A	A			A	B
Sulfuric Acid- 25%- 70F	A		A	C			A	B
Sulfuric Acid- 50%- 70F	A		B	X			A	B
Sulfuric Acid- 60%	A	C	B	X			A	B
Sulfuric Acid- 70%	A	C	B	X			B/C	B
Sulfuric Acid- 80%	A	X	B	X			C	B
Sulfuric Acid- 90%	A	X	B	X			X	B
Sulfuric Acid- 93%	A	X	B	X			X	B
Sulfuric Acid- 94%	A	X	B	X			X	B
Sulfuric Acid- 95%	A	X	B	X			X	B
Sulfuric Acid- 96%	A	X	B	X			X	B
Sulfuric Acid- 96%- 70F	A		B	X			X	B
Sulfuric Acid- Cold Concentrated	B	B	B					X
Sulfuric Acid- Up to 30%	A	A	A	C			A	B
Sulfuric Acid-100%	A	C	B	X			A	B
Sulfuric Acid, 16%	A		A	B			A	B
Sulfuric Acid, 20%	A		B	C			A	B
Sulfuric Acid, 30%	A		B	C			A	B
Sulfuric Acid, 40%	A		B	C			A	B
Sulfuric Acid, 50%	A		B	X	A	A	A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulfuric Chlorohydrin (Chlorosulfonic Acid)	B							
Sulfuric Ether								
Sulfurous Acid	A	B	B					B
Sulfurous Acid 30%	A	B	B					B
Sulfurous Acid Anhydride								
Sulfurous Acid- Sat'd.		A						
Sulphur Chloride- Dry		X						
Sulphur Dioxide Gas- Dry- 575F		B						
Sulphur Dioxide Gas- Moist- 70F		B						
Sulphur Dioxide- Dry		A						
Sulphur Dioxide- Dry-68F								
Sulphur Dioxide- Liquid- 68F								
Sulphur Dioxide- Moist		A						
Sulphur Dioxide- Moist- 68F								
Sulphur Monochloride- 70F		B						
Sulphur Trioxide- 68F	A						A	
Sulphur- Boiling- 830F		C						
Sulphur- Dry- Molten		A						
Sulphur- Fused- 265F		B						
Sulphur- Wet		X						
Sulphuric Acid- 10%	A	B					A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulphuric Acid- 10%- Boiling	A	X					X	B
Sulphuric Acid- 10%-70F	A	B						B
Sulphuric Acid- 5%	A	B					A	B
Sulphuric Acid- 5%- 70F	A	B					A	B
Sulphuric Acid- 5%- Boiling	A	X					X	B
Sulphuric Acid- 50%	A	X					A	B
Sulphuric Acid- 50%- 70F	A						A	B
Sulphuric Acid- 50%- Boiling	A	X					X	
Sulphuric Acid- 50%aq. sol.- 68F	A						A	
Sulphuric Acid- 60%aq. sol.- 68F	A						A	
Sulphuric Acid- 70%aq. sol.- 68F	A						B	
Sulphuric Acid- 80%aq. sol.- 68F	A						C	
Sulphuric Acid- 90%aq. sol.- 68F	A						X	
Sulphuric Acid- 95%aq. sol.- 68F	A						X	
Sulphuric Acid- 98%aq. sol.- 68F	A						X	
Sulphuric Acid- Conc.- 70F	X	X					X	
Sulphuric Acid- Conc.- Boiling	X	X					X	
Sulphuric Acid- Concentrated	X	X					X	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
TCA, 10% - Acid, Organic, Halogenated	B							
TCA, 100% - Acid, Organic, Halogenated	C							
TCA, 25% - Acid, Organic, Halogenated	C							
TCA, pure - Acid, Organic, Halogenated	C							
Tellone II	X							
Terebenthene								
Terebinthia								
Terephthalic Acid	B							
Terpenes								
Terpineol	C						B	X
Terpinyl Acetate	C						B	
tert-Butanol, 100% - Alcohol, Aliphatic	B							B
tert-Butanol, pure - Alcohol, Aliphatic	B							B
tert-Butyl Alcohol, 100% - Alcohol, Aliphatic	B						B	B
tert-Butyl Alcohol, pure - Alcohol, Aliphatic	B						B	B
Tertiary Amyl Methyl Ether (TAME)	X							
Tetrachloro Naphthalene								
Tetrachloroethane	X	A	C	X	A	C		

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Tetrachloroethylene	X	A	C	X			X	
Tetrahydrofuran	B	A	C					
Tetramethyl Ammonium Hydroxide	B							
Tetramethyl Ethylene Glycol	B							
Tetraethylorthosilicate	B							
Tetramethylcyclotetrasiloxane (TMCTS)	X							
Tetramethyldihydropyridine	C							
Tetrane								
Tetraphosphoglucosate	B							
Tetraphosphoric Acid	X							
Theobroma Oil								
Therminol 44	C							
Therminol 55	C							
Therminol 66	C							
Therminol FR	C							
Therminol VP-1, 60, 65	C							
Theta Octadecenoic Acid								
Thio Acid Chloride	X							
Thioamyl Alcohol	C							
Thiodiacetic Acid	B							
Thioethanol	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Thiophosphoryl Chloride	B							
Thiourea	B							
Thorium Nitrate	B							
Thread Cutting Oils		A						
Tidewater Oil Multigear 140.EP Lube								
Tidewater Oil-Beedol								
Tin Ammonium Chloride	B							
Tin Salt		X						
Tin Tetrachloride								
Tin- Motten		X						
Tin-Fluoborate Plating 100F		C						
Tin-Lead Plating 100F		C						
Tincal (Tinkal)								
Tincture of Iodine - Misc.	B							
Titanic Acid	B							
Titanic Chloride	X						C	
Titanium Dioxide	B							
Titanium Sulfate	B							
Titanium Tetra Chloride	B	C			A	c		
Toilet Vinegar								
Tolit								
Toluene	C	A	X		A	A	X	X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Toluenesulfonic Acid	B							
Toluquinone	C							
Tolylaldehyde	B							
Tomato Juice	A	A	A	A			A	
Tomato Juice- 70F	A	A	A	A			A	
Transformer Oil	C	A	B	X			A	B
Transformer Oil- DTE/30	C	A	B	X			A	
Transmission Fluid Type A	C	A	B	X			A	B
Transmission Fluid- Automatic	C	A	B	X			A	
Triacetin							B	B
Tribasic Potassium Phosphate, pure - Salt, Inorganic	B							
Tributyl Phosphate	A	A					X	X
Tributyl Phosphate-68F	A						X	
Trichlor Ethylene	C	A		X			X	
Trichloroacetic Acid-70F	A	C					B	B
Trichlorethylene Dry-70F	B	B					X	X
Trichloroacetic Acid	B	X	C				B	B
Trichloroacetic Acid-68F	B		C				B	B
Trichloroacetyl Chloride	C							
Trichloroethane	C	A	X	X				
Trichloroethane-68F	C		X	X				

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Trichloroethanolamine	B							
Trichloroethylene	B	A		X			C	X
Trichlorofluoromethane pure - Hydrocarbon, Aliphatic, Halogenated	X							
Trichloromethane	C						X	X
Trichloronitromethane (Chloropicrin)	B							
Trichlorophenylsilane	X							
Trichloropropane		A						
Trichlorosilane	C							
Trichlorotrifluoroethane, pure - Hydrocarbon, Aliphatic, Halogenated	B							
Tricresyl Phosphate		A			A	A		
Tricresyl Phosphate-68F								
Triethanol Amine	C/X	A						
Triethyl Aluminum								
Triethyl Amine		A			C	C		
Triethyl Borane								
Triethylamine	C/X	A						
Triethylene Glycol	A	A			A	A	B	
Trifluoroacetic Acid	B							
Trimethylbenzene	C							
Trimethylborate (TMB)	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Trimethylene Diamine								
Trimethylene Glycol								
Trimethylpentane	C							
Trios	C							
Trinitrotoluene	B							B
Tripoly Phosphate								
Tripostassium Phosphate, pure - Salt, Inorganic	B							
Tripotassium Phosphate	A							
Tripropylene Glycol								
Tripropylene Glycol Methyl Ether								
Tris Buffer Solution, pure - Misc.	B							
Trisodium Phosphate	A	A	A				X	
Trisodium Phosphate Dodecahydrate	A	A	A				X	
Trisopropylbenzylchloride	C							
Tritium	X							
Tritolyl Phosphate								
Triton								
Trotyl								
Tryptophan-dl (Powder)								
TSP, pure - Base/Caustic, Inorganic	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Tung Oil	X	A						B
Tung Oil (China Wood Oil)	X	A					A	
Tung Oil-Cold and Hot	X	A					A	
Tungsten Hexafluoride	X						A	
Tungstic Acid	X						A	
Turbine Oil	X						B	B
Turbine Oil-#15 (MIL-L-7808)	X						B	
Turbo Oil-#35	X						B	
Turkey Red Oil								
Turpentine	C	A	B	X	A	A		X
Turpentine Oil	C	A	B	X				
Turpentine Substitute								
Turpentine-68F								
Turpentine-70F		B						
Undecylenic Acid	C							
Undecylic Acid	C							
UPDI (Ultrapure Deionized Water)	B			A				
Uran								
Uranium Hexachloride	X							
Uranium Hexafluoride	X							
Uranium Sulfate	X							
Urea	A	B	A	A			A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Urea-68F	A	B	A	A			A	
Urea, Aq. Sat. -70F	A	B	A	A			A	
Uric Acid	A	B						
Uric Acid- Concentrated	A	A						
Uric Acid-70F	A	B						
Urine	A	A	A	A				
V.M. & P. Naphtha								
Valeraldehyde	B							
Valerianic Acid								
Valeric Acid	B							
Valerone								
Valine-dl (Powder)								
Vamish	X	A	B				B	C
Vanadium Oxide	C							
Vanadium Pentoxide	C							
Vanilla Extract								
Varnish	X	A					B	C
Varnish (Use Viton for Aromatic)	X	A					B	C
Varnish-70F	X	B					B	C
Varnish-Hot	X	B					B	C
Vaseline	A	A		C				
Vaseline (Petroleum Jelly)	A	A		C				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Water Distilled. Lab. Ret. Cond.	A	A	A	A	A	A	A	A
Water Glass	A	A	A	A	A	A	A	A
Water Proofing Salt	A	A	A	A	A	A	A	A
Water-68F	A	A	A	A	A	A	A	A
Water-Deionized	A	A	A	A	A	A	A	A
Water-Drinking	A	A	A	A	A	A	A	A
Water-Fresh	A	A	A	A	A	A	A	A
Water-Heavy	A	A	A	A	A	A	A	A
Water-Hot	A	A	A	A	A	A	A	A
Water-Seawater/River Water	A	B	A	A	A	A	A	A
Water, Acid, Mine	A	A	A	X	A	A	A	A
Water, Deionized	A	A	A	A	A	A	A	A
Water, Distilled	A	A	A	A	A	A	A	A
Water, Distilled, Lab Grade 7	A	A	A	A	A	A	A	A
Water, Fresh	A	A	A	A	A	A	A	A
Water, Potable	A	A	A	A	A	A	A	A
Water, Salt	A	C	A	A	A	A	A	A
Water, Sea	A	C	A	A	A	A	A	A
Water, Soft	A	A	A	A	A	A	A	A
Water, Waste	A	A	A	A	A	A	A	A
Wax								
Waycoat 59 Photoresist - Misc., Photoresist	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Zinc Acetate	A	A					B	B
Zinc Ammonium Chloride	B							A
Zinc Bromide	A	C						
Zinc Butter								
Zinc Carbonate	A	C						
Zinc Chloride	A	C	A				A	A
Zinc Chloride-20%-70F	A	B	A				A	A
Zinc Chloride-20%-Boiling	A	B	A				A	A
Zinc Chloride-5%-70F	A	B	A				A	A
Zinc Chloride-5%-Boiling	A	B	A				A	A
Zinc Chloride-5%Still	A	B	A				A	A
Zinc Chloride-5%Still- Boiling	A	B	A				A	A
Zinc Chloride-70%-70F	A	B	A				A	A
Zinc Chloride-70%-Boiling	A	B	A				A	A
Zinc Cyanide-Moist-70F		B						
Zinc Diethyldithiocarbamate	B							
Zinc Dihydrogen Phosphate	B							
Zinc Fluorosilicate	X							
Zinc Hydrosulfite		A						
Zinc Hydrosulfite (10%)								
Zinc Hydrosulphite		A						
Zinc Nitrate		A						
Zinc Nitrate-Sol. Hot		B						

