

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
0-Chloro Naphthalene	B	A			A			
1 Dodecanol, pure - Alcohol, Aliphatic	X							
1 Hexadecanol, pure- Alcohol, Aliphatic	B							
1 Propanol, 100% - Alcohol, Aliphatic	B							
1 Propanol, pure - Alcohol, Aliphatic	B							
1, 2- ethanediol, 30% - Alcohol, Aliphatic, Polyol	B							
1, 2- ethanediol, pure - Alcohol, Aliphatic, Polyol	B							
1, 2, 2, 2- Tetrafluoroethane, pure - Hydrocarbon, Aliphatic, Halogenated	X							
1, 3- Benzenediol, 5% - Alcohol, Aromatic, Polyol	B							
1, 3- Benzenediol, pure - Alcohol, Aromatic, Polyol	B							
1, 3- Benzenediol, saturated - Alcohol, Aromatic, Polyol	B							
1, 3- Butylene Glycol, pure - Alcohol, Aliphatic, Polyol	X							
1, 4- Benzoquinone, pure - Ketone, Aliphatic, Cyclic	X							
1, 4-Dioxane	A							
2-Butoxyethanol, pure - Ether, Aliphatic, Alcohol	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
2-Mercaptoethanol, pure - Alcohol, Aliphatic, Mercaptan	X							
2-Methoxyethanol, pure - Ether, Aliphatic, Alcohol	C							
2-Methoxyethanol Acetate, pure - Ether, Aliphatic, Ester	C							
2-Propanol, 100% - Alcohol, Aliphatic	B							
2-Propanol, 30% - Alcohol, Aliphatic	B							
2, (2-Ethoxyethoxy) ethano, pure - Ether, Aliphatic, Alcohol	B							
2, 4, 6 - Trimethyl-1, 3, 5-tiroxane, pure - Ketone, Aliphatic, Cyclic	X							
3-Pentanone, pure - Ketone, Aliphatic	C							
4-Hydroxy-4-methyl-2-pentanone, pure - Ketone, Aliphatic, Alcohol	B							
9-Octa Decanoic Acid								
9.12 Octadecadienoic Acid								
Abietic Acid	X							
Acetaldehyde	A	A	C				A	C
Acetaldehyde-100% aq sol-68F	A	A	C					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetaldehyde-40% aq sol-68F	A	A	B					
Acetamide	A	B	A				A	B
Acetamide, - 25%	A	A	A				A	B
Acetamide, Powder								
Acetanilide	B							
Acetate Solv.	B	A	A					
Acetates	B	A						
Acetic Acid-85%	A	A						
Acetic Acid	A	A	A					
Acetic Acid - Glacial	A	A	A				A	C
Acetic Acid 10%	A		A		A		A	
Acetic Acid 20%	A	A	A		B	B	A	
Acetic Acid 30% 5.4 BE	A		A		C	C	A	A
Acetic Acid 33%	A		A		A	X	A	
Acetic Acid-100% Unaerated	A	A	A					
Acetic Acid-100% Unaerated-Boiling	B	B	B					
Acetic Acid-100%-70F	B	B	A					
Acetic Acid-100%-Boiling	B	B	B					
Acetic Acid-20% Unaerated	A	A	A					
Acetic Acid-20%-70F	A	B	A	X				
Acetic Acid-5% Unaerated	A	A	A	X				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetic acid-50% Unaerated	B	A	A	X				
Acetic acid-50% Unaerated-Boiling	B	B	B	X				
Acetic Acid-50%-70F	B	B	A	X				
Acetic Acid-50%-Boiling	B	B	B	X				
Acetic Acid-60%	B	A	A	X				
Acetic Acid-80%-70F	B	B	A	X				
Acetic Acid-80%-Boiling	B	B	A	X				
Acetic Acid, <5% - Acid, Organic	A		A	X				
Acetic Acid, 1% - Acid, Organic	A		A	X				
Acetic Acid, 10% - Acid, Organic	A		A	X				
Acetic Acid, 100% - Acid Organic	B		A	X				
Acetic Acid, 25% - Acid, Organic	B		A	X				
Acetic Acid, 30%	A		A	X				
Acetic Acid, 50% - Acid, Organic	B		A	X				
Acetic Acid, 60% - Acid, Organic	B		A	X				
Acetic Acid, 80%	B	A	A	X				
Acetic Acid, 90% - Acid, Organic	B		A	X				
Acetic Acid, Glacial	X	A	A	X	A			

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetic Acid, Glacial - Acid, Organic	B			X				
Acetic Aldehyde	A	C	C					
Acetic Anhydride-100% -70F	A		C	X	A	A		A
Acetic anhydride-68F	A		C	X	A	A	B	A
Acetic Anhydride-90%-70 F	A	B	C	X				A
Acetic Anhydride-90%- Boiling	A	B	C	X				
Acetic Anhydrite	X	A		X				
Acetone -100%-68F	A	B	X	X	A	C	C	B
Acetone -100%-70F	A	B	X	X	A	C	C	B
Acetone -50% Water	A	B	X	X			B	A
Acetone -Boiling	A	B	X	X			C	
Acetone -Traces-68F	A	A	C	C			B	A
Acetone Cyanohydrin	A							
Acetonic								
Acetonitrile	A	A					C	
Acetophenone	B	X					A	X
Acetotoluidide	C							
Acetyl Acetone	E							
Acetyl Benzene								
Acetyl Bromide	B							
Acetyl Chloride	XA	A						X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Acetyl Chloride- Cold & Boiling		B						
Acetyl Chloride-Dry	A	A						
Acetylene	A	A						B
Acetylene-70F	A	B					A	
Acetylene DI + Tetra Chloride	X							
Acetylene-Gas 100%		A						
Acetylsalicylic Acid	C							
Acidic Cleaning Solution - Detergent	X							
Acids, Non-organic	X							
Acids, Organic	X							
Acohol, Methyl-150F		B						
Acohol, Methyl-70F		B						
Aconitic Acid	X							
Acridine	X							
Acrolein	A							
Acrylamide, pure - Misc.	B							
Acrylic Acid	A							
Acrylic Acid- 97%	A				A		A	
Acrylic Aldehyde								
Acrylonitrile	X	C	A		B	C	X	C
Adipic Acid		A	A					
Adipic Acid (Adipinic Acid)		A	A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Adipic Acid-Sat'd		A	A					
Air								
Air 400 - 500° F	C							
Air Below 200° F	B							
Air, 200 - 300° F	C							
Airshow								
Air, 300 - 400° F	C							
Alanine, pure - Misc.	B							
Alcohol	B						A	
Alcohol -Ethyl								
Alcohol 3 1/2-4 1/2%-160F		B						
Alcohol Ether								
Alcohol of Vinegar								
Alcohol-Absolute								
Alcohol-Allphatic								
Alcohol-Aromatic								
Alcohol-Dehydrated								
Alcohol-Denatured							A	B
Alcohol-Grain								
Alcohol-Methyl, Propyl, Butyl, Ethyl		A						
Alcohol, Ethyl-70F		B						
Alcohol, Ethyl-Boiling		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Alcohols	B		A				A	
Alconox detergent - Detergent	B						A	A
Aldehyde								
Alicyclic Hydrocarbon								
Aliphatic Dicarboxylic Acid	C							
Aliphatic Hydrocarbon								
Aliphatic Hydrocarbons- 68F								
Aliphatic Naphtha								
Alk-Tri								
Alkaform		A						
Alkaline Sucrose - Misc.	B							
Alkanes								
Alkanesulfonic Acid	C							
Alkazene								X
Alkenes (Olefin Hydrocarbons)	C							
Alkyl Acetone	B							
Alkyl Alcohol	C							
Alkyl Amine	C							
Alkyl Aryl Sulfonates	C							
Alkyl Aryl Sulfonics	C							
Alkyl Benzene	C							
Alkyl Chloride	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Alum Potassium Sulfate (Alum), 100%		A						
Alum, 5% - Salt, Inorganic	A							
Alum, pure - Salt, Inorganic	B							
Aluminum Acetate	A						A	B
Aluminium Chloride-68F	A	C	A	A	A	A	A	A
Aluminium Fluoride-68F	A		A	A			A	A
Aluminium Hydroxide-68F	A		A	A	A	A		
Aluminium Nitrate-68F	A			A	A	A	A	A
Aluminium Oxychloride-68F				A				
Aluminium Sulphate-68F	A	C						
Aluminum Acetate-Saturated-70F		B						
Aluminum Acetate-Sat'd		A						
Aluminum Acetate-Saturated-Boiling		B						
Aluminum Ammonium Sulfate (Alum)- Sat'd		A						
Aluminum Bromide					A	A		
Aluminum Chlorate	B							
Aluminum Chloride	A	C		A	A	A	A	
Aluminum Chloride 20%	A	C		A				
Aluminum Chloride Aqueous-Sat'd	A	A		A				
Aluminum Chloride-5%		X						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Aluminum Ethylate	X							
Aluminum Fluoride		C			A	A	A	
Aluminum Fluoride Anhydros-Sat'd		C						
Aluminum Fluoride-5%		B						
Aluminum Fluorosilicate	X							
Aluminum Hydroxide		C			A	A		
Aluminum Hydroxide-Sat'd		A						
Aluminum Hydroxide- Saturated-70F		B						
Aluminum Linoleate	C							
Aluminum Nitrate		A			A	A	A	
Aluminum Nitrate-Sat'd		A						
Aluminum Phosphate							A	
Aluminum Potassium Sulphate			A		A			
Aluminum Potassium Sulphate -100%		B	A					
Aluminum Potassium Sulphate (Alum)-Sat'd		A	A					
Aluminum Potassium Sulphate-10%		A	A					
Aluminum Potassium Sulphate-10%-Boiling		A	A					
Aluminum Potassium Sulphate-2%		A	A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Amino Acids, pure - Misc.	B							
Amino Benzene								
Aminoanthraquinone	X							
Aminoazobenzene	A							
Aminobenzoic Acid	C							
Aminobutric-a-dl Acid								
Aminoisobutyric-2-Acid								
Aminodimethylbenzene	B							
Aminoethane	A							
Aminopyridine	X							
Aminosalicylic Acid	X							
Aminoxilene	B							
Ammono-Phos								
Ammonia	A	A	A	A	A	A	A	
Ammonia -Crystal								
Ammonia (Anhydrous-Dry)		A					a	A
Ammonia (Dry & Moist)-All Concentrations		B						A
Ammonia (Dry & Moist)-Anhydrous-70F		B						A
Ammonia (Dry & Moist)-Anhydrous-Hot F		C						A
Ammonia 10%	A	A	A		A	A	A	A
Ammonia Acetate-Sat'd		C	A	A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonia Alum								
Ammonia and Lithium Metal in Solution								
Ammonia Anhydrous	A	A			A	A	A	
Ammonia Bifluoride		A						
Ammonia Bisulfite					A	A	A	
Ammonia Carbonate			B	A				
Ammonia Chloride			A	A				
Ammonia Cupric Sulfate								
Ammonia Gas (cold)				A			a	A
Ammonia Gas (Hot)				A			b	B
Ammonia Gas-100%		A		A				
Ammonia Liquid-100%		A		A				
Ammonia, 25% - Base/Caustic, Inorganic	B						A	
Ammonia, Anhydrous	A	A						
Ammonia, Liquid (Anhydrous)	B						A	
Ammonia, Liquids	B	A						
Ammonia, Nitrate		A		A				
Ammonium -Bifluoride		B						
Ammonium -Bisulfide								
Ammonium Carbonate	A						a	A
Ammonium -Chloride-Sat' d	A	C						A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium -Dichromate								
Ammonium -Fluoride-10%		X						
Ammonium -Fluoride-25%		X						
Ammonium Acetate		A	A					
Ammonium Alum		A						
Ammonium Alum (Slightly Ammoniacal)		A						
Ammonium Aluminum Sulfate								
Ammonium Arsenate	B	B						
Ammonium Benzoate	B	B						
Ammonium Bicarbonate	B	B						
Ammonium Bifluoride (Saturated)								
Ammonium Bifluoride- 10%								
Ammonium Bromide								
Ammonium Bromide-5%		A						
Ammonium Carbamate	B							
Ammonium Carbonate		A		A				
Ammonium Carbonate-1% and 5%-70F		B		A				
Ammonium Carbonate- Aerated-70F		B		A				
Ammonium Carbonate-All Conc.-Hot&Cold	A	A		A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Carbonate-Aq.-Any Conc.-70F	A							
Ammonium Carbonate, Saturated	A	C	B					
Ammonium Casenite		A	A					
Ammonium Chloride	A	C		A	A	A	a	
Ammonium Chloride-1%	A	A		A			a	
Ammonium Chloride-1% -70F	A	B		A				
Ammonium Chloride-1% /28%/50%-Boiling	A	B		A				
Ammonium Chloride-10%- Boiling	A	A		A				
Ammonium Chloride-28%- Boiling	A	A		A				
Ammonium Chloride-50%- Boiling	A	A		A				
Ammonium Chloride, 2N	A			A				
Ammonium Chromic Sulfate								
Ammonium Citrate	B							
Ammonium Dichromate								
Ammonium Diphosphate								
Ammonium Flouride			A		A	A		
Ammonium Flouride-68F			A					
Ammonium Fluoride Acid			A					
Ammonium Fluorosilicate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Formate	B							
Ammonium Glycolate, pure - Salt, Inorganic, Amine	A							
Ammonium Hydrate-38%								
Ammonium Hydrogen Fluoride								
Ammonium Hydrosulphide-68F								
Ammonium Hydrox	A	A						
Ammonium Hydroxide	A	A	A		A	A	a	A
Ammonium Hydroxide Concentrated	A	A	A					
Ammonium Hydroxide- 10%	A	A	A					
Ammonium Hydroxide- 68F	A	A	A					
Ammonium Hydroxide- 70F	A	B	A					
Ammonium Hydroxide, 10% - Base/Caustic, Inorganic	A		A					
Ammonium Hydroxide, 1N - Base/Caustic, Inorganic	A		A					
Ammonium Hydroxide, 25% - Base/Caustic, Inorganic	A		A					
Ammonium Hydroxide, 28% - Base	A		A					
Ammonium Hydroxide, 3 Molar	A		A					
Ammonium Hydroxide, 3 Molar			A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Nitrate-Sat'd	A	A	A	A	A	A	A	A
Ammonium Nitrate, 2N	A	A	A	A	A	A	A	A
Ammonium Nitrates-All Concentrations-70F	A	A	A	A			A	A
Ammonium Nitrates- Saturated-Boiling		A						
Ammonium Nitrite	A	A		A	A	A		A
Ammonium Oxalate		A	A					
Ammonium Oxalate-5%		A	A					
Ammonium Oxalate-68F			A					
Ammonium Oxalate-5% -70F		B	A					
Ammonium Perchlorate	B							
Ammonium Perchlorate- 5%-70F		B						
Ammonium Perchloride	X							
Ammonium Persulfate		A	A		A	A	A	A
Ammonium Persulfate- 10%							A	A
Ammonium Persulfate- Solution								A
Ammonium Persulphate- 5%		A						A
Ammonium Persulphate- 5%-70F		B						A
Ammonium Phosphate - 5%	A	A		A			A	A
Ammonium Phosphate - 68 F	A			A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Phosphate - Saturated-70F	A	B		A			A	A
Ammonium Phosphate -5%-70F	A	B		A			A	A
Ammonium Phosphate, Dibasic	A	A		A				
Ammonium Phosphate, Monobasic		A						
Ammonium Phosphate, Tribasic		B						
Ammonium Phosphite	B							
Ammonium Picrate	B							
Ammonium Polysulfide	B							
Ammonium Rhodanate								
Ammonium Salicylate	B							
Ammonium Salts	A							
Ammonium Sulfamate	B							
Ammonium Sulfate	A	C	B	A				A
Ammonium Sulfate -Aq.- Any Conc.-70F	A		B	A				
Ammonium Sulfate Nitrate	B		B					
Ammonium Sulfide	A				A	A		
Ammonium Sulfide-Dilute	A	C						
Ammonium Sulfite	A	B	B					
Ammonium Sulphate	A		B	A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ammonium Sulphate-1% and 5%-70F	A	B	B	A				
Ammonium Sulphate-1% and 5%-Agitated Ae	A	A	B	A				
Ammonium Sulphate-10% -Boiling	A	B	B	A				
Ammonium Sulphate-10% -Boiling	A	A	B	A				
Ammonium Sulphate- Saturated-Boiling	A	B	B	A				
Ammonium Sulphide-68F								
Ammonium Sulphite-70F		B						
Ammonium Sulphite- Boiling		B						
Ammonium Sulphite- Saturated-Cold&Boiling		A						
Ammonium Thiocyanate								
Ammonium Thiocyanate- 50-60%		A						
Ammonium Thioglycolate	B							
Ammonium Thiosulfate	A	A						
Ammonium Tribasic		A						
Ammonium Tungstate	B							
Ammonium Valerate	B							
Amyl Acetate	A	A					A	X
Amyl Acetate- Concentrated-70F	X	B						X

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Amyl Alcohol	A	A	A	C	A	C	A	A
Amyl Borate							X	A
Amyl Butyrate	C							
Amyl Chloride	X	B	B					
Amyl Cinnamic Aldehyde	C							
Amyl Laurate	C							
Amyl Napthalene							X	X
Amyl Mercaptan	C							
Amyl Nitrate	B							
Amyl Nitrite	B							
Amyl Propionate	C							
Anethole	C							
Aniline	A	A	B	X			B	C
Aniline Hydrochloride		X					B	X
Aniline Hydrochloride-5%		X					B	
Aniline Hydrochloride-68F							B	
Aniline Hydrochloride-70F		C					B	
Aniline Hydrochloride-Sat'd		X						
Aniline Sulfate	B							
Aniline Sulfite	B							
Aniline-3%-70F		B						
Aniline-68F	A							
Aniline-Conc.	A	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Aniline-Conc. Crude-70F	A	B						
Aniline Dyes	A							
Aniline Oil	B							
Animal Fats	A	A					b	
Animal Gelatin								
Animal Glue	A	A						
Animal Oils (Lard Oil)	A	A						B
Anisole	X							
Anisoyl Chloride	X							
Ansul Ether							C	
Anthracene	C							
Anthranilic Acid	X							
Anti-Freeze	A	A		A	A	A	A	
Antichlor								
Antimonic Chloride								
Antimonous Chloride			B					
Antimony Chloride-68F			B					
Antimony Chlorides			B					
Antimony Pentachloride	A		B					
Antimony Pentafluoride	X		C					
Antimony Salts	A							
Antimony Sulfate	X							
Antimony Tribromide	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Antimony Trichloride	A	X	B					
Antimony Trichloride -70F		C	B					
Antimony Trichloride-Sat'd		X						
Antimony Trifluoride	C							
Antimony Trioxide	C							
Antimony-Molten		C						
Aqua Regia (80%HCl, 20% HNO)	B	X	X	X			C	X
Arochlor 1248		B					C	X
Aromatic Hydrocarbons		A						
Argon	A							
Argon-Dry	A	A						
Arquads							A	
Arsenic Acid	B	A	B	A			A	A
Arsenic Acid-150F	B	B	B	A			A	A
Arsenic Acid-80%	B	A	B	A			A	A
Arsenic Acid-90%-225F	B	B	B	A			A	A
Arsenic Oxide	X							
Arsenic Salts	A							
Arsenic Trichloride								A
Arsenic Trioxide	X							
Arsenic Trisulfide	C							
Arsenites	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Arsine	X							
Aryl Orthosilicate	X							
Aryl Sulfonic Acid								
Ascorbic Acid	X							
Askarel							X	X
Aspartic Acid	B							
Asphalt	B	A		C			X	C
ASTM Method D-471, 1								
ASTM Oil, No.5	C							
ASTM Reference Fuel D	C							
ASTM-Ref: Fuel A	B							
ASTM-Ref: Fuel B	B							
ASTM-Ref: Fuel C	C							
ASTM#1 Oil	A	A						
ASTM#2 Oil	A	A						
ASTM#3 Oil	B	A						
Astral Oil								
Asymmetrical Trimethylbenzene, pure - Hydrocarbon, Aromatic	C							
ATL-857								
Atlantic Ulro Gear-e	C							
Atlantic Utro Gear-EP Lube								
Aure 903R (Mobil)	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
AUREX 256	X							
Automatic Transmission Fluid	B						A	
Automotive Brake Fluid	B						C	
Aviation Gasoline	A	A					A	
AXAREL 9100	X							
Azobenzene	X							
Baking Oven Gases		A						
Banana Oil	B							
Barium Hydroxide-Sat'd	A	A						
Barium Carbonate		A						
Barium Carbonate-5% to Sat		A						
Barium Carbonate-70F		B						
Barium Carbonate-Sat'd	A	A						
Barium Chlorate	B							
Barium Chloride	A	A	B		A	A	A	A
Barium Chloride-5%-70F	A	B	B					A
Barium Chloride-Aqueous Sol.-Hot	A	A	B					A
Barium Chloride-Sat'd	A	A	B					A
Barium Chloride-Sturated-70F	A	B	B					A
Barium Cyanide		A						
Barium Hydrate-Aqueous Sol.-Hot		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Barium Hydroxide	A	A			A	A	A	A
Barium Hydroxide-68F	A							A
Barium Iodide	B							
Barium Nitrate-Aqueous Sol.-Hot		B						
Barium Nitrate-Sat'd		A						
Barium Oxide	B							
Barium Peroxide	B							
Barium Polysulfide	B							
Barium Salts	A			A				
Barium Sulfate		A	B				A	A
Barium Sulfate-Sat'd		A	B					A
Barium Sulfide	A	A	A		A	A		A
Barium Sulfide-Sat'd	A	A	A					A
Barium Sulphate		A	B					A
Barium Sulphate -68F			B					A
Barium Sulphate-70F		B	B					A
Barium Sulphide	A		A					A
Barium Sulphide - Saturated-70F	A	B	A					A
Barium Sulphide-68F	A		A					A
Barley-Malt & Hops-70F		B						
Bayol D	C							
Beer	A	A	A		A	C	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Benzoic Acid	A	A	A	A	A	A		
Benzoic Acid-70F	A	B	A	A				
Benzoic Acid-All Conc.	A	A	A	A				
Benzoic Acid-Hot	A	A	A					
Benzol	X	A						
Benzol-70F	X	B						
Benzonitrile		X						
Benzoquinone	C							
Benzotrifluoride	B							
Benzoyl Peroxide	X							
Benzoylsulfonic Acid	C							
Benzyl Acetate, pure - Ester Aromatic	B							
Benzyl Alcohol	B	A					B	A
Benzyl Alcohol -68F							B	A
Benzyl Amine	X							
Benzyl Benzoate							B	
Benzyl Bromide	C							
Benzyl Butyl Phthalate	B							
Benzyl Carbinol, pure - Alcohol, Aromatic	X							
Benzyl Chloride		B			A	C		X
Benzyl Phenol	C							
Benzyl Salicylate	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Beryllium Chloride	B							
Beryllium Fluoride	B							
Beryllium Oxide	B							
Beryllium Sulfate	B							
beta-Mercaptoethanol, pure - Alcohol, Aliphatic, Mercaptan	X							
Biocide		C						
Biodiesel	B	A	A		A	B	A	
Bis(2-ethylhexyl) Phthalate, pure - Ester, Aromatic	C							
Bismuth Carbonate				A				
Bismuth Carbonate - 68F				A				
Bismuth Nitrate	B							
Bismuth Oxychloride	B							
Bismuth Subcarbonate								
Bismuthyl Carbonate								
Bittern	X							
Black Ash								
Black Liquor	A				A	A		
Black Liquor-Saturated		A						
Black Sulfate Liquor	A							
Bleach	A	A		A			A	C
Bleach -12% Active C12	A	A		A			A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Bleach (Sodium Hypochlorit 20%)	A	A		A	A	A	A	
Bleach-5% Active C12	A	A		A			A	
Bleaching Liquor	A	A		A				
Bleaching Powder	A	A		A				
Bleaching Powder-Cold	A	A		A				
Blood	A	A						
Blood (Meat Juice)-Cold	A	B						
Blood (Meat Juice)-Fused	A	A						
Bone Oil				C				
Borax	A	A	A	A			A	A
Borax (Sodium Borate)	A	A	A	A				A
Borax Solutions	A	A	A	A				A
Borax-5%-Boiling	A	A	A	A				A
Borax-5%-Hot	A	A	A	A				A
Borax-Sat'd	A	A	A	A				A
Boric Acid	A	A	A	A	A	A	A	A
Boric Acid -100%-70F	A		A	A			A	A
Boric Acid-5%-Hot	A	A	A	A			A	A
Boric Acid-Dry	A	A	A	A			A	A
Boric Acid-Sat'd	A	A	A	A			A	A
Boric Acid-Saturated-Boiling	A	A	A				A	A
Boric Oxide	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Borneol	C							
Bornyl Acetate	C							
Bornyl Chloride	C							
Bornyl Formate	C							
Boron Hydride	X							
Boron Phosphate	X							
Boron Tribromide	X							
Boron Trichloride	X							
Boron Trioxide	X							
Brake Fluid	B						C	
Brake Fluid DOT3 (Glycol Type)	B							
Brake Fluid-70F	B							
Brake Fluid-Automotive	B						C	
Brass Plating, High Speed Brass Bath 110F		A						
Brass Plating, Regular Brass Bath 100F		A						
Brewery Slop		A						
Brine	A	B			A	A	A	A
Brine (Sea Water)	A			A			A	
Brine-Sat'd	A	A		A			A	
Bromacil								
Bromine	A	X	X					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Bromine (Wet)		X	X					
Bromine Pentafluoride								
Bromine Trifluoride							X	X
Bromine Water		A						B
Bromine Water-Cold-Sat'd.								B
Bromine-100% (dry gas) -68F								B
Bromine-70F		C						B
Bromine-Liquid		X						B
Bromine-Vapor		X						B
Bromobenzene	C/X						X	X
Bromobenzene Cyanide	B							
Bromochlorometane	B							
Bromomethane	B							
Bromotoluene	X							
Bronze Plating Copper-Cadmium, Bronze		A						
Bronze Plating Copper-Cadmium, Copper-		A						
Bronze Plating Copper-Cadmium, Copper-		A						
Bronze Plating CuCd Bronze Bath R.T.		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Bronze Plating CuSn Bronze Bath 160°F		A						
Bronze Plating CuZn Bronze Bath 100°F		A						
Brucine Sulfate	B							
Bunker Oil							A	A
Burnt Potash								
Butadiene		A	X				X	B
Butadiene (Monomer)								
Butadiene-50%		A	C					
Butane	B/C	A		X			A	A
Butane-50%	B/C	A		X				A
Butane, Gaseous-100%-70 F	C	A		X				
Butanediol, pure - Alcohol, Aliphatic, Polyol	X							
Butanone	A							
Butanol	A	A			A	C		
Butanol -100%-70F								
Butanol (Butyl Alcohol)	B	A						
Butyl Acetate	X							
Butyl Acrylate	X							
Butoxyethanol	A							
Butene 2-Ethyl (1-Butene 2-Ethyl)	C							
Butryl Chloride	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Butter	X	A					A	B
Butter (Animal Fat)								
Buttermilk		A						
Buttermilk -70F		B						
Butyl		A						
Butyl Acetate		C			A	C		X
Butyl Acetate Ricinoleate								B
Butyl Acetate-100%-70F								
Butyl Acetate-68F								
Butyl Acetate-n	A	C						
Butyl Aceto Acetate								
Butyl Acetyl Ricinoleate								
Butyl Acrylate					A	C		
Butyl Alcohol	A	A		X			A	A
Butyl Alcohol (tertiary)	A			X				
Butyl Amine		A						X
Butyl Benzolate	B						C	X
Butyl BezyI Phthalate	B							
Butyl Carbitol	C						A	B
Butyl Cellosolve	A	A					C	B
Butyl Cellosolve Acetate					A	C		
Butyl Chloride	B							
Butyl Ether	B	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Butyl Ether Acetaldehyde	B							
Butal Ethyl Ether	B							
Butyl Glycolate	B							
Butyl Lactate	B							
Butyl Laurate	B							
Butyl Mercaptan (Tertiary)	C							
Butyl Methacrylate	B							
Butyl Oleate	B							X
Butyl Phthalate	B	B	A					
Butyl Stearate	B	A					B	
Butylbenzoic Acid	C							
Butylene	C	A						C
Butylene - Liquid	C	A					B	
Butylene Glycol, pure - Alcohol, Aliphatic, Polyol	X							
Butyraldehyde, pure - Aldehyde, Aliphatic	A						C	C
Butyric Acid	A	A	X	A				
Butyric Acid 20%	A	A	C	A				
Butyric Acid-5%	A	A	C	A				
Butyric Acid-5%-150F	A	B	C					
Butyric Acid-5%-70F	A	B	C	A				
Butyric Acid, Aqueous Sol.-Sp.G.964-Boiling		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Butyric Anhydride	A							
Butyronitrile								
Cacao Butter								
Cadmium Acetate	A							
Cadmium Chloride					A	A		
Cadmium Cyanide								
Cadmium Nitrate	B							
Cadmium Oxide	B							
Cadmium Plating, Cyanide					A	A		
Cadmium Plating, Cyanide Bath 90F		A						
Cadmium Plating, Fluoborate Bath 100F		A						
Cadmium Sulfide	B							
Cadmium Sulfate	B							
Cadmium-Motten		X						
Cajeputene								
Calcium Acetate	A						B	B
Calcium Aluminate	A							
Calcium Arsenate	B							
Calcium Benzoate	C							
Calcium Bicarbonate	B							
Calcium Bichromate	A							
Calcium Bisulfate		A	A				A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Calcium Bisulfide		B	A				A	A
Calcium Bisulfite		A	A		A	A		A
Calcium Bisulphite			A					A
Calcium Bromide	B							
Calcium Carbide	X							
Calcium Carbonate		A						
Calcium Carbonate -68F								
Calcium Carbonate-70F		B						
Calcium Chlorate		A						
Calcium Chlorate-68F								
Calcium Chlorate-Dilute Sol.-Hot		B						
Calcium Chlorate-Dilute- Hot/Cold		A						
Calcium Chloride	A	C	A	A	A	A	A	A
Calcium Chloride (saturated)	A	B	A					A
Calcium Chloride 30% in water	A	B	A					
Calcium Chloride- Conc. Sol.-70F	A	B	A					
Calcium Chloride-20% in methyl alcohol-68F	B		B					
Calcium Chloride-aq. sol. -68F	A		A					
Calcium Chloride-Dil or Conc.	A	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Calcium Chloride-Dilute Sol.-70F	A	B	A					
Calcium Chloride, Aq., Sat.-70F	A		A					
Calcium Chromate	B							
Calcium Cyanamide	X							
Calcium Cyanide								
Calcium Flourphosphate								
Calcium Fluoride		B						
Calcium Hydrate								
Calcium Hydride	B							
Calcium Hydrosulfide	B							
Calcium Hydroxide	A	A	A		A	A		A
Calcium Hydroxide (Caustic Lime)	A		A					A
Calcium Hydroxide (saturated)	A	B	A					A
Calcium Hydroxide 10%	A	B	A					A
Calcium Hydroxide-10% to 20%-Boiling	A	A	A					A
Calcium Hydroxide-10%-Boiling	A	B	A					A
Calcium hydroxide-20%-Boiling	A	B	A					A
Calcium Hydroxide-50%-Boiling	A	B	A					A
Calcium Hydroxide-68F	A		A					A

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cane Juice		A						
Cane Sugar		A					A	A
Capric Acid	C							
Caprillic Acid	B							
Caproic Acid	C							
Caproic Aldehyde								
Caprol Alcohol								
Caprolactam	C							
Capronaldehyde	C							
Caprylic Acid		A						
Carbamate								B
Carbamide	A						B	
Carbazole	B							
Carbitol	A	C					B	B
Carbolic Acid Phenol	C	B					X	C
Carbolic Acid-CP-70F	C	B						C
Carbolic Acid-CP-Hot	C	B						C
Carbolic Acid, C.P.	C	A						C
Carbon Bisulfide		A						X
Carbon Bisulphide		A		X			C	X
Carbon Bisulphide-70F		B		X				X
Carbon Dioxide	A	A		A	A	A	A	B
Carbon Dioxide (Dry)-70F	A	B			A	A	A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Carbon Dioxide (Explosive Decompression Use)	B							
Carbon Dioxide (Wet)	A	A			A	A		
Carbon Dioxide-Dry-100%	A	A			A	A		
Carbon Dioxide-Wet	A	A			A	A		
Carbon Dioxide-Wet or Dry	A	A			A	A		
Carbon Disulfide	C	A	X		A	A		
Carbon Fluorides	C							
Carbon Monoxide	A	A					A	A
Carbon Monoxide (Hot)								
Carbon Monoxide Gas- 1400F		B						
Carbon Monoxide Gas- 1600F		B						
Carbon Monoxide Gas- 900F		A						
Carbon Monoxide-Gas		A						
Carbon Tetrabromide								
Carbon Tetrachloride	X	B	C	X	A	C	C	X
Carbon Tetrachloride (dry)		B						
Carbon Tetrachloride (wet)	X	A	C					
Carbon Tetrachloride- 100%-70F	X	B	C					
Carbon Tetrachloride-5% to 10% Aqueous	C	B	B					
Carbon Tetrachloride-68F	X		C					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Carbon Tetrachloride-Aqueous Sol. 10%-70F	B	B	B					
Carbon Tetrachloride-CP (Dry)-70F		B						
Carbon Tetrachloride-CP (Dry)-Boiling		B						
Carbon Tetrachloride-Pure		A						
Carbon Tetrafluoride								
Carbonated Beverages		A						
Carbonated Water		A						
Carbonic Acid	A	B	B					A
Carbonic Acid Gas	A		B					A
Carbonic Acid-68F	A		B					A
Carbonic Acid-70F	A		B					A
Carbonic Acid-Sat'd.	A	A	B					A
Carbonic Anhydride								
Carbontetrachloride	X	B						
Casein (Casyment)								
Casing Head Gasoline								
Castor Oil	B	A			A	A	A	A
Castor Oil-68F	B							A
Catsup		A						
Caustic Lime		A						
Caustic Potash-10%-70F	A	A		C				

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Caustic Potash-25%-70F	A	A		C				
Caustic Potash-50%	A	A		C				
Caustic Soda	A	A			A	A		
Caustic Soda Solution- 10%-70F	A			A				
Caustic Soda Solution- 25%-70F	A			B				
Caustic Soda Solution- 50%-70F	A			X				
Caustic Soda-Up to 40%	A	A		C				
Caustic-Baryta								
Caustic-Lime								
Caustic-Potash	A	A						
Cedarwood Oil, pure - Misc	C							
Cell Liquor	A	A			A	A		
Cellosize								
Cellosolve		A						
Cellosolve Acetate	A	C			A	C	X	
Cellosolve Butyl								
Cellube							X	X
Celluguard								
Cellulose Acetate		B						
Cellulose Acetate Butyrate	B							
Cellulose Ether	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cetylic Acid	B							
Chaulmoogric acid	X							
China Wood Oit (Tung Oil)	C							
Chinese Wood Oil								
Chinosol-Antis. Sol 1-500-70F		B						
Chickweed Killer	A							
Chloracetic Acid		X						
Chloramine-Dilute		C						
Chlorantraquinone	C							
Chlorascetic Acid-70F								
Chlorbenzol-Pure, Dry-70F		B						
Chlordane	C							
Chlorextol	C							
Chloric Acid		X						
Chloric Acid-10%		C						
Chloric Acid-20%		X						
Chloric Acid-70F		C						
Chlorinated Glue		A						
Chlorinated Solvents, Dry	C							
Chlorinated Solvents, Wet	C							
Chlorinated Water-10ppm		A						
Chlorinated Water-Saturated		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chlorine (Dry)	A	A	B					C
Chlorine (Plasma)	X							
Chlorine (Wet)	A	X						X
Chlorine (Wet/Dry)	A/A	A/X						
Chlorine Aqueon								
Chlorine Anhydrous Liquid		X						
Chlorine Dioxide							X	X
Chlorine Dioxide, 8% Cl as NaClO2 in solution	C							
Chlorine Gas (Dry)-0- 20PPM		A		X				
Chlorine Gas Dry				X	C			
Chlorine Gas Wet				X	C	D		
Chlorine Gas-20-50PPM		A						
Chlorine Gas-50+PPM		X						
Chlorine Gas-Dry		X		X				
Chlorine Gas-Dry Gas-70F				X				
Chlorine Gas-Moist		X		X				
Chlorine Gas-Moist Gas- 70F		C		X				
Chlorine Gas-Moist-212F		X		X				
Chlorine Trifluoride							X	
Chlorine Water		X	C					
Chlorine-100% (dry gas) -68F								
Chlorine-Liquid		X		X				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chlorine, Dry	X		B					
Chlorine, Wet	X		B	C				
Chloro 1 - Nitro Ethane (1-Chloro 1-Nitro Ethane)	C							
Chloro Acetic Acid	A	X						
Chloro Aceto Nitrile								
Chloro Acetone							X	B
Chloro Azotic Acid								
Chloro Benzal								
Chloro Benzene	X	A		X			X	X
Chloro Butadiene							X	
Chloro Butane (Chlorobutanol)					A	C		
Chloro Methane (Chloromethyl)								
Chloro Oxyfluorides	X							
Chloro Trifluoro Ethylene								
Chloro Xylenols	C							
Chloroacetic Acid	B	X						
Chloroacetic Acid-50%	B	X						
Chloroacetone	B							
Chloroacetyl Chloride	B							
Chloroacetyl Chloride								
Chloroamino Benzoic Acid	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chloroaniline	B							
Chlorobenzaldehyde	B							
Chlorobenzene	X	A		X				X
Chlorobenzene (Mono)		A						
Chlorobenzene (Pure)- Concentrated		A		X				
Chlorobenzene-68F				X				
Chlorobenzene-70F				X				
Chlorobenzene-Dry		A		X				
Chlorobenzochloride	C							
Chlorobenzotrifluoride	C							
Chlorobenzyl Chloride		A						
Chlorobromomethane								X
Chlorobromopropane	C							
Chlorobutadiene								
Chlorobutane (Butyl Chloride)	B							
Chlorodane	B							
Chlorodifluoromethane, pure - Hydrocarbon, Aliphatic, Halogenated	X							
Chlorododecane								X
Chloroethane	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chloroethane, Sulfonic Acid	B							
Chloroethylbenzene	C							
Chloroform	X	A		X	A	D	X	X
Chloroform-100%-70F	X	A		X			X	X
Chloroform-68F	X	A		X			X	X
Chloroform-Dry	X	A		X			X	X
Chloroform-Dry-70F	X	A		X			X	X
Chlorohydrin	B							
Chloromethyl Benzene, pure - Hydrocarbon, Aromatic, Halogenated	C							
Chloronaphthalene or o-Chloronaphthalene	C						X	X
Chloronitrobenzene	C							
Chloropentane	B							
Chlorophenol or o-Chlorophenol	C							
Chloropicrin								
Chloroprene	C							
Chlorosilanes	X							
Chlorosulfonic Acid	B	X	X	X	C	C	X	X
Chlorosulfonic Acid-10%	B	X	X					C
Chlorosulfonic Acid-68F	B		X					X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chlorosulphonic Acid, pure - Acid, Organic, Aromatic, Halogenated	C		X					X
Chlorotoluene	B						X	X
Chlorotoluene Sulfonic Acid	B							
Chlorotoluene, pure - Hydrocarbon, Aromatic, Halogenated	C							
Chlorotoluidine	C							
Chlorotrifluoroethylene (CTFE)	X							
Chlorox	B							
Chlorox (Bleach)	B	A		A				
Chloroxylols	X							
Chocolate Syrup		A						
Cholesterol	C							
Cholro Allyene								
Chrome Alum								
Chrome Alum-68F								
Chrome Ammonium Alum								
Chrome Plating Solutions	A						X	X
Chromic Acid	A/B	A	A	X			X	X
Chromic Acid (Cont. SO3) -50% Commercial	A/B	A	A	X				
Chromic Acid 10%	A/B	A	A	X	A	D		

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chromic Acid 30%	A/B	A	A	X				
Chromic Acid 5%	A/B	A	A	C				
Chromic Acid 50%	A/B	A	A	X	A	A		
Chromic Acid C.P.-10%- Boiling		A		X				
Chromic and Sulfuric Acid Mixture				X				
Chromic Chloride	X							
Chromic Fluorides	X							
Chromic Hydroxide	X							
Chromic Nitrates	X							
Chromic Oxide	C							
Chromic Oxide-88 WT% Aqueous Solution								
Chromic Phosphate	X							
Chromic Salts, Aq., Sat. -70F				A				
Chromic Sulfate	X							
Chromium Plating Bath- 70F	A	B		C				
Chromium Plating, Barrel Chrome Bath 95F		X						
Chromium Plating, Black Chrome Bath 115		C						
Chromium Plating, Chromic-Sulfuric Bath		C						
Chromium Plating, Fluoride Bath 130F		X						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Chromium Plating, Fluosilicate Bath 95F		C						
Chromium Potassium Sulfate		C						
Chromium Salts	A			A				
Chromium Trioxide	B							
Chromyl Chlorides	X							
Chrysolepic Acid								
Cider		B						
Cinene								
Cinnamic Acid	C							
Cinnamic Alcohol	C							
Cinnamic Aldehyde	C							
Cis-9-Octadecenoic Acid	B							
Cis-Butenedioic Anhydride								
Citric Acid	A	A	A	A	A	A		A
Citric Acid-10%-70F	A	B	A	A			A	A
Citric Acid-10%-Boiling	A	B	A	A			A	A
Citric Acid-15%	A	A	A	A			A	A
Citric Acid-15%-Boiling	A	A	A	A			A	A
Citric Acid-25%-70F	A	B	A	A			A	A
Citric Acid-25%-Boiling	A	B	A	A			A	A
Citric Acid-5% Still-150F	A	A	A	A			A	A
Citric Acid-50%-70F	A	B	A	A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Codol								
Coffee		A						
Coffee-70F								
Coffee-Boiling		B						
Coffee, Ground								
Coffee, Instant Powder								
Coke Oven Gas	C	A						
Cole Oil								
Coolanol-Monsanto	X							
Cooking Oil							A	
Coolanol 20, 25R, 35R, 40 & 45 A (Monsanto)	C							
Copal Varnish		A						
Copper Acetate							B	B
Copper Acetate-Saturated		A						
Copper Acetate-Saturated-70F		B						
Copper Ammonium Acetate	B							
Copper Arsenate.Basic								
Copper Cabonate-Sat. Sol.		A						
Copper Carbonate-Sat. Sol. in 50% NH4OH		B						
Copper Carbonate-Sat'd		A						
Copper Chloride		X			A	A	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Copper Chloride-1% Aerated-70F		B						A
Copper Chloride-1% Agitated & Aerated		A						A
Copper Chloride-5% Aerated		X						A
Copper Chloride-5% Aerated-70F								A
Copper Chloride-5% Agitated		B						A
Copper Chloride-68F								A
Copper Chloride- Anhydrous								A
Copper Chloride, Saturated		A						A
Copper Cyanide	A	A			A	A	A	A
Copper Cyanide-68F	A	A			A	A	A	A
Copper Cyanide- Saturated-Boiling		B						A
Copper Floborate		X						
Copper Fluoride-2%								
Copper Fluoride-68F								
Copper Fluoroborate		X						
Copper Gluconate	B							
Copper Nitrate		A			A	A		
Copper Nitrate-1% to 5%		A						
Copper Nitrate-5%-70F		B						
Copper Nitrate-50% Aqueous		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Copper Nitrate-50%-Boiling		B						
Copper Nitrate-68F								
Copper Nitrite								
Copper Nitrate-30%		A						
Copper Oxide	B							
Copper Plating (Acid), Copper Fluoborate		X						
Copper Plating (Acid), Copper Sulfate Bath		X						
Copper Plating (Cyanide), Copper Strike Bath		A						
Copper Plating (Cyanide), High Speed Bath		A						
Copper Plating (Cyanide), Rochelle Salt Bath		A						
Copper Salts	A			A				
Copper Salts-Aq., Sat.-70 F	A			A				
Copper Sulfate	A	B	A		A	A	A	A
Copper Sulfate (5% Solution)	A	A	A					A
Copper Sulfate >5%	A	B	A					A
Copper Sulfate 5%	A	B	A					A
Copper Sulfate-10%	A		A					A
Copper Sulfate-50%	A		A					A
Copper Sulfate, Saturated	A	A	A					A
Copper Sulfide	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Copper Sulphate	A		A					
Copper Sulphate-5%	A	A	A					
Copper Sulphate-5% Aerated-70F	A	B	A					
Copper Sulphate-68F	A		A					
Copper Sulphate- Saturated-Boiling	A	B						
Copper(Misc.), Copper (Electroless) 140 F								
Copper(Misc.), Copper Pyrophosphate 140		A						
Copperas Ferrous Sulfate								
Copra								
Corn Oil	A	A			A	D	A	B
Cottonseed Oil	A	A					A	B
Cottonseed Oil-70F	A	B					A	B
Cranberry Sauce								
Cream		A						
Cream of Tartar		A						
Creosol	X	A		X			C	C
Creosote	A	A	A				A	C
Creosote (Coal Tar)-Hot		B						
Creosote-68F	A	A	A					
Creosote, Wood	A	A	A					
Creosylic Acid					C	D		

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cresol	A	A	X	X				
Cresol (Cresol's)	A	A	X	X				
Cresol-90%	A	A	X	X				
Cresols	A	A	X	X				
Cresyl Hydrate								
Cresylic Acid	B	A					C	C
Cresylic Acid-50%	B	A						C
Cresylic Acids-68F								C
Croton Aldehyde	A							
Crotonaldehyde-68F	A							
Crotonic Acid	C							
Crude Oil	C	A			A	A	A	
Crude Oil (Sour)	C	A			A	A		
Culture Media - Misc.	B							
Cumaldehyde	C							
Cumene	X	C			A	C		X
Cumene Hydroperoxide	X							
Cumyl Phenol-p								
Cupric Acetate								
Cupric Acid		B						
Cupric Arsenate								
Cupric Carbonate	A							
Cupric Chloride				A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cupric Chloride-105F		X		A				
Cupric Hydroxide	A							
Cupric Nitrate	A	A						
Cupric Sulfate	A							
Cutting Oil	C							
Cyanamide	X							
Cyanic Acid		A						
Cyanic Acid. Powdered								
Cyanides	A	A			A	A	A	
Cyanoacetic Acid								
Cyanogen Gas-70F		B						
Cyanomthane								
Cyanuric Chloride	X							
Cyaohydrin	X							
Cyclohexane	X	A	X	X	A	C	A	X
Cyclohexanone	B	A	B	X	A	C	X	X
Cyclohexnol	B	A	B	X			B	A
Cyclohexylamine	C							
Cyclohexylamine Carbonate	X							
Cyclohexylamine Laurate	C							
Cyclopentadiene	C							
Cyclopentanol	B							
Cyclopentanone	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Cyclopolyolefins	C							
Cyclohexyl Alcohol								
Cycolic Acid								
Cymene or p-Cymene	C							
D-Furaldehyde	B							
d-Limonene	X	A			A	A	X	
DDT in Kerosene	X	A						
Decahydronaphthalene	X			X				
Decahydroxnapthalene	X			X				
Decyl Alcohol	B							
Decyl Aldehyde	B							
Decyl Butyl Phthalate	C							
Decyl Carbinol	C							
Dental Gas								
Deoxycholate, pure - Detergent	X							
depc, pure - Misc.	B							
Detergent Solutions	A	A	A				A	A
Detergent-Water Solutions	A	A	A				A	A
Detergents	A	A	A	A			A	A
Detergents (Heavy Duty)	A	A	A	A			A	A
Detergents-High Conc.-70 F	A	A	A	A				A
Detergents-Normal Conc. -70F	A	A	A	A			A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Di-Ester Synthetic Lubricants	C							
Di-Iso-Butylene	X							
Di-Iso-Decyl Phthalate	B							
Di-Iso-Propanolamine	B							
Di-Iso-Propyl Ether	B							
Di-Iso-Propyl Ketone	B							
Diacetic Acid								
Diacetic Ester								
Diacetic Ether								
Diacetone	A	A						
Diacetone Alcohol	A	A	A				X	A
Diacetylmethane	B							
Diacetyl Acetic Acid								
Dialkyl Sulfates	B							
Diallyl Ether	X							
Diallyl Phthalate	B							
Diamine (Diamidogen)								
Diammonium Phosphate	A							
Diamyl Naphthalene	X							
Diamylamine	B							
Diamylene	C							
Diamylphenol	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Diazinon	B							
Diazo Salts - Misc., Salts	X							
Dibasic Potassium Phosphate, pure - Salt, Inorganic	B							
Dibasic Sodium Phosphate, pure - Salt, Inorganic	B							
Dibenzopyrrole, pure - Hydrocarbon, Aromatic, Heterocyclic	B							
Dibenzyl Ether							X	B
Dibenzyl Sebecate								X
Diborane	X							
Dibromo Benzene								
Dibromo Ethyl Benzene								
Dibromo Methane								
Dibromoethane	C							
Dibutoxyethyl Phthalate		A						
Dibutyl								
Dibutyl Acetate								
Dibutyl Amine							X	X
Dibutyl Cellosolve Adipate	B							
Dibutyl Ether	B						C	C
Dibutyl Methylenedithio Glycolate	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dibutyl Phthalate	B	A			A	A	X	X
Dibutyl Phthalate-68F	B						X	X
Dibutyl Sebecate	B						X	X
Dibutyl Thioglycolate	C							
Dibutyl Thiourea	C							
Dibutylamine	B							
Dicalcium Phosphate	A							
Dichlorethane	B	A						
Dichloro Acetic Acid					C	D		
Dichloro Butane								
Dichloro Difluoro Methane (Freon 12)								
Dichloro Ethane	X	B	C					
Dichloroethylene	C							
Dichloro-Isopropyl Ether							X	X
Dichloroaniline	B							
Dichlorobenzene	C	A			A	c	X	X
Dichlorobenzene -68F	C						X	X
Dichlorobenzene or o- Dichlorobenzene	C							X
Dichlorobenzene or p- Dichlorobenzene	C							X
Dichlorobenzene-p (Paradow)	C							X
Dichlorobutene	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dichlorodifluoromethane-68F								
Dichlorodiphenyl-Dichloroethane (DDD)	C							
Dichloroethane-Boiling		B						
Dichloroethylene		C						
Dichloroethylene-68F								
Dichlorohydrin	B							
Dichloroisopropyl Ether	C							X
Dichloromethane	C							
Dichlorophenol	C							
Dichlorophenoxyacetic Acid	C							
Dichloropropene	C							
Dichlorosilane	X							
Dicyclohexylamine	C						C	
Dicyclohexylamine								
Dicyclohexylammonium Nitrate	B							
Dieldrin	C							
Dieldrin In Xylene								
Dieldrin In Xylene & Water Spray								
Dieline								
Diesel Fuel	B	A	B	X	A	A	A	B
Diesel Oil	B	A	B	X	A	A	A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Diesel Oil-70F	B	A	B	X	A	A	A	B
Diethanol Amine							C	C
Diethanolamine (DEA)	A						C	C
Diethyl Cellosolve		A						
Diethyl Ether	A	A	X					C
Diethyl Ether-68F			X					
Diethyl Ketone								
Diethyl Ketone-68F								
Diethyl Malonate, pure - Ester, Aliphatic	B							
Diethylacetamide, pure - Amine, Aliphatic	X							
Diethylamine	B	A			A	D		
Diethylamine, pure - Amine, Aliphatic	C							
Diethylaniline	B							
Diethylene Dioxide								
Diethylene Ether							X	C
Diethylene Glyco-Butyl Ether								
Diethylene Glycol	A	A					A	A
Diethylene Oxide	A							
Diethytriamine	A							
Diethylenetriamine	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Diethylpyrocarbonate, pure - Misc.	B							
Difluoro Dibromo Methane								
Difluoroethane	C							
Difluoromonochloroethane	C							
Dihydroxydiphenylsulfone	B							
Dihydroxy Diethyl Ether	A							
Dihydroxy Succinic Acid	A							
Dihydroxydiethyl Ether	A							
Diisobutyl Ketone	C							
Diisobutylcarbinol	C							
Diisopropyl Benzene								X
Diisobutyl Ketone	C							X
Diisodecyl Phthalate	C							
Diisooctyl Adipate	C							
Diisooctyl Phthalate	C							
Dimethyl								
Dimethyl Acetamide	A							
Dimethyl Amine			B					
Dimethyl Aniline		B	B		A	C		
Dimethyl Aniline			B					X
Dimethyl Benzene								
Dimethyl Carbinol	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dinitrochlorobenezene-Meltd and Solidufied		B						
Dinitrogen Tetroxide	X							
Dinonyl Phthalate								
Diocetyl Adipate	C							
Diocetyl Amine								
Diocetyl Phthalate	A							X
Diocetyl Phthalate-68F								
Diocetyl Sebecate							X	x
Diocetylamine	C							
Dioform								
Diols								
Dioxalane	B						X	
Dioxane	A	A						
Dioxane-68F	A							
Dipentene	C						B	
Dipentylamine	C							
Diphenyl Oxide		A						
Diphenyl-Chlorinated								
Diphenylamine (DPA)	B							
Diphenylene Oxide	X							
Diphenylpropane	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dipotassium Hydrogen Phosphate, pure - Salt, Inorganic	B							
Diproylamineolamine	B							
Dipropylene Glycol	A							
Disilane	X							
Disodium Hydrogen Phosphate, pure - Salt, Inorganic	B							
Disodium Phosphate	A	A	A	A				
Distilled Vinegar								
Distillery Wort		A						
Diuretic Salt								
Divinyl Benzene	X				A			
Divinyl Ether								
Divinyl Oxide								
Dixan Solution				A				
DMAC, pure - Amine, Aliphatic	B							
DMF, pure - Amine, Aliphatic	B							
DMSO, pure - Misc.	B							
Dow Corning - 11	B							
Dow Corning - 1265 Fluorosilicone Fluid	B							
Dow Corning -200	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Dow Corning -33	B							
Dow Corning -4	B							
Dow Corning -44	B							
Dow Corning -5	B							
Dow Corning -510	B							
Dow Corning -55	B							
Dow Corning -550	B							
Dow Corning 1208, 4050, 6620, F-60, xF-60	B							
Dow Corning 220	B							
Dowanol P Mix	B							
Dowtherm A		A						X
Dowtherm E								X
Dowtherm Oil								X
Dowtherm SR-1								X
Dowtherm-209. 50% Solution								X
Drinking Water	A	A		A	A	A	A	A
Dry Cleaning Fluids	B	A					C	X
Dry Cleaning Solvent	B	A					C	X
Drycid								
DTE 20 Series	C							
DTE Light Oil								
DTE named series, Mobil, light-heavy	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethanol	A	A	A					
Ethanolamine	A	A					B	B
Ether	B	A	X	X				
Ether-70F	B	B	X	X				
Ethers	B	A	X	X				
Ethoxy Ethanol					A	C		
Ethoxyethyl Acetate (EGMEEA)	B							
Ethyl		A						
Ethyl -3-Oxobutanoate								
Ethyl Acetoacetate	A						X	C
Ethyl Acetate	A	A	A	X	A	C	X	C
Ethyl Acetone	A							
Ethyl Acrylate	A	A						
Ethyl Acrylate-68F	A							
Ethyl Acrylic Acid								
Ethyl Alcohol	A	A		X	A	C	A	A
Ethyl Alcohol (Ethanol)	A	A		X	A	C	A	A
Ethyl Alcohol-10% to 100%-70F	A	A		X	A	C	A	A
Ethyl Aluminum Dichloride								
Ethyl Amine								
Ethyl Ammonium Dichloride	X							
Ethyl Benzene	X	A	B	X			X	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethyl Bromide	C							X
Ethyl Cellulose	A							B
Ethyl Chloride	C	A	C	X	A	X	A	B
Ethyl Chloride (Dry)-70F	C	B	C					
Ethyl Chloride-100%-70F	C		C					
Ethyl Chloride-5%	B	A	B					
Ethyl Chloride-68F	C		C					
Ethyl Chloride-Dry		A						
Ethyl Chloro Carbonate								C
Ethyl Chloro Formate								C
Ethyl Chloroacetate								
Ethyl Chlorocarbonate								
Ethyl Chloroformate								
Ethyl Cyanide								
Ethyl Cyanoacetate, pure - Ester, Aliphatic, Cyano	B							
Ethyl Dichloride					A	X		
Ethyl Digol, pure - Ether, Aiphatic, Polyol	B							
Ethyl Dimethyl Acetate								
Ethyl Ether	B	A					C	C
Ethyl Ether-68F	B	A					C	C
Ethyl Formate	A	A					X	B
Ethyl Formate-68F	A						X	B

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethyl Formic Ester								
Ethyl Glycol	A	A						
Ethyl Hexanol	A							
Ethyl Iodide	B							
Ethyl Lactate-68F								
Ethyl Mercaptan		A					X	
Ethyl Nitrite	B							
Ethyl Oxalate	A						X	C
Ethyl Phthalate	B							
Ethyl Propyl Oxide								
Ethyl Pyridine	C							
Ethyl Silicate	A						A	A
Ethyl Sterate	C							
Ethyl Sulfate		D			A	A		
Ethyl Sulfohydrate								
Ethyl Sulphate-68F								
Ethyl Tertiary Butyl Ether	X							
Ethyl Valerate	C							
Ethyl-1-Butanol	B							
Ethyl-N-Butyl Ketone	B							
Ethylacrylic Acid	C							
Ethylamine	B							
Ethylcyclopentane	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ethylene Nitrate, pure - Misc.	X							
Ethylene Oxide	A	A	B				X	X
Ethylene Trichloride							X	X
Ethyleneimine	X							
Ethylic Acid (See Acetic Acid)								
Ethylmorpholene Stannous Octotrate (50/50 mix)	C							
Ethylmorpholine	C							
Ethylsulfuric Acid	B							
Ethyne								
EtO Gas, pure - Ether, Cyclic	C							
EtO Liquid, pure - Ether Cyclic	C							
EtO, 100% - Ether, Cyclic	C							
EtO, pure - Ether, Cyclic	C							
Fargo - 2% aqueous	A							
Fat Lime								
Fatty Acids	B	A	A		A	A	B	B
FC-43 Heptacosofluorotri-butylamine	B							
Ferric Bromide	A							
Ferric Chloride	A	X	X		A	A	A	A
Ferric Chloride (Aqueous) -Sat'd	A	X	X					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ferric Chloride-1% Still	A	A	A					A
Ferric Chloride-1% Still-Boiling	A	X	A					A
Ferric Chloride-5% Aerated	A	X	A					A
Ferric Chloride-5% Agitated	A	X	A					A
Ferric Chloride-5% Still	A	X	A					A
Ferric Ferrocyanide	B							A
Ferric Hydroxide		A						
Ferric Hydroxide-70F		B						
Ferric Hydroxide-Sat'd		A						
Ferric Nitrate-1%-5%	A	A						
Ferric Nitrate	A	A			A	A	A	A
Ferric Nitrate-68F	A	A						A
Ferric Nitrate-All Concentrations-70F	A	A						A
Ferric Nitrate-Sat'd	A	A						A
Ferric Salts	A	A						
Ferric Sulfate	A	A		A			A	A
Ferric Sulfate, Saturated	A	A		A			A	A
Ferric Sulphate	A	A		A			A	A
Ferric Sulphate -1% to 5%	A	A		A			A	A
Ferric Sulphate-10% & 50%-70F	A	A		A			A	A
Ferrous Ammonium Sulfate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Ferrous Carbonate	B							
Ferrous Chloride	A		A		A	C		
Ferrous Chloride-68F	A		A					
Ferrous Chloride-Sat'd	A	X	A					
Ferrous Chloride-Saturated-70F	A		A					
Ferrous Chloride, Saturated	A		A					
Ferrous Hydroxide								
Ferrous Hydroxide-Sat'd		A						
Ferrous Iodide	B							
Ferrous Nitrate		A						
Ferrous Sulfate	A	A						
Ferrous Sulphate-10%-70 F	A	B						
Ferrous Sulphate-10%-Boiling	A	B						
Ferrous Sulphate-68F	A							
Ferrous Sulphate-Dilute	A	A						
Ferrous Tartrate	B							
Fertilizer							A	
Ficoll-Hypaque - Misc.	B							
Firewood Oil								
Fish Oil		A					A	
Fisher Reagent	C							
Fixing Salt				A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Flourinated Cyclic Ethers								
Flue Gas		A						
Fluoborate Salts	A							
Fluorboric Acid	A	B	A		A	A	A	A
Fluorides - Salt, Inorganic	B							
Fluorinated Cyclic Ethers								
Fluorine	X	A	X					
Fluorine (Gas)-70F	X	A	X					
Fluorine (Liquid)	X	A	X					
Fluorine Gas (Dry)-100%	X	A	X					
Fluorine Gas (Wet)	X	A	X					
Fluoroform (Trifluoromethane)	X							
Fluorolube							A	A
Fluorophosphoric Acid	X							
Fluorosulfonic Acid	X							
Fluosilicic								
Fluosilicic Acid	A	B	B				A	A
Fluosilicic Acid-50%	A	C	B				A	A
Foam, Fire	A	A			A	A		
Food Pastes		A						
Formaldehyde	A	A	A	C			B	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Formaldehyde 40%	A	A	A	C			B	A
Formaldehyde-35%	A	A	A	C			B	A
Formaldehyde-37%	A	A	A	C			B	A
Formaldehyde-40% w/w in water-68F	A	A	A	C			B	A
Formaldehyde-50%	A	A	A	C			B	A
Formaldehyde-Dilute	A	A	A	B			B	A
Formaldehyde, 100%	A	A	A	C			B	A
Formaldehyde, 30%	A	A	A	C			B	A
Formaldehyde, 37%	A	A	A	C			B	A
Formaldehyde, 40%	A	A	A	C			B	A
Formalin	A			C				A
Formalin-Formaldehyde 40%-70F	A	B		C				A
Formalin, 10% - Aldehyde, Aliphatic	B							
Formalin, 30% - Aldehyde Aliphatic	B							
Formalin, 37% - Aldehyde Aliphatic	B							
Formalin, 40% - Aldehyde Aliphatic	B							
Formalin, 5% - Aldehyde Aliphatic	B							
Formamide (Formylamine)	A							
Formic Acid	A	B	A	X			B	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Freon 12		A					A	A
Freon 12 and ASTM Oil #2 (50/50 mixt)								
Freon 12 and Suniso 4G (50/50 mixt)								
Freon 124, (Chlorotetrafluoroethane	X							
Freon 21		A					X	B
Freon 218								
Freon 22	X	A					X	A
Freon TC								A
Freon TF	X	A	B					
Freon TMC								
Freon, 113 - High and Low Aniline Oil	X							
Freon, 123 (Dichlorotrifluoroethane	X							
Freon, 125 (Pentafluoroethane)	X							
Freon, 134a (Tetrafluoroethane)	B							
Freon, 141b (Dichlorofluoroethane)	X							
Fructose		A		A				
Fruit Juice		A						
Fruit Juices		A						
Fruit Juices-70F		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Fuel Oil	C/B	A	B		A	D	A	B
Fuel Oil (Containing H2SO4)-Hot	C	B	C					
Fuel Oil Acidic	B/C	A	C	X				
Fuel Oil-#6	B	A	B	X				
Fuel Oil-70F	B	A	B	X				
Fuel Oil-Hot	C	B	C	X				
Fuel Oils	C/B	A	B	X				
Fuel, Oil, 1, and 2	C	A	B	X				
Fuel, pure - Hydrocarbon, Mixture	B	A	B	X				
Fuels ASTM #1 Oil	A	A	B	X				
Fuels ASTM #2 Oil	A	A	B	X				
Fuels ASTM #3 Oil	B	A	B	X				
Fuels ASTM #4 Oil	C	A	B	X				
Fuels ASTM Ref Fuel A	B	A	B	X				
Fuels ASTM Ref Fuel B	B	A	B	X				
Fuels ASTM Ref Fuel C	C	A	B	X				
Fumaric Acid							A	B
Fumarole Acid								
Fuming Sulfuric Acid								
Fuming Sulphuric Acid (20/25% Oleum)	C							
Furniture Polish				X				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Furaldehyde								
Furaldehyde-2								
Furan (Furfuran)	C	A					X	X
Furan Resin	C	A						X
Furan, Furfuran	C	A					X	X
Furfural	B	A	A				X	B
Furfural-68F	B		A					B
Furfural-70F	B	B	A					B
Furfuran	B							
Furfuryl Alcohol	B		A		A	A		
Furoic Acid	X							
Furol								
Furyl Carbinol								
Fused Magnesium Chloride								
Fusel Oil								
Fyrquel 150 220 300 550	B							
Fyrquel 90, 100, 500	B							
Gallic Acid	B	A	B				B	B
Gallic Acid-5%-150F	B	B	B				B	B
Gallic Acid-5%-70F	B	B	B				B	B
Gallic Acid-5%-Room to Boiling	B	A	B				B	B
Gallic Acid-68F	B		B				B	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Gelatin		X	A				A	A
Gelatine-70F		B	A				A	A
German Saltpeter								
Germane (Germanium Tetrahydride)	X							
Glacial Acetic Acid-68F								
Glacial Acrylic Acid	A							
Glauber's Salt		A						
Glauber's Salt-Solution- Hot		A						
Gln-70F								
Gluconic Acid	B							
Glucose	A	A	A				A	A
Glue	A	A	A				A	A
Glue (Animal)								
Glue P.V.A		A						
Glue-Dry		A						
Glue-Dry-70F		B						
Glue-Solution Acid-70 and 140F		B						
Glue-Solution Acid-Hot		A						
Glutamic Acid	B							
Glutaraldehyde Disinfected - Aldehyde, Aliphatic, Solution	B							
Glutaraldehyde, pure - Aldehyde, Aliphatic	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Glycerin	A	A	A	B			A	A
Glycerin, Aq.-Low Conc. -70%	A	A		B			A	A
Glycerine	A	A		B	A	A	A	A
Glycerine-100%-70F	A	A		B			A	A
Glycerine-68F	A	A		B			A	A
Glycerine-70F	A	A		B			A	A
Glycerinum								
Glycerol	A							
Glycerol Dichlorohydrin	B							
Glycerol Monobenzyl Ether-68F								
Glycerol Monochlorohydrin	B							
Glycerol Triacetate	B							
Glycerophosphoric Acid	B							
Glycidol	B							
Glycogenic Acid	B							
Glycol	A	A		B	A	A	A	A
Glycol Acetate								
Glycol Alcohol								
Glycol Amine		A						
Glycol Monoether	X	A						
Glycol- 100%- 70F	A	A						
Glycol, Aq.- High Conc.- 70F	A	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Glycol, Aq.- Low Conc.- 70F	A	A						
Glycolic Acid- 68F								
Glycolic Acid- Sat'd.		A						
Glycols								
Glucose								A
Glyoxylic Acid	B							
Glyoxal		A						
Glue								A
Gold Monocyanide	X	A						
Gold Plating Cyanide 150F		A						
Gold Plating, Acid 75F		C						
Gold Plating, Neutral 75 F		C						
Grape Juice		A			A	A		
Grease		A						
Grease Light								
Green Copperas (Vitroil)	A							
Green Liquor (Sulfate)	A						B	B
Green Liquour	A	A			A	A	B	B
Guanidine Hydrochloride, pure - Amine Salt	B							
Guanidine Isothicyanate, pure - Amine, Salt	B							
Guanidine Thiocyanate, pure - Amine, Salt	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Gulfcrown Grease	C							
Gypsum		A						
Gypsum- Slurry		A						
Haemo-Sol detergent - Detergent	B							
Halon		A						
Helium	A	A						
Hepar Calcis								
Hepatic Gas								
Heptachlorobutene	C							
Heptaldehyde (Heptanal)	B							
Heptanal	B							
Heptane	X	A	B	X	A	A		
Heptanoic Acid	A							
Heptane Carboxylic Acid	A							
Heptanone	B							
Hexachloroacetone	B							
Hexachlorobutadiene	C							
Hexachlorobutene	C							
Hexachloroethane	C							
Hexadecane				A				
Hexadecanoic Acid	B							
Hexaethyl Tetraphosphate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hexafluoroethane (F-116)	X							
Hexafluoroxulene	X							
Hexaldehyde	A							A
Hexamethylenediamine	B							
Hexamethylenetetramine	B							
Hexan-3-One								
Hexanaphthene								
Hexane	X	A	C		A	D	A	B
Hexanol	A	A						
Hexene	C							
Hexilamine	A							
Hexyl		A						
Hexyl Acetate	C							
Hexyl Alcohol (Hexanol)	A	A					A	B
Hexyl Methyl Ketone	B							
Hexylene Glycol	A							
Hexylresorcinol	C							
Hilo MS #1								
Histowax								
Home Orchard Spray	A							
Honey		A						
Houghto-Safe 1055 phosphate ester	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Houghto-Safe 416 & 500 Series	B							
Houghto-Safe 5040 (Water/Oil Emulsion)								
Houghto-Safe 620 Water/Glycol								
Household Bleach - Base/Caustic, Oxidizer	C							
Hydraulic Fluids (Pydrauls)	A			A				A
Hydraulic Oil	B	A		A				A
Hydraulic Oil (Petroleum)	B			A				A
Hydraulic Oils (Petroleum)	B	A		A				A
Hydraulic Oils (Synthetic)	C	A		A				A
Hydrazine	A	A		X			B	B
Hydrazine (Anhydrous)	B							
Hydrazine Dihydrochloride	B							
Hydrazine Hydrate	C							
Hydrazobenzene								
Hydriodic Acid	C							
Hydro Bromic Acid	A	C	X	X				A
Hydro-Drive MIH-10 (Petroleum Base)	C							
Hydro-Drive MIH-10 (Petroleum Base)								
Hydro-Drive MIH-50 (Petroleum Base)	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydro-Drive MIH-50 (Petroleum Base)								
Hydroabietyl Alcohol	X							
Hydrobromic Acid	A	C	X				X	A
Hydrobromic Acid 100%	A	X	X					
Hydrobromic Acid 40%	A		X					
Hydrobromic Acid- 100% aq. sol.- 68F	A		X					
Hydrobromic Acid- 20%	A	X	X		A	C		
Hydrobromic Acid- 50%	A	X	X					
Hydrobromic Acid- 50% aq. sol.- 68F	A		X					
Hydrobromic Acid- All Concentrations- 70F	A	C/X	X					
Hydrobromic Acid- Boiling		X	X					
Hydrobromic Acid-40%	A		X					
Hydrobromic Acid, 69% - Acid, Organic	B		X					
Hydrocarbons		A						
Hydrochloric Acid (100%)	A	X	X	B				
Hydrochloric Acid (20%)	A	X	A	A				
Hydrochloric Acid (25%)	A		A	A	A	A		
Hydrochloric Acid (36%)	A		A	B				
Hydrochloric Acid (37%)	A	C	A	B			B	B
Hydrochloric Acid (All Conc.)	A			B				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrochloric Acid (Cold) 37%	A	C		B				
Hydrochloric Acid (Dry Gas)		A						
Hydrochloric Acid Fumes-Concentrated- 1		X						
Hydrochloric Acid- 10% Un aerated		X						
Hydrochloric Acid- 20% Un aerated		X						
Hydrochloric Acid- 35%	A	C						
Hydrochloric Acid- 37%	A	C						
Hydrochloric Acid- All-100F		X						
Hydrochloric Acid- All-122F		X						
Hydrochloric Acid- All-160F		X						
Hydrochloric Acid-5% Un aerated		X						
Hydrochloric Acid-50%								
Hydrochloric Acid, >6N - Acid, Inorganic	B							
Hydrochloric Acid, 1N - Acid, Inorganic	B							
Hydrochloric Acid, 3 Molar to 158 F	B							
Hydrochloric Acid, 30% - Acid, Inorganic	B							
Hydrochloric Acid, 5% - Acid, Inorganic	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrochloric Acid, 6N - Acid, Inorganic	B							
Hydrochloric Acid, Concentrated to 158 F	C							
Hydrochloric Acid, pure - Acid, Inorganic	B							
Hydrochloric Acid 35%	A							
Hydrocyanic Acid	A	B	A				B	B
Hydrocyanic Acid (20%)	A	X	A				A	A
Hydrocyanic Acid (Gas 10%)	A	X	A					A
Hydrocyanic Acid- 10%	A	A	A					A
Hydrofluoric Acid (100%)	X	X	X				X	X
Hydrofluoric Acid (20%)	A	X	A					A
Hydrofluoric Acid (25%)	B		A		A	C		A
Hydrofluoric Acid (49%)	B		B		C	C		B
Hydrofluoric Acid (50%)	B	X	B					B
Hydrofluoric Acid (75%)	C	X	C					C
Hydrofluoric Acid Vapors- 212F	X	X	X					
Hydrofluoric Acid- 30%	B	X	A					
Hydrofluoric Acid- 4%aq. sol.- 68F	A		A					
Hydrofluoric Acid- 40%	B	X	B					
Hydrofluoric Acid- 40%aq. sol.- 68F	C		B					
Hydrofluoric Acid- 50%	B	X	B					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrofluoric Acid- All Concentrations- Hot	A to X	X	A to X					
Hydrofluoric Acid- All- All Temp	A to X	X	A to X					
Hydrofluoric Acid- Conc.- 68F								
Hydrofluoric Acid- Dilute	B	X						
Hydrofluosilicic Acid	A	X	C				B	B
Hydrofluosilicic Acid (100%)	A	X	C					B
Hydrofluosilicic Acid (20%)	A	X	B					A
Hydrofluosilicic Acid Vapors- 212F		X	C					
Hydrofluosilicic Acid- 50%	A	C	C					B
Hydrofluosilicic Acid- 70F	A	C	C					B
Hydrofluosilicic Acid-5%- 70F	A	X	C					A
Hydroformic Acid	D							
Hydrogen	A	A						
Hydrogen Chloride- Gas	B		A	A				
Hydrogen Chloride- Dry								
Hydrogen Chloride Anhydrous	A							
Hydrogen Cyanide								
Hydrogen Dioxide (10%)	A							
Hydrogen Fluoride Anhydrous		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrogen Fluoride- Anhydrous- 68F								
Hydrogen Fluoride- Anhydrous								
Hydrogen Gas	A	A					A	A
Hydrogen Iodine	D							
Hydrogen Oxide								
Hydrogen Peroxide	A	B	A		C	D		
Hydrogen Peroxide (10%)	A	B	A					
Hydrogen Peroxide (100%)	B	A	A	A				
Hydrogen Peroxide (30%)	A	B	A	A				
Hydrogen Peroxide (50%)	A	A	A	A				
Hydrogen Peroxide (90%)	B		A	A				
Hydrogen Peroxide 90%	B		A	A			X	
Hydrogen Peroxide Boiling		A						
Hydrogen Phosphide- 68F								
Hydrogen Selenide	X							
Hydrogen Sulfide- Aqua	A	A	A	A				
Hydrogen Sulfide- Dry	A	A	A					
Hydrogen Sulfide- Wet	A	A	A	A			X	A
Hydrogen Sulfide-Gas					A	A		
Hydrogen Sulfide-Wet.Hot							X	B
Hydrogen Sulfide, Solution	A	A		A				

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Hydrogen Sulfide, Aqueous Solution	A	A		A				
Hydrogen Sulfite		A						
Hydrogen Sulphide- Dry		A						
Hydrogen Sulphide- Dry- 70F		B						
Hydrogen Sulphide- Wet- 70F		B						
Hydrogen-Gas	A	A						A
Hydrolube-Water/Ethylene Glycol	B							
Hydroxy Benzene	C							
Hydroxyisobutyronirile	A							
Hydroxytoluene	C							
Hydrooxycitronellal	X							
Hydroquinol	C							
Hydroquinone		A					C	A
Hydroquinone - Sat'd.		A					C	A
Hyponne								
Hyposulphite Soda (Hypo)		A						
I.P.A.								
Ice Spar(Stone)								
Iminodi-1-Propanol	B							
Iminodiethanol	B							
Indium Sulfamate Plating R.T		C						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Indole	X							
Industron FF44								
Industron FF48								
Industron FF53								
Industron FF80								
Ink		C		X				
Insecticide	A						A	
Insulin	B							
Iodic Acid	B							
Iodine	A	X	B					
Iodine (In Alcohol)	A	B	B					
Iodine and Solutions	A	X	B					
Iodine Crystals, - Element, Solid	B							
Iodine Pentafluoride	X						X	X
Iodine- 10%	A	X						
Iodine- sol. in potassium iodide- 68F	A							
Iodine-70F	A	C						
Iodoacetic Acid, pure - Acid, Organic, Halogenated	X							
Iodoform	B	B						
Iodoform- 70F	B	B						
IPA, 100% - Alcohol, Aliphatic	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
IPA, 30% - Alcohol, Aliphatic	B							
IPA, pure - Alcohol, Aliphatic	B							
Iron Phosphate		A						
Iron Plating, Ferrous Am. Sulfate Bath 150		C						
Iron Plating, Ferrous Chloride Bath 190F		X						
Iron Plating, Fluoborate Bath 145F		X						
Iron Plating, Sulfamate 140F		X						
Iron Plating, Sulfate- chloride Bath 160F		X						
Iron Plating, Ferrous Sulfate Bath 150F		C						
Iron Salts				A				
Iso-Butanol, 100% - Alcohol Aliphatic	B							
Iso-Butanol, pure - Alcohol, Aliphatic	B							
Iso-Butyl Alcohol, 100% - Alcohol, Aliphatic	B						B	A
Iso-Butyl Alcohol, pure - Alcohol, Aliphatic	B						B	A
Iso-Butylamine	B							
Iso-Butylbromide	C							
Isoamyl Valerate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Isoamyl-p-Phenol								
Isoboreol	X							
Isobutane		A						
Isobutanol								
Isobutanol, pure - Alcohol, Aliphatic	B							
Isobutyl		A						
Isobutyl Acetate								
Isobutyl Alcohol		A					B	A
Isobutyl Alcohol, pure - Alcohol, Aliphatic	B						B	A
Isobutylcarbinol	B							
Isobutyl Methyl Ketone	X							
Isobutyl n-Butyrate								
Isobutyl Phosphate	B							
Isobutylene								
Isobutyraidehyde	C							
Isobutyric Acid								
Isocrotyl Chloride	X							
Isodecanol	C							
Isododecane								
Isoeugenol	C							
Isooctane	X	A	B	A			A	B
Isocyanates	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Isopropyl		A						
Isopropyl Acetate		B	B		A	C	X	X
Isopropyl Alcohol	A	A		X	A	C	B	A
Isopropyl Alcohol- 68F	A			X				A
Isopropyl Alcohol-100%- 70F	A			X				A
Isopropyl Alcohols	A	A		X				A
Isopropyl Chloride							X	
Isopropyl Ether	B	A	X				B	B
Isopropyl Myristate, pure - Ester, Aliphatic	X							
Isopropylacetone	B							
Isopropylacetone, pure - Ketone, Aliphatic	X							
Isopropylamine	B							
Isotane								
Ispropyl Ether								B
Japanese Gelatin								
Japanese Islinglass								
Jet Fuel	A	A	C		A	C	A	
Jet Fuel (JP3,JP4,JP5)	A	A	C		A	C	A	
Jet Fuels: JP-1.A & A1	A	A	C		A	C	A	
Jet Fuels: JP-3	A	A	C		A	C	A	
Jet Fuels: JP-4	A	A	C		A	C	A	
Jet Fuels: JP-5	A	A	C		A	C	A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Kurrol's Salt								
Lacquer Thinners	X	A	X				X	X
Lacquers	X	A	X				X	X
Lactams-Amino Acids								
Lactic Acid	A	B	A	C	C	C	A	A
Lactic Acid (Hot)	A		A				A	A
Lactic Acid Cold	A		A				A	A
Lactic Acid Salts		A						
Lactic Acid- 1,5, and 10%- 70F	A	B	A	A				A
Lactic Acid- 1%- Boiling	A	B	A	A				A
Lactic Acid- 10%- 150 F to Boiling	A	B	A	A				A
Lactic Acid- 10%- Boiling	A	B	A	A				A
Lactic Acid- 25%	A	A	A	B				A
Lactic Acid- 5%	A	A	A	A				A
Lactic Acid- 5% Boiling	A	B	A	A				A
Lactic Acid- 5%- 150F	A	A	A	A				A
Lactic Acid- 80%	A	A	A	C				A
Lactones (Cyclic Esters)	C							
Lanotin- 70F								
Laquer	X							
Laquer Solvents	X	A						
Lard	A	A	A	C	A	A	A	C

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Lard (Animal Fat)	A	A	A	C	A	A		C
Lard Oil	A	A	A	C	A	A		C
Lard- 70F	A	A	A	C	A	A		C
Lard- Molten		A		X				
Lasso	A		A					
Latex		A						
Lauric Acid		A						
Lauryl Alcohol								
Lauryl Chloride		A			A	A		
Lavender Oil	B						B	C
LB 135	B							
Lead		A						
Lead (Molten)	X							
Lead Acetate		A	A	A	A	A	B	B
Lead Acetate- 5%- Boiling		B	A	A				B
Lead Acetate- 68F			A	A				B
Lead Acetate- Sat'd.		A	A	A				B
Lead Arsenate								
Lead Azide	X							
Lead Bromide	B							
Lead Carbonate	B							
Lead Chloride								
Lead Chromate	B							

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Lead Dioxide	B							
Lead Fluoborate Plating		C						
Lead Linoleate	B							
Lead Naphthenate	X							
Lead Nitrate	A	A	A				A	A
Lead Nitrate- 68F	A	A	A				A	A
Lead Nitrate- Sat'd.	A	A	A				A	A
Lead Oxide	B							
Lead Salts	A							
Lead Sulfamate		A					B	A
Lead Sulfate	A							
Lead Sulfate		C						
Lemon Oil		A						
Ligrion		A						
Lime	A	A						
Lime Bleach	A						A	B
Lime Saltpeter								
Lime Slurry		A						
Lime Soda								
Lime Sulfur	A	A					X	A
Limonene	X							
Lindol								C
Linoleic Acid	C	C					B	X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Linseed Oil	B	A		C			A	B
Linseed Oil- 68F	B	A		C				B
Linseed Oil- 70F	B	A		C				B
Liquid Petroleum Gas (LPG)	X						A	B
Liquor.Sulfitic								
Lithium Broide					A	A		
Lithium Bromide								
Lithium Bromide (Saturated)								
Lithium Carbonate	B							
Lithium Chloride		A	X					
Lithium Citrate	B							
Lithium Grease	A							
Lithium Hydroxide		A	X		A	A		
Lithium Hypochlorite	B							
Lithium Nitrate	B							
Lithium Nitrite	B							
Lithium Perchlorate	B							
Lithium Salicylate	B							
Lithopone	B							
Lubricants	B	A	B					
Lubricating Oil (ASTM#1)	B	A	B				A	B
Lubricating Oil (ASTM#2)	B	A	B				A	B
Lubricating Oil (ASTM#3)	B	A	B				A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Lubricating Oils (Crude & Refined)	B	A	B				A	B
Lubricating Oils (Petroleum)	B	A	B				A	B
Lubricating Oils (Synthetic base)	B	A	B				A	B
Ludox		A						
Lumarith E.C.								
Lye	B	A	B				B	B
Lye (Caustic)- 34%-230F	B	A	B					
Lye Solutions	A		A					
Lye: Ca(OH) ₂ Calcium Hydroxide	A	B	B					
Lye: KOH Potassium Hydroxide	A	A	B					
Lye: NaOH Sodium Hydroxide	A	B	B					
Lysine-Monohydrochloride-dl (Powder)								
Lysine-Dihydrochloride-dl (Powder)								
Lysol- 212F		A		C/X				
Lysol- 70F		B		C				
Magnesium Acetate	A							
Magnesium Ammonium Sulfate								
Magnesium Bisulfate		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Magnesium Bisulfite					A	A		
Magnesium Bromide								
Magnesium Carbonate		A			A	A		
Magnesium Carbonate- 68F		A						
Magnesium Carbonate- All Concentrations		B						
Magnesium Carbonate, Saturated								
Magnesium Chloride	A	B	A		A	A	A	A
Magnesium Chloride Sulfate	A		A					A
Magnesium Chloride- 1% to 5% Still	A	A	A					
Magnesium Chloride- 1% to 5% Still-Hot	A	B	A					
Magnesium Chloride- 1% -5%- Hot	A	B	A					
Magnesium Chloride- 1% -5%-70F	A	B	A					
Magnesium Chloride- 68F	A		A					
Magnesium Chloride- Sat' d.	A	X	A					
Magnesium Citrate								
Magnesium Fluoride		C						
Magnesium Hydrate	A							
Magnesium Hydroxide	A	A			A	A	B	A
Magnesium Hydroxide- 68F	A	A					B	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Magnesium Hydroxide-70F	A	A					B	A
Magnesium Hydroxide-Sat'd.	A	A					B	A
Magnesium Hydroxide-Thick Suspension	A	A					B	A
Magnesium Iodide (Sayurated)								
Magnesium Nitrate		A	B					
Magnesium Nitrate-68F		A	B					
Magnesium Nitrate-All Concentrations- 70		A	B					
Magnesium Oxide		A						
Magnesium Salt Solutions	A		A	A				
Magnesium Salts	A		A	A				
Magnesium Salts, Aq. sat, - 70F	A		A					
Magnesium Sulfate	A	A	A				A	A
Magnesium Sulfate (Epsom Salts)	A	B	A					A
Magnesium Sulphate- 5%-Hot	A	A	A					A
Magnesium Sulphate- 68F	A		A					A
Magnesium Sulphate-10% - 70F	A	B	A					A
Magnesium Sulphate-10% - Boiling	A	B	A					A
Magnesium Sulphite	A		A					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Magnesium Trisilicate	X							A
Maize Oil								
Malathion								
Maleic Acid	A	A	A				A	B
Maleic Acid- Sat'd.	A	A	A				A	B
Maleic Acid, 10%	A	A	A				A	B
Maleic Acid, 25%	A	A	A				A	B
Maleic Anhydride	A	A	A					
Maleic Hydrazide	B							
Maleinic Acid-25%	A	A						
Maleic Acid	A	A					A	B
Maleic Acid- 68F	A	A					A	B
Maleic Acid- Cold & Hot	A	A					A	B
Maleic Acid- Cold and Hot	A	A					A	B
Malonyl Nitrile								
Malt Salt								
Mandelic Acid	B							
Manganese Acetate	B							
Manganese Carbonate		A						
Manganese Chloride- 10% to 50% Aqueous		A						
Manganese Dioxide	B							
Manganese Gluconate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mercaptobenzothiazole (MBT)	X							
Mercuric Acetate	B							
Mercuric Bichloride-0.07%		A						
Mercuric Chloride		X	A		A	C	A	A
Mercuric Chloride (Dilute Solution)		X	A					A
Mercuric Chloride- Dilute		X	A					A
Mercuric Cyanide		A						
Mercuric Cyanide- Sat'd.		A						
Mercuric Iodide	B							
Mercuric Nitrate	B							
Mercuric Salts				A				
Mercuric Sulfate	B							
Mercuric Sulfate- Sat'd.								
Mercuric Sulfite	B							
Mercurous Nitrate		A						
Mercurous Nitrate- Sat'd.		A						
Mercury	A	B	A	A			A	A
Mercury Chloride- Dil. Sol. - 70F		C						A
Mercury Fulminate	B							
Mercury Salts	A							
Mercury Vapours	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mesityl Oxide	C						X	X
Meta-Nitroaniline	B							
Meta-Toluidine	X							
Metaldehyde	B							
Methacrylic Acid		A						
Methallyl Alcohol								
Methallyl Chloride	B							
Methanal								
Methanal-40%								
Methanamide								
Methane	X	A					A	B
Methane Carboxylic Acid	A							
Methanoic Acid	A							
Methanol	A	A	A		A	C	A	
Methanol- 70F	A	A	A		A	C	A	
Methenyl Iodide								
Methionine-dl (Powder)								
Methoxy Ethanol	A							
Methoxy Methane								
Methoxychlor	X							
Methoxyethyl Oleate								
Methyl		A						
Methyl Abietate	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl Acetal								
Methyl Acetate	A	A	C				X	B
Methyl Acetate (82%)	A		C					B
Methyl Acetoacetate	A							
Methyl Acetone		A						
Methyl Acetophenone	X							
Methyl Acrylate	X						X	B
Methyl Acrylate- Tech.- Pure		A						B
Methyl Acrylic Acid								B
Methyl Alcohol	A	A	A	X			A	A
Methyl Alcohol (10%)	A	A	A	C			A	A
Methyl Alcohol (Methanol)	A	A	A				A	A
Methyl Alcohol- 100%-70F	A	A	A	X			A	A
Methyl Amine		A						
Methyl Allyl Alcohol	A							
Methyl Allyl Chloride	B							
Methyl Amyl Alcohol	A				A	X		
Methyl Amyl Carbinol	B							
Methyl Allyl Chloride	B							
Methyl Anthranilate	X							
Methyl Benzene	X							
Methyl Bromide	C	A					B	X
Methyl Butane	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl Butrate Cellosolce	B							
Methyl Butyl Alcohol	B							
Methyl Butyl Ketone	B	A					X	X
Methyl Butyrate								
Methyl Butyrate Chloride	B							
Methyl Carbitol								
Methyl Carbonate								
Methyl Cellosolve	A	A						B
Methyl Cellosolve Acetate, pure - Ether, Aliphatic, Polyol	C							B
Methyl Cellulose	A							
Methyl Chloride	B	A					X	X
Methyl Chloride- 68F							X	X
Methyl Chloride- Dry		A					X	X
Methyl Chloroacetate	B							
Methyl Chloroform		A						
Methyl Chloroformate								
Methyl Chlorosilanes	X							
Methyl Cyanide	A							
Methyl Ethyl Ketone	A	A	X	X	A	A	X	X
Methyl Ethyl Oleate	X							X
Methyl Formate		A					X	B
Methyl Hexanol	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl Isobutyl Ketone	A	A	X					X
Methyl Isobutyl Ketone-68F							X	X
Methyl Isocyanate	B							
Methyl Isopropyl Ketone		A						
Methyl Isovalerate	X							
Methyl Lactate	B							
Methyl Mercaptan	B							
Methyl Methacrylate	A/B						X	X
Methyl Pentadiene	X							
Methyl Phenol								
Methyl Phenylacetate	X							
Methyl Propyl Ether	B							
Methyl Salicylate	B							X
Methyl Styrene	X							
Methyl Sulfide	B							
Methyl Tertiary Butyl Ether (MTBE)	C							
Methyl Valerate	X							
Methyl-2-Butanol	B							
Methyl-2-Butanone	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methyl-1-Butyl Ether, pure - Ether, Aliphatic	C							
Methyl-2-Hexanone	C							
Methyl-2-Pyrrolidone or n- Methyl-2-Pyrrolidone	B	A			A	B		
Methyl 1-2, 4-Pentanediol	A							
Methyl-2-Pentanol	B							
Methyl-2-Pentanone	C							
Methyl-3-Penten-1-One	C							
Methyl-4-Isopropyl Benzene	X							
Methyl-Iso-Amyl-Ketone	C							
Methyl-L-Propanol	A							
Methylacrylic Acid								
Methylal	X							
Methylamine		A						
Methylallyl Acetate	B							
Methylamyl Acetate	B							
Methylamyl Alcohol	B							
Methylated Spirits								
Methylcyclohexane	X							
Methylcyclopentane	C							
Methylene Bromide	C							
Methylene Chloride	B	A	X		A	C	X	X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Methylene Chloride- 40%- Room to Boiling	B	A	X		A	C	X	X
Methylene Chloride- 68F	B	A	X	X	A	C	X	X
Methylene Chloro Bromide								
Methylene Chlorobromide		A						
Methylene Dichloride								
Methylene Iodide								
Methylene Oxide								
Methylene Salicylas								
Methylglycerol	B							
Methylisobutyl Carbinol	B							
Methylisobutyl Ketone	B							
Methylisopropyl Ketone	B							
Methylacetonitrile	A							
Methylphenol	B							
Methylpyrrolidone	B	A						
Methylpropyl Carbinol	A							
Methylpropyl Ketone	B							
Methylsulfuric Acid								
Metrizamide - Misc.	B							
Meyhylene Chloride		A						
MIL-F-81912 (JP-9)	C	A					A	A
MIL-F-82522 (RJ-4)	C	A					A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
MIL-H-46170 -15° F to +400° F	X	A					A	A
MIL-H-46170 -20° F to +275° F	X	A					X	X
MIL-H-46170 -55° F to +275° F	C	A					X	X
MIL-H-46170 -65° F to +275° F	C	A					A	A
MIL-H-5559A	C	A					A	A
MIL-H-5606 -65° F to +235° F	C	A					A	A
MIL-H-5606 -65° F to 235° F	C	A					A	A
MIL-T-83133	C	A					A	A
MIL-T-9188B	C	A					A	A
Milk	A	A			A	A	A	A
Milk (Fresh or Sour)- Cold or Hot	A	B			A	A	A	A
Milk (Whole)	A	A			A	A	A	A
Milk Acid-50%	A	A						
Milk of Magnesia								
Milk- 70F	A	A					A	A
Mine Water- Acid	A	A					A	A
Mineral Naptha								
Mineral Oil	A	A		C			A	B
Mineral Spirits	B/C	A	X		A	A	A	
Mixed Acids- 15% H2SO4 + 5%HNO3 + 80%		B						
Mixed Acids- 15% H2SO4 + 5%HNO3 + 80%		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mixed Acids- 50% H2SO4 + 50%HNO3- 200		B						
Mixed Acids- 50% H2SO4 + 50%HNO3- Boil								
Mixed Acids- 50% H2SO4 + 50%HNO3- Col		B						
Mixed Acids- 70% H2SO4 + 10%HNO3 + 20		B						
Mixed Acids- 70% H2SO4 + 10%HNO3 + 20		C						
Mixed Acids- 70% H2SO4 + 10%HNO3 + 20		B						
MLO-7277 Hydr.								
MLO-7557								
MLO-8200 Hyr.								
MLO-8515								
Mobasic Sodium Phosphate, pure - Salt, Inorganic	B							
Mobil 24 DTE								
Mobil 254 Lubricant	X							
Mobil Delvac 1100,1110,1120,1130								
Mobil SHC 500 Series	C							
Mobil SHC 600 Series	C							
Mobilgas WA200 ATF	C							
Mobilgear 600 Series	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mobilgear SHC ISO Series	C							
Mobilgrease HP	C							
Mobilgrease HTS	C							
Mobilgrease SM	C							
Mobilith AW Series	C							
Mobilith SHC Series	C							
Mobiljet II Lubricant	X							
Mobilmistlube Series	C							
Mobiloil SAE 20	C							
Molasses	A	B	A					
Molten Sulfur	B							
Molybdenum Disulfide Grease	C							
Molybdenum Oxide	B							
Molybdenum Trioxide	B							
Molybdic Acid	B							
Molybodic Acid- 5%- 70F		B						
Molybolic acid- 5%		A						
Monoammonium Phosphate								
Monobasic Potassium Phosphate, pure - Salt, Inorganic	B							
Monobromo Trifluoro Methane								
Monobromotoluene	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Monobutyl Paracresol	X							
Monochloracetone								
Monochlorethane								
Monochloro Phenol								
Monochloro Acetic Acid	A		X					
Monochloro Benzene	X							X
Monochloro Trifluoro Methane								
Monochloroacetic Acid	A							
Monochloroacetic Acid- 50%	A	X						
Monochlorobenzene- 68F	X						X	X
Monochlorobenzene- Tech.- Pure	X	A					X	X
Monochlorobutene	X							
Monochlorohydrin	X							
Monoethanol Amine								X
Monoethanolamine		A						X
Monochlorodifluoromethar	B							
Monoethanol Amine	A							
Mononitrotoluene	B							
Monoethyl Amine	A							
Monoethylamine	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Mononitrotoluene & Dinitrotoluene (40/60 Mix)	B							
Morpholine	A	A						
Morrhua Oil								
Mosaic Gold								
Motor Oil	B	A		C			A	
Motor Oil- 70F	B	A		C			A	
Motor Spirits								
MTBE, pure - Ether, Aliphatic	B							
Mud, Drilling	A	A			A	A		
Muriate of Ammonia								
Muriatic Acid	A	X			A	A		
Muriatic Acid- 70F	A	C						
Mustard		A						A
Mustard- 70F		B						A
Myristic Acid	X							
n Heptane								
n- Amyl Chloride		A						
n- Butyl Chloride		C						
n- Hexane		A						
N-Methylpyrrolidone (NMP)	B	A						
n- Octane		A						
n- Pentane	X	X					A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
n- Propyl Bromide		A						
n- Propyl Nitrate		A						
n-Butanol, pure - Alcohol, Aliphatic	B							
n-Butyl Acetate	A	C						
n-Butyl Acetate, pure - Ester, Aliphatic	C							
n-Butyl Alcohol, pure - Alcohol, Aliphatic	B							
n-Butyl Phthalate, pure - Ester, Aromatic	C							
n-Decane, pure - Hydrocarbon, Aliphatic	C						B	X
n-Dodecanol, pure - Alcohol, Aliphatic	X							
n-Dodecyl Alcohol								
n-Heptane, pure - Hydrocarbon, Aliphatic	C							
n-Hexane	B	A						
n-Hexane-1								
n-Hexanol, pure - Alcohol, Aliphatic	X							
N-Methylpyrrolidone NPM		A			A	B		
n-Octodecylic Acid								
n-Octyl Alcohol		A			A	A		
n-Pentanol, pure - Alcohol, Aliphatic	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nickel Acetate	A						B	B
Nickel Ammonium Sulfate		A						
Nickel Ammonium Sulphate								
Nickel Chloride	A	B	B				A	A
Nickel Chloride Sol.- 70F	A	B	B				A	A
Nickel Chloride- 68F	A	B	B				A	A
Nickel Chloride- Sat'd.	A	B	B				A	A
Nickel Cyanide	B							
Nickel Nitrate	A	A	B					
Nickel Nitrate- 10%	A	A	B					
Nickel Nitrate- 68F	A	A	B					
Nickel Nitrate- Sat'd.	A	A	B					
Nickel Plating, Electroless 200F								
Nickel Plating, Fluoborate 100-170F		C						
Nickel Plating, High Chloride 130-160F		C						
Nickel Plating, Sulfamate 100-140F		C						
Nickel Plating, Watts Type 115-160F		C						
Nickel Salts	A			A				
Nickel Sulfate	A	B	B				A	A
Nickel Sulfate- Sat'd.	A		B					A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nickel Sulphate Sol.- 70F	A	B	B					A
Nickel Sulphate- 10%	A	A	B					A
Nicotinamide (Niacinamide)	X							
Nicotinamide Hydrochloride	B							
Nicotine		A						
Nicotine Bentonite								
Nicotine Sulfate								
Nicotinic Acid		C						
Nietylene								
Niroacellulose	B							
Nirodiphenyl	X							
Niter Cake							A	A
Niter cake- Fused		B						A
Nitrating Acid (<1% Acid)		A						
Nitrating Acid (<15% H2SO4)		C						
Nitrating Acid (<15% HNO3)		X						
Nitrating Acid (>15% H2SO4)		C						
Nitric Acid (5 to10%)	A	A	B				X	A
Nitric Acid- 10%	A	A	B		A	C	X	A
Nitric Acid- 10%aq. sol.- 68F	A	A	B				X	A
Nitric Acid- 100%	B	A	B	X			X	C
Nitric Acid- 20%	B	A	B	C			X	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nitric Acid- 25%	B	A	B	C	A	C	X	A
Nitric Acid- 25%aq. sol.- 68F	B	A	B	C			X	A
Nitric Acid- 30%	B	A	B	C			X	A
Nitric Acid- 35%	B	A	B	C			X	A
Nitric Acid- 40%	B	A	B	X			X	B
Nitric Acid- 5%	A	A	B	C			X	A
Nitric Acid- 5%- Boiling	A	A	B	C			X	
Nitric Acid- 5%aq. sol.- 68F	A	A	B	C			X	A
Nitric Acid- 50%	B	A	B	X	C	X	X	B
Nitric Acid- 50%	B	A	B	X			X	B
Nitric Acid- 50%- 70F	B	A	B	X			X	B
Nitric Acid- 50%- Boiling	B	A	B	X			X	C
Nitric acid- 50%aq. sol.- 68F	B	A	B	X			X	B
Nitric Acid- 65%- Boiling	C	A	B	X			X	C
Nitric Acid- 69%. 42.1 BE	C	A	B	X			X	C
Nitric Acid- 70%	C	A	B	X			X	C
Nitric Acid- 98%	C	B	B	X	X	C	X	C
Nitric Acid- Concentrated	C	B	C	X			X	C
Nitric Acid- Concentrated- Boiling	C	B	C	X			X	C
Nitric Acid- Fuming	C	A	B	X			X	X
Nitric Acid- Fuming Conc. - 70F	C	B	C	X			X	X

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nitric Acid- Fuming Conc. - Boiling	C	C	C	X			X	X
Nitric Acid- Inhibited Red Fuming (IRFNA)								X
Nitric Acid- Red Fuming (RFNA)								X
Nitric Acid-10%. 7.5 BE								
Nitrioltriethanol	A							
Nitro Benzene	X	B	X	X			X	X
Nitro Ethane	A						X	C
Nitro Hydrochloric Acid								
Nitro Methane			X				X	
Nitro Muriatic Acid								
Nitro Propane								
Nitro Xanthic Acid								
Nitroaniline	B							
Nitrobenzene	X	B					X	X
Nitrobenzoic Acid	B							
Nitrochlorobenzene	B							
Nitrochloroform	B							
Nitrodiethylaniline	B							
Nitroethane	A						X	
Nitroethane- Tech. - Pure								
Nitrogen	A	A			A	A	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nitrogen Fertilizer Solution	A							
Nitrogen Gas		A						
Nitrogen Monoxide								
Nitrogen Oxides	A						X	X
Nitrogen Trifluoride	X							
Nitroglycerine	B							
Nitroglycerine		A						
Nitroglycerol	B							
Nitroglycol								
Nitroisopropylbenzene	B							
Nitromethane	A	A						
Nitromethane- Tech.- Pure	A	A						
Nitrophenol	B							
Nitropropane	C							
Nitrosulfuric Acid	X							
Nitrosyl Chloride								
Nitrothiophene	B							
Nitrotoluene	B							
Nitrous Acid	A	B						
Nitrous Acid- 10%		C						
Nitrous Acid- 5%		A						
Nitrous Acid- 5%- 70F		B						
Nitrous Oxide		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Nonane	C							
Nonanoic Acid	B							
Nonanol	B							
Noryl GE Phenolic	B							
Nycodenz - Misc.	B							
Nyvac FR200 Mobil	B							
Octadecane	C						A	B
Octanoic Acid	B							
Octanol	B							
Octyl		A						
Octyl Acetate	B							
Octyl Alcohol	B						B	A
Octyl Aldehyde	B							
Octyl Amine	B							
Octyl Carbinol	B							
Octyl Chloride	C							
Octyl Phthalate	X							
Octylene Glycol	B							
Oil of Vitriol								
Oil of Wintergreen, pure - Ester, Aromatic	C							
Oil, Mineral	A							
Oil, Paraffin, pure - Hydrocarbon, Mixture	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Oil, Sesame, pure - Misc.	X							
Oil, Vegetable	A				A	A		
Oil, Wintergreen, pure - Ester, Aromatic	X							
Oils- Mineral- Vegetable- Hot & Cold		A	A					
Oils-Crude- Hot & Cold	C	A	C		A	A	A	
Oils, Aniline		A						
Oils, Animal	A							
Oils, Anise		A						
Oils, Bay		A						
Oils, Bone		A						
Oils, Castor	B	A						
Oils, Cinnamon		A	C					
Oils, Citric		A						
Oils, Clove		A						
Oils, Coconut		A						
Oils, Cod Liver		A						
Oils, Corn		A						
Oils, Cotton Seed		A						
Oils, Cresote		A						
Oils, Crude- Cold and Hot		B	C					
Oils, Diesel Fuel (2D, 3D, 4D, 5D)		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Oils, Fuel (1, 2, 3, 5A, 5B, 6)		A						
Oils, Ginger		A						
Oils, Hydraulic (See Hydraulic)								
Oils, Lemon		A						
Oils, Linseed		A						
Oils, Mineral		A						
Oils, Olive		A	A					
Oils, Orange		A	C					
Oils, Palm		A						
Oils, Peanut		A						
Oils, Peppermint		A						
Oils, Pine		A	B					
Oils, Rape Seed		A						
Oils, Rosin		A						
Oils, Sesame Seed		A						
Oils, Silicone		A	A					
Oils, Soybean	C	A						
Oils, Sperm		A						
Oils, Tanning		A						
Oils, Transformer		A						
Oils, Turbine		A						
Oils, Veg. & Min.- Cold and Hot		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Oxalic Acid	A	B	A	A	C	C	B	B
Oxalic Acid (Cold)	A	B	A	A			B	B
Oxalic Acid- 10%	A	B	A	A			B	A
Oxalic Acid- 10%- 70F	A	B	A	A			B	A
Oxalic Acid- 10%- Boiling	A	B	A	A			B	A
Oxalic Acid- 25%- Boiling	A	B	A	A			B	A
Oxalic Acid- 5%- 70F	A	B	A	A			B	A
Oxalic Acid- 5%- Cold & Hot	A	B	A	A			B	A
Oxalic Acid- 50%	A	B	A	A			B	B
Oxyethylene Succinic Acid								
Oxygen	A	A					B	B
Oxygen - 200 - 400 F								
Oxygen - Cold							B	B
Oxygen-250 400 deg. F								
Oxygen-Liquid								
Oxygen, gas, pure - Element, Gas	C							
Ozonated Deionized Water	A	A			A		X	
Ozone	A	A	C		A		X	B
p-Tertiary Butyl Carechol								
p-Toluenesulfonic Acid (PTSA)	A	C			A	A	X	
Palm Oil		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Penta Methylene Amine								
Pentachlorophenol	B	A						
Pentachlorophenol, Dowicide "G" Sodium	B	A						
Pentafluoroethane (F-125)	X							
Pentane	X	C						
Pentyl Acetate	B							
Pentyl Alcohol	B							
Pentyl Bromide	C							
Pentyl Chloride	C							
Pentyl Ether	B							
Pentyl Pentanoate	C							
Pentylamine	A							
Peracetic Acid- 70%	B	C						
Perchlorethylene	X	A	X				C	
Perchloric Acid	A	C	X		C	X		A
Perchloric Acid- 10%	A	A						A
Perchloric Acid- 68F	A	C						A
Perchloric Acid, 25% - Acid, Inorganic, Oxidizer	A							
Perchloric Acid, 60% - Acid, Inorganic, Oxidizer	C							
Perchloric Acid, 70% - Acid, Inorganic, Oxidizer	C							
Perchloro Methane	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Perchloroethylene	B	A						X
Percoll - Misc.	B							
Perfluoropropane	X							
Perfluorotriethylamine	X							
Perhydrol								
Periciase								
Permachlor								
Permanganic Acid	X							
Persulfuric Acid (Caro's Acid)	X							
Peru Saltpeter								
Petrol								
Petrolatum		A						
Petrolatum Ether	C							
Petrolene								
Petroleum	C	A	C				A	B
Petroleum - Above 250	X	A	X				C	X
Petroleum - Below 250	C	A	C				A	B
Petroleum Benzin								
Petroleum Ether	X	B						
Phenol	B	A	X					C
Phenol (10%)	A	A	X					
Phenol (Carbolic Acid)		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phenol 70% 30% H2O								
Phenol 85%					C	C		
Phenol- CP- 70F		B						
Phenol- CP- Hot		B						
Phenol, 5%								
Phenol, 50% - Alcohol, Aromatic	C							
Phenol, 92% - Alcohol, Aromatic	C							
Phenol, Aq. Sat.- 70F								
Phenol, Crystals								
Phenol, Crystals, pure - Alcohol, Aromatic	C							
Phenol, liquid - Alcohol Aromatic	C							
Phenol, pure - Alcohol, Aromatic	C							
Phenolates								
Phenolic Resins		A						
Phenolic Resins- Cold and Hot		B						
Phenolic Sulfonate	B							
Phenylacetamide	X							
Phenylacetic Acid	B							
Phenylbenzene							X	X
Phenylbromide	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phenylbutane	X							
Phenylcarbinol- 68F								
Phenylchloride	X							
Phenylethylene	X							
Phenylmethane	X							
Phenylmethanol	B							
Phenyldrazine							X	
Phenylene Diamine	X							
Phenylethanol, pure- Alcohol, Aromatic	X							
Phenylethyl Malonic Ester	B							
Phenylglycerine	C							
Phenylhydrazine Hydrochloride	B							C
Phenylhydrazine Hydrochloride- 68F	B							C
Phenylhydrazine- 68F	B							C
Phenylic Acid								
Phenylmercuric Acetate	B							
Phosphine	X							
Phospholeum								
Phosphoric Acid - 45%	A		A				X	B
Phosphoric Acid (<40%)	A	C	A				C	B
Phosphoric Acid (>40%)	A	X	A				X	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phosphoric Acid (40% -100% Solution)	A	B	A					
Phosphoric Acid (Crude)		C						
Phosphoric Acid (molten)	X	C	X					
Phosphoric Acid (to 40% Solution)	A	A	A					
Phosphoric Acid 20%	A	A	A					B
Phosphoric Acid 30%	A	A	A					B
Phosphoric Acid 50%	A	A	A					B
Phosphoric Acid 85%	A	A	A					
Phosphoric Acid- 1 and 5% - 70F and Boiling	A	A	A					
Phosphoric Acid- 1%	A	A	A					
Phosphoric Acid- 10% Aerated	A	A	A					
Phosphoric Acid- 10% Agitated	A	A	A					
Phosphoric Acid- 10% Boiling	A	A	A					
Phosphoric Acid- 10%- Still	A	A	A					
Phosphoric Acid- 10% Still- 70F	A	A	A					
Phosphoric Acid- 15%	A	A	A		A	A		
Phosphoric Acid- 5%	A	A	A					
Phosphoric Acid- 50%	A	A	A		A	C		
Phosphoric Acid- 50%- 70F	A	A	A					

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Phosphate Esters		A						
Photogen								
Photographic (Developer)	A	A	A					
Photographic Developers-68F	A		A					
Photographic Emulsions-68F	A		A					
Photographic Fixing Sol-68F	A		A					
Photographic Hypo - Salt, Inorganic, Reducer	B		A					
Photographic Solutions	A	A	A					
Photoresists - Misc., Photoreist	X							
Phthalic Acid	A	A	B					
Phthalic Anhydride		B						
Picric Acid	A	A	X				B	A
Picric Acid- 1% w/w in water-68F	A		X				B	
Picric Acid- 10%	A	A	C				B	
Picric Acid- 10% w/w in alcohol-68F	A	A	C				B	
Picric Acid- 70F	A	B	X				B	
Picric Acid- Concentrated	A	A	X				B	
Pine Oil	X	A	B				B	X
Pine Tar	X	A					B	
Pine Tar Oil	X	A					B	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Antimonate	B							
Potassium Bicarbonate	B	B	B					
Potassium Bicarbonate-Sat'd.	B	A	B					
Potassium Bichromate-25%- 70F		B						
Potassium Bichromate-25%- Boiling		B						
Potassium Bichromate-Neutral		A						
Potassium Bichromate-Sat'd.		A						
Potassium Bisulfate		A						
Potassium Bisulphide-68F								
Potassium Bitartrate	B							
Potassium Borate		A						
Potassium Borate-68F								
Potassium Borates								
Potassium Bromate		A						
Potassium Bromide		A	B					
Potassium Bromide- 5%		A	B					
Potassium Bromide- 70F		B	B					
Potassium Carbonate	A	A						
Potassium Carbonate- 1%	A	A						
Potassium Carbonate-Solution- 70F and B	A	B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Dichromate		A	B	A			A	A
Potassium Dichromate- All Concentrations		B	B	A			A	A
Potassium Dichromate- Neutral		A	B	A			A	A
Potassium Dichromate- Sta'd.		A	B	A			A	A
Potassium Dihydrogen Phosphate, pure - Salt, Inorganic	B							
Potassium Diphosphate	B							
Potassium Ferricyanide		A						
Potassium Ferricyanide- 5%		A						
Potassium Ferricyanide- 5% and 25%- Boiling		B						
Potassium Ferricyanide- 5%- 70F		B						
Potassium Ferricyanide- 70F		B						
Potassium Ferrocyanide		A						
Potassium Ferrocyanide- 5%		A						
Potassium Ferrocyanide- 68F								
Potassium Fluoride		A						
Potassium Fluoride-68F								
Potassium Glucocyanate	B							
Potassium Hydrate		A						
Potassium Hydroxide	A	B	A	A	A	A	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Hydroxide - 25%	A	A	A	A			A	A
Potassium Hydroxide - 27%	A	A	A	A			A	A
Potassium Hydroxide (50%)	A/B	B	A	A	A	A	A	A
Potassium Hydroxide (Caustic Potash)	A	A	A	A	A	A	A	A
Potassium Hydroxide- 5%		A						
Potassium HydOxide- 27% and 50%- Boiling		B						
Potassium Hydrxide- 5%- 70F		B						
Potassium Hypermanganate								
Potassium Hypochlorite		X						
Potassium Hypochlorite- 68F								
Potassium Iodate	B							
Potassium Iodide	A	A	B	A				
Potassium Iodide-All Concentrations- Col	A	B	B	A				
Potassium Metabisulfate	B							
Potassium Metachromate	B							
Potassium Metasilicate	X							
Potassium Monochromate	B							
Potassium Monosulfide								
Potassium Muriate								
Potassium Nitrate	A	A	B		A	A	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Potassium Thiosulphate-68F								
Potassium Triphosphate	B							
Potassium Tripolyphosphate		A						
Potato Oil								
Potato Spirit								
Power Steering Fluid 212F	C							
Power Steering Fluid 257F	X							
Power Steering Fluid 73F	A							
Prestone Antifreeze	A							
Propane	C/X	A	C/X				A	A
Propane (Liquified)	C/X	A	C/X					
Propane Nitrile								
Propane Propionitrile								
Propane- 100%		B		X				
Propanol	A	A						
Propionic Acid	A	A						
Propionitrile	A							
Propyl		A						
Propyl Acetate	A	A						X
Propyl Acetone								
Propyl Alcohol	A	A						A
Propyl Alcohol (Propanol)	B	A						
Propyl Propionate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Pyroacetic Ether								
Pyrogallic Acid	X	B						
Pyrogallol Carboxylic Acid								
Pyrosulfuric Acid	B							
Pyrosulfuryl Chloride	C							
Pyroxylic Spirit								
Pyrrole		C						X
Pyruvic Acid	B							
Quaternary Ammonium Salts								
Quinidine	C							
Quinine	C							
Quinine Bisulphate (Dry)		B						
Quinine Hydrochloride	B							
Quinine Sulfate	B							
Quinine Sulphate (Dry)		B						
Quinine Tartrate	B							
Quinizarin	C							
Quinol								
Quinoline	C							
Quinone		A						
Radiation	A	A					C	B
Raffinate	C							
Ramrod - 2% aqueous	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Rapeseed Oil							B	B
Red Oil							A	B
Ref Fuel A (Isooctane)	A	A						
Ref Fuel B (Isooct/Tol 70/30)	B	A						
Ref Fuel C (Isooct/Tol 50/50)	B	A						
Resin oil								
Resorcinol	A							
Resorcinol, pure - Alcohol, Aromatic, Polyol	B							
Resorcinol, saturated - Alcohol, Aromatic, Polyol	B							
Retinol								
Rhigolene								
Rhodium	X							
Riboflavin	C							
Ricinoleic Acid	C							
Ricinus Oil (Ricinine)								
RJ-1 (MIL-F-82522)	C							
Rosin	C							
Rosin		A	B					
Rosin- Molten		B						
Rosins		A	B					
Roundup	A							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Roundup Super Concentrate	A							
Rubidium Bromide, pure - Salt, Inorganic	B							
Rubidium Chloride, pure - Salt, Inorganic	B							
Rum		A						
Rust Inhibitors		A						
Saccharin Solution	B							
Sal Ammoniac- 20%- Boiling	A	A					A	A
Salad Dressing		A		C				
Salicylic Acid	A	A			A	A	A	
Salicylic Acid- 68F	A						A	
Salt Brine	A	A	A	A			A	
Salt Brine (NaCl saturated)	A	A	A	A			A	A
Salt Water	A		A	A			A	A
Salt- Saturated		A		A				
Salt peter- Ammonium Nitrate	A	A						
Sauerkraut Brine- 70F		B						
Scott's Super Turf Builder	A							
SDS, pure - Detergent	B							
Sea (Salt) Water	A			A				A
Sea Salt				A				
Sea Water	A	C/B	A	A				A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sea Water- 70F	A	B/C	A	A			A	A
Sebacic Acid	B						A	
sec-Butanol, 100% - Alcohol, Aliphatic	B							
sec-Butanol, pure - Alcohol, Aliphatic	B							
sec-Butyl Alcohol, 100% - Alcohol, Aliphatic	B							
sec-Butyl Alcohol, pure - Alcohol, Aliphatic	B							
Selenous Acid	B							
Separan NP-10								
Sera - Misc.	B							
Serine-dl								
Sesame Oil								
Sesquicarbonate of Soda								
Sevin	A							
Sewage	A	B		A	A	A		A
Sewage (Sewerage)	A	B		A	A	A		A
SF 1147 GE Silicone Fluid	C							
SF 1154 GE Silicone Fluid	B							
SF96 GE Silicone Fluid	B							
Shale Naphtha								
Shell Alvania Grease #2								
Shell Lo Hydrax 27 and 29	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Shell Super Gas								
Shell Tellus #32 Pet. Base	C							
Shell Tellus #68	C							
Shell Tellus 27 (Petroleum Base)	C							
Shell Tellus 33	C							
Shellac (Bleached)		A						
Shellac (Orange)		A						
Sherwood Oil								
Shibley AZ-111 Photoresist - Misc., Photoresist	X							
Shibley AZ-1350 Photoresist - Misc., Photoresist	X							
Shibley AZ-340 Photoresist - Misc., Photoresist	X							
Silane	X							
Silent Spirit								
Silicate Esters	A						B	A
Silicate of Soda	A							
Silicic Acid								
Silicofluoric Acid								
Silicon Fluoride	X							
Silicon Tetrachloride	X							
Silicon Tetrafluoride	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Silicone		A						A
Silicone Oil	A	A					A	A
Silver Bromide		C						
Silver Chloride		X						
Silver Cyanide		A						
Silver Cyanide- 68F								
Silver Nitrate	A	B	A		A	A	B	A
Silver Nitrate- 100%- 70F	A	B	A					A
Silver Nitrate- 100%- Boiling	A	B	A					A
Silver Plating 80-120F		A						
Silver Salts	A							
Skydrol 500	A							X
Skydrol 500-B4	A						X	X
Skydrol 7000	A						X	X
Skydrol LD-4	A						X	
Skydrol-500	A						X	
Slaked Lime								
Soap Solutions	A	A	B	A				A
Soap- 70F	A		B	A			A	A
Soaps	A	A	B	A			A	A
Soaps- 70F	A	A	B	A			A	A
Soda Water	A	A		A			A	
Sodium Hydroxide- 10%	B	A					B	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium (Molten)	X							
Sodium Acetate	A	A	A				B	B
Sodium Acetate (Moist)- 5%	A	A	A				B	B
Sodium Acetate- 68F	A	A	A				B	B
Sodium Acetate- Moist	A	A	A					B
Sodium Acetate- Sat'd.	A	A	A					B
Sodium Acetate, Powder								B
Sodium Acetate, Saturated								B
Sodium Acid Bisulfate	B							
Sodium Acid Carbonte								
Sodium Acid Fluoride	B							
Sodium Aluminate- Sat'd.	A	A			A	A	A	
Sodium Aluminum Sulfate								
Sodium Aluminum Sulfate, Saturated								
Sodium Anthraquinone Disulfate	B							
Sodium Antimonate	B							
Sodium Arsenate								
Sodium Arsenite	B							
Sodium Bicarbonate	A	A	A	A				
Sodium Bicarbonate (Baking Soda)	A	A	A	A				A
Sodium Bicarbonate- 5%- 150F	A	A	A	A				A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Bicarbonate- 68F	A	A	A	A			A	A
Sodium Bicarbonate- All Conc.- 150 F	A	A	A	A			A	A
Sodium Bicarbonate- All Concentration- 7	A	A	A	A			A	A
Sodium Bichromate- Sat' d.	A	A	A	A				
Sodium Bichromate- Neutral	A	A	A	A				
Sodium Bifluoride	B							
Sodium Biphosphate	A							
Sodium Bisulfate	A	A	B				A	A
Sodium Bisulfide	A		B	A			A	A
Sodium Bisulfite	A	A	B	A	A	A	A	A
Sodium Bisulfite, 4%	A		B	A			A	A
Sodium Bisulfite, Saturated	A		B	A			A	A
Sodium Bisulphate	A	A	B	A			A	A
Sodium Bisulphate- 10% Boiling	A	A	B	A			A	A
Sodium Bisulphate- 10%- 70F	A	A	B	A			A	A
Sodium Bisulphite- 68F	A	A	B	A			A	A
Sodium Bitartrate	B							A
Sodium Borate	A	A	B				A	A
Sodium Borate (Borax)- Sat'd.	A	A	B				A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Borate- 68F	A		B				A	A
Sodium Borate- All Concentrations- Cold a	A	A	B				A	A
Sodium Bromide- 5%	A	A						
Sodium Bromide- 68F	A	A						
Sodium Bromide, Saturated	A	A						
Sodium Bromides	A	A						
Sodium Carbonate	A	B	A	A				
Sodium Carbonate (Soda Ash)	A		A	A				
Sodium carbonate- 5%- Boiling	A	B	A	A				
Sodium carbonate- 50% Boiling	A	B	A	A				
Sodium Carbonate- 68F	A		A	A				
Sodium Carbonate- All Conc.	A	A	A	A				
Sodium Carbonate- Molten- 1650F	X	C	X	X				
Sodium Chlorate	A	B		A				
Sodium Chlorate- 25%	A	A		A				
Sodium Chlorate- 68F	A			A				
Sodium Chlorate- Sat'd.	A	A		A				
Sodium chloride	A	B	A	A				A
Sodium Chloride Sulfate	A						A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Chloride- 20% Aerated	A	B	A				A	A
Sodium Chloride- 25%- Cold and Hot	A	B	A				A	
Sodium Chloride- 5% Still- Room to 150F	A	B	A				A	
Sodium Chloride- 68F	A		A				A	
Sodium Chloride- All concentrations- 70F	A	B	A				A	
Sodium Chloride- Saturated	A	B	A				A	
Sodium Chloride- Saturated- 70F and Boiling		B					A	
Sodium Chloride- Saturated- Boiling		B					A	
Sodium Chloride, 3%	A	B	A				A	
Sodium Chloride, Aq. Sat. - 70F	A	B					A	
Sodium Chloride, Saturated	A	B					A	
Sodium Chlorite	A				A	A	A	
Sodium Chromate	A	A					A	
Sodium Citrate	A	A					A	
Sodium Citrate- All Concentrations- Cold a	A	B					A	
Sodium Cyanamide	B							
Sodium Cyanate	B							
Sodium Cyanide	A	A	B		A	A	A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Cyanide- 68F	A	A	B		A	A	A	A
Sodium Diacetate	B						A	
Sodium Dichromate	A			A				
Sodium Dichromate- 20%	A	A		A				
Sodium Dichromate, Saturated	A			A				
Sodium Dihydrogen Phosphate, pure - Salt, Inorganic	B							
Sodium Diphenyl Sulfonate	B							
Sodium Disilicate	B							
Sodium Disulfite								
Sodium Dodecyl Sulfate, pure - Detergent	B							
Sodium Ethylate	B							
Sodium Ferricyanide		A						
Sodium Ferricyanide- Sat' d.		A						
Sodium Ferrocyanide		B						
Sodium Ferrocyanide- Sat'd.		A						
Sodium Fluo Aluminate- 10%								
Sodium Fluoride		A						
Sodium Fluoride- 5%		B						
Sodium Fluorosilicate	B							
Sodium Glutamate	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Hydride	X							
Sodium Hydrogen Sulfate	B							
Sodium Hydrosulfide	B							
Sodium Hydrosulfite								
Sodium Hydroxide	A	A	C				B	A
Sodium Hydroxide (20%)	A	A	C				B	A
Sodium Hydroxide (50% Solution)	A	B	C				B	A
Sodium Hydroxide (50%)	A	B	C				B	A
Sodium Hydroxide (80%)	A/B	B	C				B	A
Sodium Hydroxide (Caustic Soda)- 30%	A	A	C	A			B	A
Sodium Hydroxide 80% Solution	A/B	X	C				B	A
Sodium Hydroxide- 15%	A	A	C				B	A
Sodium Hydroxide- 20% and 30%- 70F	A	B	C				B	A
Sodium Hydroxide- 20%- Boiling	A	B	C					
Sodium Hydroxide- 30%- Boiling	A	B	C					
Sodium Hydroxide- 50%	A	A	C		A	A	A	
Sodium Hydroxide- 70%	A	A	C					
Sodium Hydroxide- Conc. - 68F								
Sodium Hydroxide- Molten- 650F		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Hypochlorite	A	A	A	A	A	A	A	B
Sodium Hypochlorite (<20%)	A	C	A	A	A	A	A	B
Sodium Hypochlorite (to 20%)	A	C	A	A	A	A	A	B
Sodium Hypochlorite- 5%	A	A	A	A	A	A	A	B
Sodium Hypophosphate	B							
Sodium Hypophosphite	B							
Sodium Hyposulfate		A						
Sodium Hyposulfite	B							
Sodium Hyposulphite-70F		B						
Sodium Hyposulphite-Dilute		A						
Sodium Iodide	A		X					
Sodium Lactate		A						
Sodium Lauryl Sulfate, pure - Detergent	B							
Sodium Meta Phosphate		A	B					B
Sodium Metaphosphate-68F			B					B
Sodium Metasilicate		A					A	B
Sodium Methylate	B						A	B
Sodium Monophosphate	B						A	
Sodium Nitrate	A	A	B	A			B	A
Sodium Nitrate- All Conc.	A	A	B	A			B	A
Sodium Nitrate- All Concentrations- Cold a	A	B	B	A			B	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Nitrate- Sat'd.	A	A	B	A			B	A
Sodium Nitrite	A	A	B	A			B	A
Sodium Nitrite, Aq. Sat.- 70F	A	A	B	A			B	A
Sodium Oleate	B							
Sodium Orthosilicate	B							
Sodium Oxalate	B							
Sodium Perborate	A	C		A			B	B
Sodium Percarbonate	B							
Sodium Perchlorate- 10%- 70F	A	B						
Sodium Perchlorate- 10%- Boiling	A	B						
Sodium Peroxide	A	A	B					B
Sodium Peroxide- 10%- 70F	A	B	B				B	A
Sodium Peroxide- 10%- Boiling	A	B	B					A
Sodium Peroxide- 212F	A	A	C					B
Sodium Peroxide- 68F	A		B					B
Sodium Persulfate	B							A
Sodium Phenolate	B							
Sodium Phenoxide	B							
Sodium Phosphate	A			A	A	A	B	A
Sodium Phosphate (Dibasic)	A						A	
Sodium Phosphate (Mono)	A						A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Sulfate	A	A		A				A
Sodium Sulfate- Sat'd.	A	A		A				A
Sodium Sulfate- Anhydrous								
Sodium Sulfate, Aq. Sat.- 70F								
Sodium Sulfide	A	B	B					
Sodium Sulfite	A	C	B					
Sodium Sulfite- 25% and 50%- Boiling	A	B	B					
Sodium Sulfite- 5%- 70F	A	B	B					
Sodium Sulphocyanide	B							
Sodium Sulphate	A			A			A	A
Sodium Sulphate- 5% 70F	A	B		A			A	A
Sodium Sulphate- 5% Still	A	A		A			A	A
Sodium Sulphate- 68F	A			A			A	A
Sodium Sulphate- Concentrated	A	A		A			A	A
Sodium Sulphate- Saturated- Boiling	A	B		A			A	A
Sodium Sulphide- 5%	A	A		A			A	A
Sodium Sulphide- 5%- 70F	A	B		A			A	A
Sodium Sulphide- 50%- Boiling	A	B		A			A	A
Sodium Sulphide- Saturated	A	A		A			A	
Sodium Tartrate	B						A	

<u>A=Great Application;</u> <u>B=Good Application (mild</u> <u>effect); C=Conditional Use</u> <u>(consult with ES</u> <u>Technical Staff); X=Do</u> <u>Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sodium Tetraborate		A	B					
Sodium Tetraphosphate	B							
Sodium Tetrasulfide	B							
Sodium Thioarsenate	B							
Sodium Thiocyanate	B							
Sodium Thiosulfate	A			A				A
Sodium Thiosulphate	A	A		A				A
Sodium Thiosulphate ("Hypo")		A		A				
Sodium Thiosulphate- 25%- 70F		B		A				
Sodium Thiosulphate- 68F				A				
Sodium Thiosulphate- Acid Fixing Bath (H		B						
Sodium Thiosulphate- Saturated- 70F and		B						
Sodium Trichloroacetate	B							
Solution 555, 20% - Misc.	X							
Solvesso 100, 150	X							
Sorbitol	B							
Sorghum		A						
Sour Crude Oil		A						
Sour Crude Oil (Contact Proco)								
Soy sauce		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Soybean Oil	B	A		C				B
Soybean Oil- 70F	B			C				B
Spectracide	A							
Stannic Ammonium Chloride	B							
Stannic Chloride	A	X		A				A
Stannic Chloride- 5%	A	X		A				A
Stannic Chloride- 50%	A			A				A
Stannic Chloride- 68F	A			A				A
Stannic Chloride- Sp. Gr. 1.21- 70F	A			A				
Stannic Chloride- Sp. Gr. 1.21- Boiling	A	C		A				
Stannic Fluoborate		A						
Stannic Sulfide	A							
Stannic Tetrachloride	B							
Stannous Bisulfate	B							
Stannous Bromide	B							
Stannous Chloride		C			A	A		
Stannous Chloride (15%)	B							
Stannous Chloride- 15%		A						
Stannous Chloride- 5%		B						
Stannous Chloride- 68F								
Stannous Chloride- Saturated- 120F		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Stannous Chloride-Saturated- Boiling		C						
Stannous Fluoride	B							
Stannous Sulfate	B							
Starch	A	A		A				
Starch Solution	A	A		A				
Steam	A	A					X	C
Steam (High Pressure)	A	A					X	
Steam (Low Pressure)	A	A					X	
Steam (Medium Pressure)	A	A					X	
Stearic Acid	A	A	A	A			B	B
Stearic Acid- 68F	A	A	A	A			B	B
Stearic Acid- 70F	A	A	A	A			B	B
Stearic Acid-Concentrated- 200F	B	A	X				B	
Stearic Acid-100%- 70F	A	A	A	A			B	
Stoddard Solvent	C	A					A	C
Storage Battery Acid- 70F	A			A				
Stripper S.A.								
Strontium Acetate	B							
Strontium Carbonate	B							
Strontium Chloride	B							
Strontium Hydroxide		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Strontium Nitrate Solution- Hot		B						
Styrene	C	A		X	C	C	X	X
Succinic Acid	A	A		A				
Sugar	A	A		A				
Sugar (Liquids)	A	A		A				
Sugar Juice	A	A		A				
Sugar Juice- Hot	A	B		A				
Sulfamic Acid- 20%	A	A						
Sulfamidic Acid	A							
Sulfanilic Acid	B							
Sulfanilic Chloride	C							
Sulfanilimide	C							
Sulfate Liquors	B	C	A				B	B
Sulfate Liquors (Oil)		A					B	B
Sulfite Cellulose Liquors								
Sulfite Liquors	B	A			A	A	B	B
Sulfonated Oils	C							
Sulfonic Acid	B							
Sulfonyl Chloride	B							
Sulfosalicylic Acid, pure - Acid, Organic, Aromatic	X							
Sulfur	A	A		A			X	A
Sulfur Chloride	B	X					C	C

<u>A=Great Application:</u> <u>B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff); X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulfur Dioxide	A	A	X	A			X	C
Sulfur Dioxide (Dry)	A	A	A				X	C
Sulfur Dioxide-Wet	A	A	X				X	C
Sulfur Salts, pure - Salt, Inorganic	C							
Sulfur Subchloride								
Sulfur Tetrafluoride	X							
Sulfur Trioxide	A	C						
Sulfur Trioxide (Dry)	A	C						
Sulfuric Acid (<10%)	A	B	A				A	B
Sulfuric Acid (10%-75%)	A	X	A	X			A	B
Sulfuric Acid (20% Oleum)				A			A	
Sulfuric Acid (75%-100%)	A	X	B	X			A	B
Sulfuric Acid (Concentrated)	A			X			A	B
Sulfuric Acid (Dilute)	A		A	A			A	B
Sulfuric Acid (to 10%)	A	C	A	A			A	B
Sulfuric Acid 10%	A	C	A	A	A	A	A	B
Sulfuric Acid 10%-50%	A	X	A	C			A	B
Sulfuric Acid 50%-70%	A	X	B	X			A	B
Sulfuric Acid 70%-90%	A	X	B	X			C	B
Sulfuric Acid 98%	A	X	B	X	A	A	X	B
Sulfuric Acid Hot Concentrated	X	C	X	X			X	X
Sulfuric Acid- 10% - 70F	A		A	A			A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulfuric Acid- 25%- 70F	A		A	C			A	B
Sulfuric Acid- 50%- 70F	A		B	X			A	B
Sulfuric Acid- 60%	A	C	B	X			A	B
Sulfuric Acid- 70%	A	C	B	X			B/C	B
Sulfuric Acid- 80%	A	X	B	X			C	B
Sulfuric Acid- 90%	A	X	B	X			X	B
Sulfuric Acid- 93%	A	X	B	X			X	B
Sulfuric Acid- 94%	A	X	B	X			X	B
Sulfuric Acid- 95%	A	X	B	X			X	B
Sulfuric Acid- 96%	A	X	B	X			X	B
Sulfuric Acid- 96%- 70F	A		B	X			X	B
Sulfuric Acid- Cold Concentrated	B	B	B					X
Sulfuric Acid- Up to 30%	A	A	A	C			A	B
Sulfuric Acid-100%	A	C	B	X			A	B
Sulfuric Acid, 16%	A		A	B			A	B
Sulfuric Acid, 20%	A		B	C			A	B
Sulfuric Acid, 30%	A		B	C			A	B
Sulfuric Acid, 40%	A		B	C			A	B
Sulfuric Acid, 50%	A		B	X	A	A	A	B
Sulfuric Chlorohydrin (Chlorosulfonic Acid)	B							
Sulfuric Ether								
Sulfurous Acid	A	B	B					B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulfurous Acid 30%	A	B	B					B
Sulfurous Acid Anhydride								
Sulfurous Acid- Sat'd.		A						
Sulphur Chloride- Dry		X						
Sulphur Dioxide Gas- Dry- 575F		B						
Sulphur Dioxide Gas- Moist- 70F		B						
Sulphur Dioxide- Dry		A						
Sulphur Dioxide- Dry-68F								
Sulphur Dioxide- Liquid- 68F								
Sulphur Dioxide- Moist		A						
Sulphur Dioxide- Moist- 68F								
Sulphur Monochloride- 70F		B						
Sulphur Trioxide- 68F	A						A	
Sulphur- Boiling- 830F		C						
Sulphur- Dry- Molten		A						
Sulphur- Fused- 265F		B						
Sulphur- Wet		X						
Sulphuric Acid- 10%	A	B					A	B
Sulphuric Acid- 10%- Boiling	A	X					X	B
Sulphuric Acid- 10%-70F	A	B						B
Sulphuric Acid- 5%	A	B					A	B

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulphuric Acid- 5%- 70F	A	B					A	B
Sulphuric Acid- 5%- Boiling	A	X					X	B
Sulphuric Acid- 50%	A	X					A	B
Sulphuric Acid- 50%- 70F	A						A	B
Sulphuric Acid- 50%- Boiling	A	X					X	
Sulphuric Acid- 50%aq. sol.- 68F	A						A	
Sulphuric Acid- 60%aq. sol.- 68F	A						A	
Sulphuric Acid- 70%aq. sol.- 68F	A						B	
Sulphuric Acid- 80%aq. sol.- 68F	A						C	
Sulphuric Acid- 90%aq. sol.- 68F	A						X	
Sulphuric Acid- 95%aq. sol.- 68F	A						X	
Sulphuric Acid- 98%aq. sol.- 68F	A						X	
Sulphuric Acid- Conc.- 70F	X	X					X	
Sulphuric Acid- Conc.- Boiling	X	X					X	
Sulphuric Acid- Concentrated	X	X					X	
Sulphuric Acid- Concentrated- 300F	X	X					X	
Sulphuric Acid- Fuming	X	X					X	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff);</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Sulphuric Acid- Fuming- 70F	X	X					X	
Sulphuric Acid- Fuming- 68F	X						X	
Sulphuric Acid- Saturated- 70F	X	X					X	
Sulphurous Acid- 10%aq. sol.- 68F	A						B	B
Sulphurous Acid- 150#Pressure- 375F	X	B					X	
Sulphurous Acid- 30%aq. sol.- 68F	A						X	
Sulphurous Acid- Saturated- 375F	B	B					B	
Sulphurous Spray		X						
Super Shell Gas	C							
Surfuryl Chloride	B							
sym-Trimethylbenzene, pure - Hydrocarbon, Aromatic	C							
Synthetic Blanc Fixe								
Syrup	A	A			A	A		
Tall Oil	B	A						
Talloy								
Tallow		A	A					
Tan								
Tannic Acid	A	A	A		A	A	A	A
Tannic Acid- 10%	A	A	A				A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Tannic Acid- 10%- 70F	A	A	A				A	A
Tannic Acid- 10%- Boiling	A	B	A				A	
Tannic Acid- 150F	A	A	A				A	A
Tannic Acid- 50%- 70F	A	B	A				A	A
Tannic Acid- 50%- Boiling	A	B	A				A	A
Tanning Extracts	A	A						
Tanning Extracts- 68F								
Tanning Liquor- 70F		B						
Tanning Liquors		A						
Tanning Solutions								
Tap Water - Misc.	A			A				
Tar	X	B		C			B	C
Tartaric Acid	A	A	A	A			A	B
Tartaric Acid- 10%	A	A	A	A				
Tartaric Acid- 10%- 70F	A	B	A	A				
Tartaric Acid- 10%- Boiling	A	B	A	A				
Tartaric Acid- 150F	A	A	A	A				
Tartaric Acid- 50%- 70F	A	B	A	A				
Tartaric Acid- 50%- Boiling	A	B	A	A				
Taxaphene 12%								
TCA, 10% - Acid, Organic, Halogenated	B							
TCA, 100% - Acid, Organic, Halogenated	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
TCA, 25% - Acid, Organic, Halogenated	C							
TCA, pure - Acid, Organic, Halogenated	C							
Tellone II	X							
Terebenthene								
Terebinthia								
Terephthalic Acid	B							
Terpenes								
Terpineol	C						B	X
Terpinyl Acetate	C						B	
tert-Butanol, 100% - Alcohol, Aliphatic	B							B
tert-Butanol, pure - Alcohol, Aliphatic	B							B
tert-Butyl Alcohol, 100% - Alcohol, Aliphatic	B						B	B
tert-Butyl Alcohol, pure - Alcohol, Aliphatic	B						B	B
Tertiary Amyl Methyl Ether (TAME)	X							
Tetrachloro Naphthalene								
Tetrachloroethane	X	A	C	X	A	C		
Tetrachloroethylene	X	A	C	X			X	
Tetrahydrofuran	B	A	C					
Tetramethyl Ammonium Hydroxide	B							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Tetramethyl Ethylene Glycol	B							
Tetraethylorthosilicate	B							
Tetramethylcyclotetrasiloxane (TMCTS)	X							
Tetramethyldihydropyridine	C							
Tetrane								
Tetraphosphogluconate	B							
Tetraphosphoric Acid	X							
Theobroma Oil								
Therminol 44	C							
Therminol 55	C							
Therminol 66	C							
Therminol FR	C							
Therminol VP-1, 60, 65	C							
Theta Octadecenoic Acid								
Thio Acid Chloride	X							
Thioamyl Alcohol	C							
Thiodiacetic Acid	B							
Thioethanol	B							
Thiophosphoryl Chloride	B							
Thiourea	B							
Thorium Nitrate	B							
Thread Cutting Oils		A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Tidewater Oil Multigear 140.EP Lube								
Tidewater Oil-Beedol								
Tin Ammonium Chloride	B							
Tin Salt		X						
Tin Tetrachloride								
Tin- Motten		X						
Tin-Fluoborate Plating 100F		C						
Tin-Lead Plating 100F		C						
Tincal (Tinkal)								
Tincture of Iodine - Misc.	B							
Titanic Acid	B							
Titanic Chloride	X						C	
Titanium Dioxide	B							
Titanium Sulfate	B							
Titanium Tetra Chloride	B	C			A	C		
Toilet Vinegar								
Tolit								
Toluene	C	A	X		A	A	X	X
Toluenesulfonic Acid	B							
Toluquinone	C							
Tolylaldehyde	B							
Tomato Juice	A	A	A	A			A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Tomato Juice- 70F	A	A	A	A			A	
Transformer Oil	C	A	B	X			A	B
Transformer Oil- DTE/30	C	A	B	X			A	
Transmission Fluid Type A	C	A	B	X			A	B
Transmission Fluid- Automatic	C	A	B	X			A	
Triacetin							B	B
Tribasic Potassium Phosphate, pure - Salt, Inorganic	B							
Tributyl Phosphate	A	A					X	X
Tributyl Phosphate-68F	A						X	
Trichlor Ethylene	C	A		X			X	
Trichloroacetic Acid-70F	A	C					B	B
Trichlorethylene Dry-70F	B	B					X	X
Trichloroacetic Acid	B	X	C				B	B
Trichloroacetic Acid-68F	B		C				B	B
Trichloroacetyl Chloride	C							
Trichloroethane	C	A	X	X				
Trichloroethane-68F	C		X	X				
Trichloroethanolamine	B							
Trichloroethylene	B	A		X			C	X
Trichlorofluoromethane pure - Hydrocarbon, Aliphatic, Halogenated	X							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Trichloromethane	C						X	X
Trichloronitromethane (Chloropicrin)	B							
Trichlorophenylsilane	X							
Trichloropropane		A						
Trichlorosilane	C							
Trichlorotrifluoroethane, pure - Hydrocarbon, Aiphatic, Halogenated	B							
Tricresyl Phosphate		A			A	A		
Tricresyl Phosphate-68F								
Triethanol Amine	C/X	A						
Triethyl Aluminum								
Triethyl Amine		A			C	C		
Triethyl Borane								
Triethylamine	C/X	A						
Triethylene Glycol	A	A			A	A	B	
Trifluoroacetic Acid	B							
Trimethylbenzene	C							
Trimethylborate (TMB)	C							
Trimethylene Diamine								
Trimethylene Glycol								
Trimethylpentane	C							
Trios	C							

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Trinitrotoluene	B							B
Tripoly Phosphate								
Tripostassium Phosphate, pure - Salt, Inorganic	B							
Tripotassium Phosphate	A							
Tripropylene Glycol								
Tripropylene Glycol Methyl Ether								
Tris Buffer Solution, pure - Misc.	B							
Trisodium Phosphate	A	A	A				X	
Trisodium Phosphate Dodecahydrate	A	A	A				X	
Trisopropylbenzylchloride	C							
Tritium	X							
Tritolyl Phosphate								
Triton								
Trotyl								
Tryptophan-dl (Powder)								
TSP, pure - Base/Caustic, Inorganic	B							
Tung Oil	X	A						B
Tung Oil (China Wood Oil)	X	A					A	
Tung Oil-Cold and Hot	X	A					A	
Tungsten Hexafluoride	X						A	

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Tungstic Acid	X						A	
Turbine Oil	X						B	B
Turbine Oil-#15 (MIL-L-7808)	X						B	
Turbo Oil-#35	X						B	
Turkey Red Oil								
Turpentine	C	A	B	X	A	A		X
Turpentine Oil	C	A	B	X				
Turpentine Substitute								
Turpentine-68F								
Turpentine-70F		B						
Undecylenic Acid	C							
Undecylic Acid	C							
UPDI (Ultrapure Deionized Water)	B			A				
Uran								
Uranium Hexachloride	X							
Uranium Hexafluoride	X							
Uranium Sulfate	X							
Urea	A	B	A	A			A	
Urea-68F	A	B	A	A			A	
Urea, Aq. Sat. -70F	A	B	A	A			A	
Uric Acid	A	B						
Uric Acid- Concentrated	A	A						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Uric Acid-70F	A	B						
Urine	A	A	A	A				
V.M. & P. Naphtha								
Valeraldehyde	B							
Valerianic Acid								
Valeric Acid	B							
Valerone								
Valine-dl (Powder)								
Vamish	X	A	B				B	C
Vanadium Oxide	C							
Vanadium Pentoxide	C							
Vanilla Extract								
Varnish	X	A					B	C
Varnish (Use Viton for Aromatic)	X	A					B	C
Varnish-70F	X	B					B	C
Varnish-Hot	X	B					B	C
Vaseline	A	A		C				
Vaseline (Petroleum Jelly)	A	A		C				
Vaseline-70F	A	A		C				
Vegetable Gelatin								
Vegetable Juice		A						
Vegetable Juices		B						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Water-68F	A	A	A	A	A	A	A	A
Water-Deionized	A	A	A	A	A	A	A	A
Water-Drinking	A	A	A	A	A	A	A	A
Water-Fresh	A	A	A	A	A	A	A	A
Water-Heavy	A	A	A	A	A	A	A	A
Water-Hot	A	A	A	A	A	A	A	A
Water-Seawater/River Water	A	B	A	A	A	A	A	A
Water, Acid, Mine	A	A	A	X	A	A	A	A
Water, Deionized	A	A	A	A	A	A	A	A
Water, Distilled	A	A	A	A	A	A	A	A
Water, Distilled, Lab Grade 7	A	A	A	A	A	A	A	A
Water, Fresh	A	A	A	A	A	A	A	A
Water, Potable	A	A	A	A	A	A	A	A
Water, Salt	A	C	A	A	A	A	A	A
Water, Sea	A	C	A	A	A	A	A	A
Water, Soft	A	A	A	A	A	A	A	A
Water, Waste	A	A	A	A	A	A	A	A
Wax								
Waycoat 59 Photoresist - Misc., Photoresist	X							
Weed Killers	A	A						
Whey		A						
Whiskey	A	B					A	A

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Whiskey and Wines	A	A	B				A	A
White Liquor		A		X	A	A		
White Liquor (Pulp Mill)		A		X				
White Paraffin, pure - Hydrocarbon, Mixture	C			X				
White Pine Oil	X			X			B	X
White Spirits - Hydrocarbon, Mixture	X							B
White Water (Paper Mill)		A						
Whitening								
Whiting								
Wine	A	A		A				
Wood Oil	X						A	B
Wort		B						
Xylene	C	A	X	X				X
Xylene (Xylil)	C	A	X	X				
Zephiran Chloride, 1% - Misc., Disinfectant	B							
Zephiran Chloride, 7% - Misc., Disinfectant	B							
Zephiran Chloride (Benzalkonium Chloride								
Zinc Acetate	A	A					B	B
Zinc Ammonium Chloride	B							A
Zinc Bromide	A	C						

<u>A=Great Application:</u> <u>B=Good Application (mild effect):</u> <u>C=Conditional Use (consult with ES Technical Staff):</u> <u>X=Do Not Use</u>	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Zinc Plating, Acid Chloride 140F	A	X						
Zinc Plating, Acid Fluoborate Bath R.T		C						
Zinc Plating, Alkaline Cyanide Bath R.T		A						
Zinc Plating, Acid Sulfate Bath 150F		C						
Zinc Salts	A			A				
Zinc Silicate, Native								
Zinc Stearate								
Zinc Sulfate	A	A	A				A	A
Zinc Sulfate-Heptahydrate								
Zinc Sulfate, Saturated								
Zinc Sulfide	B							
Zinc Sulphate								
Zinc Sulphate-25%-Boiling		B						
Zinc Sulphate-5%		A						
Zinc Sulphate-5%-70F		B						
Zinc Sulphate-Saturated		A						
Zinc Sulphate-Saturated-70F		B						
Zinc Sulphide-68F								
Zinc Yellow								
Zinc-Motten		X						
Zirconium Nitrate	B							

A=Great Application: B=Good Application (mild effect): C=Conditional Use (consult with ES Technical Staff): X=Do Not Use	Earth Shield® TPV Waterstop	Earth Shield® 316L Stainless Steel Waterstop	Earth Shield® HDPE Waterstop	Earth Shield® Flexible PVC Waterstop	Earth Shield® VEN1000 Novolac Epoxy	Earth Shield® VEN500 Novolac Epoxy	Earth Shield® Type 125CR Mastic Strip Applied Waterstop	Earth Shield® Type NB190® Hydrophilic Strip Applied Waterstop
Zirlite	Red	Light Blue	Green	Magenta	Orange	Yellow	Purple	Dark Green
	Red	Light Blue	Green	Magenta	Orange	Yellow	Purple	Dark Green
	Red	Light Blue	Green	Magenta	Orange	Yellow	Purple	Dark Green